

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by  ☐ css

```
<!DOCTYPE html>
<html lang='en'>
<head>
  <meta charset="utf-8">
  <title>CWD_Localist examples</title>
  <link
href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.1/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
WskhaSGFgHYWDcbwN70/dfYBj47jz9qbsMIId/iRN3ewGhXQFZCSftd1LZCfmhktB"
crossorigin="anonymous">
  <link rel="stylesheet" type = "text/css" href = "css/fonts/font-awesome.min.css"
/>
  <link rel="stylesheet" type="text/css" href="css/framework/base.css">
  <link rel="stylesheet" type="text/css" href="css/framework/cornell.css">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

**Document checking completed. No errors or warnings to show.**

### Source

```
1.  ↵
2.  <!DOCTYPE html>↵
3.  <html lang='en'>↵
4.  <head>↵
5.      <meta charset="utf-8">↵
6.      <title>CWD_Localist examples</title>↵
7.      <link
href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.1/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
WskhaSGFgHYWDcbwN70/dfYBj47jz9qbsMIId/iRN3ewGhXQFZCSftd1LZCfmhktB"
crossorigin="anonymous">↵
8.      <link rel="stylesheet" type = "text/css" href = "css/fonts/font-
awesome.min.css" />↵
```

```

9.      <link rel="stylesheet" type="text/css" href="css/framework/base.css">↵
10.     <link rel="stylesheet" type="text/css" href="css/framework/cornell.css">↵
11. </head>↵
12. <body>↵
13. <div class='container'>↵
14.     <p>↵
15.         <h1>CWD_LocalList Example</h1>↵
16.         <p>Supports multiple calenders on same page with different settings
options<p>↵
17.     </p>↵
18.     <div class="row">↵
19.         <div class='col-md-8'>↵
20.             <div id="standard"></div>↵
21.         </div>↵
22.         <div class='col-md-4'>↵
23.             <div id="compact"></div>↵
24.         </div>↵
25.     </div>↵
26.     <div class="row">↵
27.         <div class='col-md-8'>↵
28.             <div id="modern_standard"></div>↵
29.         </div>↵
30.         <div class='col-md-4'>↵
31.             <div id="modern_compact"></div>↵
32.         </div>↵
33.     </div>↵
34.     <div class="row">↵
35.         <div class='col-md-8'>↵
36.             <div id="archive">TODO Archive needs implimentation</div>↵
37.         </div>↵
38.         <div class='col-md-4'>↵
39.             <div id="inline_compact"></div>↵
40.         </div>↵
41.     </div>↵
42. </div>↵
43. ↵
44. <!--script src="js/app.js"></script-->↵
45. <script src="build/app.bundle.js"></script>↵
46. ↵
47. <script>↵
48.     var settings = { 'target': 'standard', 'format':'standard', 'entries':4,
'heading':'standard', 'addCal': false};↵
49.     CWD_LocalList.run( settings );↵
50.     var settings1 = { 'target': 'modern_standard', 'format':'modern_standard',
'entries':3, 'heading':'modern_standard', 'addCal': true};↵
51.     CWD_LocalList.run( settings1 );↵
52.     var settings2 = { 'target': 'compact', 'format':'compact', 'entries':3,
'heading':'compact', 'addCal': true, 'pref_excerpt_length':150,
'pref_category_filters':false};↵
53.     CWD_LocalList.run( settings2 );↵
54.     var settings3 = { 'target': 'modern_compact', 'format':'modern_compact',
'entries':4, 'heading':'modern_compact', 'addCal': true,
'pref_excerpt_length':150};↵
55.     CWD_LocalList.run( settings3 );↵
56.     var settings4 = { 'target': 'inline_compact', 'format':'inline_compact',
'entries':3, 'heading':'inline_compact', 'addCal': true,
'pref_excerpt_length':150};↵
57.     CWD_LocalList.run( settings4 );↵
58. </script>↵
59. </body>↵
60. </html>

```

Used the HTML parser.

Total execution time 15 milliseconds.

