KRA Kuali Research Administration: Exercise 8

This page last changed on Jan 25, 2008 by tdurkin.



Exercise 8:

Implement a Document Authorizer class.

Exercise Goal

At the end of this exercise, you will have implemented a custom Document Authorizer. Only specific users within the Workgroup defined in the Data Dictionary should have privileges to create a new Proposal Development Document.

Project files

ProposalDevelopmentDocumentAuthorizer

- 1. Create the class
 - $\verb|org.kuali.kra.proposal development.document.authorizer.Proposal Development Document Authorizer.Proposal Development Document Document$
- 2. Your Document Authorizer should extend TransactionalDocumentAuthorizerBase
- 3. Override the canInitiate method.
- 4. Make sure that the default Workgroup evaluation occurs in your over-ridden class.
- 5. Use the ProposalDevelopmentService to get the list of Units for which a user can Modify/Initiate a Proposal Development Document.
- 6. If the service does not return any Units, generate an error by throwing a DocumentInitiationAuthorizationException
 - Use the error: error.authorization.document.initiation and include the Document Type and User ID.

ProposalDevelopmentDocument.xml

1. Modify the Document Data Dictionary file to use Document Authorizer class that you just created.

Try it out!

1. Start your web app. You should be able to navigate to initiate a document as user 'quickstart' but not as 'user4'.