










VDD decoupling



VDDA decoupling



VBAT decoupling



HSE 16MHz 12pF





figure out load capacitance


probably no LSE

Boot Mode

is this valid instead of SPDT
see AN5419 p27



Reset button



Clarkson University Rocketry Team

Sheet: /MCU/
File: mcu.kicad_sch

Title: Air Brakes Module


Size: A4 Date: 2025-11-23

KiCad E.D.A. 9.0.5


Rev:
Id: 2/10




8	0.016	3.2	3971	0.128	greater than 1/8W
8.25	0.0165	3.3	4095	0.136125	max current sense
11	0.022	4	5460	0.242	max current less than 1/4W




USB-C connector



VBUS detect see AN4879 pg 13



VBUS indicator



Clarkson University Rocketry Team

Sheet: /USB/
File: usb.kicad_sch

Title: Air Brakes Module


Size: A4

Date: 2025-11-23

Rev:

KiCad E.D.A. 9.0.5

Id: 4/10



Clarkson University Rocketry Team

Sheet: /Flash/
File: flash.kicad_sch

Title: Air Brakes Module


Size: A4

Date: 2025-11-23

Rev:

KiCad E.D.A. 9.0.5

Id: 5/10



Clarkson University Rocketry Team

Sheet: /Servo/
File: servo.kicad_sch

Title: Air Brakes Module

Size: A4

Date: 2025-11-23

Rev:

KiCad E.D.A. 9.0.5

Id: 6/10

from HQ Online
19-237/R6GHBHC-M01/2T

+3V3

MODE_CD → C → 1 → MODE_1
 2 → MODE_2
 4 → MODE_4
 S1
 RDS4-8S-1012-73-RA-254-D-67

The image displays four identical circuit diagrams arranged horizontally. Each diagram shows a +3V3 power supply connected to a switch (SW4, SW5, SW6, or SW7). The switch is controlled by a signal (BTIN_0, BTIN_1, BTIN_2, or BTIN_3) and is connected to a component labeled GSPTS0018. The GSPTS0018 component is represented by a symbol with two terminals, one connected to the switch and the other to ground.

BAT54 good tho allegedly

+3V3

D4 SS12

BZ1 CEM-1203(42)

R31 150

BZZZRD

R33 47k


Q6 NTR4003N

GND






Sheet: /User Interface/
File: user_interface.kicad_sch

Rev:
Id: 7/10



see for information on baro
<https://github.com/kriswimer/ILPS22QS/issues/2>



MOSI/MISO swap can be achieved if needed
 RM0468 page 2261 bit 15 I0SWP



Clarkson University Rocketry Team

Sheet: /Sensors/
 File: sensors.kicad_sch

Title: Air Brakes Module

Size: A4 Date: 2025-11-23

KiCad E.D.A. 9.0.5

Rev:

Id: 9/10

