# JASMIN Workshop: Exercise 01: Accessing and using the jasmin "scientific analysis" servers

## Scenario

I am a new JASMIN user and I have been granted a jasmin-login role which controls access to the JASMIN shared resources, e.g. login, transfer and scientific analysis servers and LOTUS. I would like to access the JASMIN resources available for interactive computing.

**Note:** If needed refer to the cheat sheet for exercise 01 at the end of this document for specific commands (example of a command output is in blue text color)

# **Objectives**

- How to login to JASMIN
- How to access the scientific analysis servers
- How to access the data transfer server
- Command line interface versus graphical user interface on JASMIN

### JASMIN resources

- JASMIN login, transfer and scientific analysis servers
- Home directory quota 100GB
- **GWS workshop** /group workspaces/jasmin2/workshop/users/\$USER/ex01

#### Local resources

- SSH client and SSH keys
- Jasmin-login account

#### Instructions

- 1. Launch a terminal on your local host
- 2. Start the ssh-agent and load your JASMIN SSH private key ssh-add .ssh/
- 3. SSH login to JASMIN login node ssh -A <username>@jasmin-login1.ceda.ac.uk
- 4. Discover the scientific analysis servers displayed in the login message
- 5. Check the load and choose a scientific server
- 6. SSH login to a chosen scientific server, e.g. jasmin-sci<number>.ceda.ac.uk
- 7. Check your current working directory and the size of this directory using du (Use man <command> to check for command line options)
- 8. Check which Linux user group you belong, e.g. groups
- 9. Create a directory for your output files using mkdir. Add the -p flag to create all the directories in the path. e.g. mkdir -p /group\_workspaces/jasmin2/workshop/users/\$USER/ex01
- 10. Then change into this directory, e.g. cd <Above directory path>
- 11. Launch Gnuplot to plot a graph using the command gnuplot and create a plot of the function sin(x) using the following commands:

```
gnuplot> plot sin(x)
gnuplot> set term post eps
gnuplot> set output "my_first_plot.eps"
gnuplot> replot
gnuplot> quit
```

- 12. Try to view the output file using the command gv
- 13. Launch another SSH login session with the option -x or -y to enable X11 forwarding
- 14. Can you view the output file using the command gv?
- 15. Check what is running on the chosen scientific server using top
- 16. Logout from JASMIN scientific server, then logout from jasmin-login1.ceda.ac.uk
- 17. SSH login to jasmin-xfer1.ceda.ac.uk
- 18. Can you launch gnuplot?
- 19. Logout

### Review

By completing this exercise you will be able to login to the interactive computing resources to run your processing or to develop and test your code. You will be able to access the different user working areas: home and GWS. You will be able to run X11-windows applications.

# Alternative approaches and best practice

- No processing on the JASMIN login node is allowed. The login node is a gateway server to access the scientific analysis servers. <a href="https://help.jasmin.ac.uk/article/191-login-servers">https://help.jasmin.ac.uk/article/191-login-servers</a>
- Do not use JASMIN data transfer server as a gateway to login to scientific analysis servers
- Root privilege is not allowed on all JASMIN servers.
- The user home directory is 100GB quota and it is backed up, e.g. /home/users/\$USER. Users can access snapshots to recover files/directories that have been accidentally deleted <a href="https://help.iasmin.ac.uk/article/176-storage">https://help.iasmin.ac.uk/article/176-storage</a>
- How to troubleshoot SSH login issues?
  - Jasmin-login was revoked because you did not respond to the email confirmation request
  - Your SSH private key file permissions were accidentally modified.
  - 3. You exceeded the quota limit 100GB on your home directory
  - 4. Your changed access permission of your home directory /home/users/<username>
  - 5. /tmp is full on the JASMIN server.
  - 6. You are not in a whitelisted network domain.
- Running x11 application can be slow (another alternative is to use x2go).
   <a href="https://help.jasmin.ac.uk/article/189-get-started-with-jasmin">https://help.jasmin.ac.uk/article/189-get-started-with-jasmin</a>
   <a href="https://help.jasmin.ac.uk/article/187-login">https://help.jasmin.ac.uk/article/187-login</a>

https://help.jasmin.ac.uk/article/4475-graphical-linux-desktop-access-using-x2go

# Cheat sheet for Exercise 01: Accessing and using the jasmin "scientific analysis" servers

- Launch a terminal on your local host. On Mac search "Applications/Utilities/Terminal" in finder or search by keyword "terminal" by pressing the command and the space bar. On Windows, launch MobaXterm
- 2. Start the ssh-agent and load your SSH private key. Check the key is loaded

```
exec ssh-agent $SHELL ssh-add ~/.ssh/id_rsa_jasmin ssh-add -1
```

3. SSH login to JASMIN login node

```
ssh -A <username>@jasmin-login1.ceda.ac.uk
```

4. Discover the scientific analysis servers displayed in the login message

5. Check the load e.g. number or users logged in, the free memory and the CPU used, and choose a scientific analysis server

```
Average load on each VM over the last hour:

Host Users Free memory CPU

jasmin-sci5.ceda.ac.uk 11 16.1G 6.0%
```

6. SSH login to a chosen scientific analysis server e.g. sci-server number 5

```
ssh jasmin-sci5.ceda.ac.uk
Last login: Mon Jun 24 13:17:56 2019 from jasmin-login1.ceda.ac.uk
    RAL High Performance Computing Services Group
    Configured by PXE/Kickstart: 2014-04-02 08:58
    Admin contact: Peter Chiu <peter.chiu@stfc.ac.uk>

Additional information about JASMIN can be found at: http://jasmin.ac.uk

For support please contact CEDA Helpdesk: support@ceda.ac.uk
[fchami@jasmin-sci5 ~]$
```

7. Which filesystem is your current working directory and what is the size of this area?

```
pwd
/home/users/<username>
du -sh .
9.7G .
```

8. Check which Linux user groups you belong to

```
groups
users open gws_workshop
```

9. Create a directory for your output file ( GWS workshop is a parallel file system)

```
mkdir -p /group_workspaces/jasmin2/workshop/users/$USER/ex01 cd /group_workspaces/jasmin2/workshop/users/$USER/ex01
```

10. Plot a function sin(x) using gnuplot

```
gnuplot
gnuplot> plot sin(x)
gnuplot> set term post eps
gnuplot> set output "my_first_plot.eps"
gnuplot> replot
gnuplot> quit
```

11. Can you view the plot?

```
gv my_first_plot.eps
gv: Unable to open the display.
```

12. Launch another SSH login session with the option -x or -y to enable x11 forwarding and then SSH into your previously chosen scientific analysis server

```
ssh -AX <username>@jasmin-login1.ceda.ac.uk
ssh -X <username>@jasmin-sci<number>.ceda.ac.uk
```

13. Can you view the plot?

```
gv /group_workspaces/jasmin2/workshop/users/$USER/ex01/my_first_plot.eps
```

14. Check what is running on the chosen scientific analysis server use top or ps

```
top -u <username>
top - 13:27:21 up 2:12, 4 users, load average: 0.10, 0.10, 0.15
Tasks: 310 total, 1 running, 309 sleeping, 0 stopped, 0 zombie
Cpu(s): 1.0%us, 0.3%sy, 0.0%ni, 98.7%id, 0.0%wa, 0.0%hi, 0.0%si, 0.0%st
Mem: 32863020k total, 26084472k used, 6778548k free,
                                                    14672k buffers
                          0k used, 4194300k free, 24243732k cached
Swap: 4194300k total,
              PR NI VIRT RES SHR S %CPU %MEM TIME+ COMMAND
  PID USER
              20  0 13444 1360  900 R  0.7  0.0  0:00.28 top
41056 fchami
39697 fchami 20 0 112m 2000 904 S 0.0 0.0 0:00.00 sshd
39710 fchami 20 0 104m 1824 1380 S 0.0 0.0 0:00.06 bash
40922 fchami 20 0 112m 2504 948 S 0.0 0.0 0:00.13 sshd
40939 fchami 20 0 104m 1828 1384 S 0.0 0.0 0:00.06 bash
41005 fchami 20 0 136m 3108 2208 S 0.0 0.0 0:00.10 gv
q (to exit top)
```

15. Exit Ghostscript viewer gv. Logout from the scientific analysis server and from the login server

```
logout
Connection to jasmin-sci5.ceda.ac.uk closed.
logout
Connection to jasmin-login1.ceda.ac.uk closed.
```

## 16. SSH login to the JASMIN data transfer server

```
ssh -A <username>@jasmin-xfer1.ceda.ac.uk
```

## 17. Which filesystem is your current working directory?

```
pwd
```

/home/users/<username>

## 18. Can you launch gnuplot?

```
gnuplot
```

-bash: gnuplot: command not found

## 19. Logout from JASMIN transfer server

logout

Connection to jasmin-xfer1.ceda.ac.uk closed.