

Quant X Manual Agent — Command-Line Move Profiles

Below are 10 ready-to-run terminal command sets for the Manual Agent within the Quant X project. Each block overwrites **quantx/configs/moves.yaml** with specific move combinations (Flood, FlashCrash, Earthquake, Recover) and then runs the simulation via **python -m quantx.scripts.run_manual_agent**.

1) Recover only (baseline / calm market)

```
cat > quantx/configs/moves.yaml <<'YAML' moves: - name: Recover intensity: 1.0 duration_s: 0.8 YAML python -m quantx.scripts.run_manual_agent
```

2) Flood only (flood the order book)

```
cat > quantx/configs/moves.yaml <<'YAML' moves: - name: Flood intensity: 1.0 duration_s: 0.5 YAML python -m quantx.scripts.run_manual_agent
```

3) FlashCrash only (aggressive crash)

```
cat > quantx/configs/moves.yaml <<'YAML' moves: - name: FlashCrash intensity: 1.0 duration_s: 0.4 YAML python -m quantx.scripts.run_manual_agent
```

4) Earthquake only (alternating buy/sell)

```
cat > quantx/configs/moves.yaml <<'YAML' moves: - name: Earthquake intensity: 0.9 duration_s: 0.6 YAML python -m quantx.scripts.run_manual_agent
```

5) Flood → Recover

```
cat > quantx/configs/moves.yaml <<'YAML' moves: - name: Flood intensity: 0.9 duration_s: 0.4 - name: Recover intensity: 1.0 duration_s: 0.6 YAML python -m quantx.scripts.run_manual_agent
```

6) FlashCrash → Recover

```
cat > quantx/configs/moves.yaml <<'YAML' moves: - name: FlashCrash intensity: 1.0 duration_s: 0.35 - name: Recover intensity: 1.0 duration_s: 0.6 YAML python -m quantx.scripts.run_manual_agent
```

7) Earthquake → Flood → Recover

```
cat > quantx/configs/moves.yaml <<'YAML' moves: - name: Earthquake intensity: 0.7 duration_s: 0.4 - name: Flood intensity: 0.8 duration_s: 0.4 - name: Recover intensity: 1.0 duration_s: 0.6 YAML python -m quantx.scripts.run_manual_agent
```

8) Flood + FlashCrash + Earthquake (chaotic mix)

```
cat > quantx/configs/moves.yaml <<'YAML' moves: - name: Flood intensity: 0.6 duration_s: 0.3 - name: FlashCrash intensity: 1.0 duration_s: 0.25 - name: Earthquake intensity: 0.8 duration_s: 0.35 YAML python -m quantx.scripts.run_manual_agent
```

9) Short bursts (fast noise)

```
cat > quantx/configs/moves.yaml <<'YAML' moves: - name: Flood intensity: 0.5 duration_s: 0.15 - name: Earthquake intensity: 0.5 duration_s: 0.15 - name: Recover intensity: 1.0 duration_s: 0.1 YAML python -m quantx.scripts.run_manual_agent
```

10) Stress test (FlashCrash → Flood → Earthquake → Recover)

```
cat > quantx/configs/moves.yaml <<'YAML' moves: - name: FlashCrash intensity: 1.0 duration_s: 0.4 - name: Flood intensity: 1.0 duration_s: 0.5 - name: Earthquake intensity: 1.0 duration_s: 0.5 - name: Recover intensity: 1.0 duration_s: 0.6 YAML python -m quantx.scripts.run_manual_agent
```