Initial raw data clean-up

Overview

This notebook describes my initial exploration and cleaning of the raw data from the fall 2026 CURIOSS OSPO survey.

Import packages and utilities

```
library(readxl)
```

Read data from excel

After receiving the data from Clare, a password-protected .xlsx file, I copied the data into a new excel file without password protection so R's readxl package could read it. That file is called raw_data.xlsx.

```
my_data <- readxl::read_excel("data/raw_data.xlsx")
```

Start exploring the data

```
dim(my_data)
```

```
[1]  36 198
```

```
names(my_data)[1:15]
```

```
 [1] "Response ID"
 [2] "Date submitted"
 [3] "Last page"
 [4] "Start language"
 [5] "Seed"
 [6] "Quota exit"
 [7] "Your organization / institution name"
 [8] "Your email"
 [9] "In which region is your organization located?"
[10] "In which region is your organization located? [Other]"
[11] "Which best describes the open source function at your organization?"
[12] "Which best describes the open source function at your organization? [Other]"
[13] "Where is your OSPO located within your university? [University library]"
[14] "Where is your OSPO located within your university? [Central administration (e.g., centr
[15] "Where is your OSPO located within your university? [Technology transfer, innovation, or
```

My plan:
1. Create a text file that contains a single table for all of the responses to simple quantitative questions. (E.g., "campus".)
2. For more complex quantitative questions, create one file/table per question.
3. Create a file/table for all qualitative questions.