What are OSPOs trying to achieve?

Overview

Title says it all, really.

Research questions: - Who does your OSPO primarily serve?
- What are the main objectives of your OSPO or OSPO-like function?
- Does your OSPO currently track any metrics or indicators of its impact?
- What is your elevator pitch for why your OSPO matters?

Import packages, utilities, and config variables

```
library(readxl)
library(dplyr)
```

```
Attaching package: 'dplyr'
```

```
The following objects are masked from 'package:stats':

    filter, lag
```

```
The following objects are masked from 'package:base':

    intersect, setdiff, setequal, union
```

```
library(docstring)
```

```
Attaching package: 'docstring'

The following object is masked from 'package:utils':

    ?
```

```
library(readr)
```

```
Warning: package 'readr' was built under R version 4.4.3
```

```
source("utils.R")

# Read config.yml
cfg <- config::get()
```

Load data

```
mc_simple <- read_tsv(file.path(cfg$data_path, "mc_simple.tsv"), show_col_types = FALSE, ski
org_responses <- read_excel(file.path(cfg$curated_path, "orgs.xlsx"), sheet="responses")
objs <- read_tsv(file.path(cfg$data_path, "objectives.tsv"), show_col_types = FALSE, skip_em
matrix_other <- read_tsv(file.path(cfg$data_path, "matrix_other.tsv"), show_col_types = FALS
qual <- read_tsv(file.path(cfg$data_path, "qual.tsv"), show_col_types = FALSE, skip_empty_ro
```

Scope/audience

What is each OSPO's scope/audience? Hopefully responses from the same institution match, but let's check.

```
org_responses$scope <- mc_simple$scope
dupes <- org_responses |>
  group_by(organization) |>
  filter(n() > 1) |>
```

```
  ungroup()

# Keep commented for privacy!!
# dupes
```

Okay, well, there is one disagreement, but I know that university, and they're not part of an OSPO Network, so I'm pretty inclined to side with respondent 1 over respondent 2 on this and say they serve their own institution, and no other institutions. I think the intent of the "beyond our institution" thing was really about official services like OSPO networks. And the question says who do you "primarily" serve.

Since the person I agree with happens to occur first, I can just do what I did in the last notebook: grab the first occurrence of the institution. I think I will leave in the one Network-level response this time, because I think it's relevant here.

```
# We don't need this column
org_responses <- org_responses |> select(-response)

# Get a summary table of items and their first row index
tmp <- org_responses |>
  mutate(row_idx = row_number()) |>
  group_by(organization) |>
  summarise(first_occurrence_idx = min(row_idx), .groups = "drop")

rows_to_keep <- sort(tmp$first_occurrence_idx)

# One response per org
org_responses_filt <- org_responses[rows_to_keep, ]
```

```
table(org_responses_filt$scope)
```

```
Beyond our institution (e.g., a multi-university system, consortium, or wider community)
                                                                                       8
                                                        Our own unit, center, or department
                                                                                       4
                                                                    The whole institution
                                                                                      15
```

Objectives

This was a matrix question. I'll start by recoding the likert scale responses to numbers.

```
score_map <- c(
  "Not an objective for us"  = 0L,
  "A minor consideration"    = 1L,
  "Important, but secondary" = 2L,
  "A core objective"         = 3L
)

# Convert all text columns to numeric values
objs_numeric <- objs |>
  mutate(across(everything(), ~ score_map[.x]))
```

I strongly suspect that there will be differences between responses from the same institution. Let's check.

```
org_objs <- cbind(org_responses$organization, objs_numeric)
names(org_objs)[1] <- "org"
dupes2 <- org_objs |>
  group_by(org) |>
  filter(n() > 1) |>
  arrange(org, .by_group = TRUE)

# Keep commented for privacy!!
# dupes2
```

As expected, responses from the same institution do not match perfectly. However, they are pretty similar (which is good!). I'm going to take an average from the orgs that had multiple responses, and I'll use that to calculate the institution's score.

```
# Uh-oh, I'm getting NAs. Which rows have NAs?
which(is.na(objs_numeric), arr.ind = TRUE)
```

```
     row col
<NA>  32   1
<NA>  32   2
<NA>  32   3
<NA>  32   4
<NA>  32   5
```

```
<NA>  32   6
<NA>  32   7
```

I see one person gave all NA responses to this question. I will remove them.

```
# N.B. this removes rows with NA in ANY column
dim(org_objs)
```

```
[1] 33  8
```

```
org_objs <- na.omit(org_objs)
dim(org_objs)
```

```
[1] 32  8
```

I'm just going to take the average score per organization.

```
org_objs_avgd <- org_objs |>
  group_by(org) |>
  summarise(across(everything(), ~ mean(.x, na.rm = TRUE)))

dim(org_objs_avgd)
```

```
[1] 27  8
```

```
# Keep commented for privacy!!
# org_objs_avgd
```

Check out the overall scores for each objective

```
sort(colSums(org_objs_avgd[,-1]), decreasing = TRUE)
```

```
    good_practice        engagement           support            policy
             74.5              63.0              62.5              61.0
    participation removing_blockers         community
             60.5              56.5              55.5
```

Metrics

This was a slightly sneaky "simple multiple choice" question in that it doesn't use an "other" field, but it was followed by a very closely related qualitative question. Let's save those qualitative answers to a file for coding. Note that for this one we are NOT filtering to one response per institution.

```
write_df_to_file(qual$metrics_other, "metrics.txt", path_key = "coding_path")
```

As before, let's inspect the responses from the same university and see if they are in accord with one another.

```
org_metrics <- org_responses
org_metrics$metrics <- mc_simple$metrics
# We don't need this column
org_metrics <- org_metrics |> select(-scope)
dupes <- org_metrics |>
  group_by(organization) |>
  filter(n() > 1) |>
  arrange(metrics, .by_group = TRUE)

# Keep commented for privacy!!
# dupes
```

Bah! They mostly agree, but there is one institution where the respondents disagree (2 responses total). I'm just going to pick one at random. I'll just pick whichever response comes first.

```
# One response per org
org_metrics_filt <- org_metrics[rows_to_keep, ]
```

```
table(org_metrics_filt$metrics)
```

```
    Not yet, but we are working on it       We track some things informally
                                    7                                    15
Yes, we have defined metrics we track
                                    4
```

Pitch

Sending the question about the OSPO's elevator pitch straight to file for qualitative coding.

```
write_df_to_file(qual$pitch, "pitch.txt", path_key = "coding_path")
```