LaPIS Diagnostic Test Workbook - Mathematics

Name	:	**Aashika S**
Class	:	**7**
Section	:	**A**
School	:	**AKV Public School**
Login ID	:	**AKV120**

Aashika S's Performance Report

Percentage of fluency vs Topic wise Performance

- Mensuration: 0.0
- Comparing Quantities: 40.0
- Basic arithmetic: 100.0
- Algebra: 16.7
- Number system: 36.4
- Data handling: 25.0
- Geometry: 40.0

Score: 14/40   **Percentage: 35.0%**

Aashika S's Study Planner

Date	Topics Planned	Q. Numbers	Teacher Remark	Teacher Sign	Parent Sign

Teacher's Feedback to Student

_____   _____
Class Teacher Signature   Principal Signature

Mensuration

Topics to be Improved	
Perimeter	Perimeter of triangle
Area	Area of rectangle

Hi, here in this video you will learn **Perimeter**

Question: 1 ....

Highlight the perimeter in the given image.

Answer:

Perimeter is the _____ (outer / inner) boundary of the shape

Question: 2 ....

Find the perimeter of the given figure.

10 cm

5 cm
5 cm

10 cm

Answer:

Sides of the given shape = _____.
Perimeter of a shape is _____ (sum / difference) of _____ (all/ opposite) sides.

Perimeter of the given shape = _____

Question: 3 ....

Find the length of the rectangular floor if its perimeter is 60 ft and breadth is 3 ft.

Answer:

Perimeter = ___   Breadth = ___

Length = ___

Shape of the floor is _____ and its perimeter formula is _____.
Given:

$$\text{floor perimeter} = \text{_____}, \text{ and breadth} = \text{_____}.$$
$$\text{Perimeter of the floor} = 2(\text{_____} + \text{_____}).$$

Therefore, length of the rectangular floor is _____.

Hi, here in this video you will learn **Area**

Question: 4 ....

Find which of the shaded portion in the given shape represent it's area.

Answer:

Given figure is _____ in shape.
Area is the _____ (inside/ outside/ boundary) of a shape.

Question: 5 ....

Find the area of a rectangular garden whose dimension is 25 ft in length and 20 ft in breadth.

Answer:

Breadth= _____

Length = _____

The garden is in _____ shape.

Length of garden is _____ and breadth of garden is _____.

Formula for area of the shape = _____.

The area of garden = _____ x _____ = _____ cm^2

Question: 6 ....

Shade the possible dimension of the door whose area is 500 m^2

| 50 m × 10 m | 25 m × 25 m | 25 m × 20 m | 30 m × 20 m |

Answer:

Door is _____ in shape. Area of the _____ shaped door is _____.

Dimensions	Length	Breadth	Area
50m × 10m			
25m × 25m			
25m × 20m			
30m × 20m			

Therefore, possible dimension of the door whose area is 500 m^2 is/are _____

Data handling

Topics to be Improved	
Chance of probability	Basis of probability
Arithmetic mean, mode and median	Mean, Median and Mode
Range	Finding the range

Hi, here in this video you will learn **Basics of probability**

Question: 7

Identify the sure events and impossible events

  (i) The sun rises in the west.

 (ii) Water is colourless.

(iii) Clock rotates in clock wise direction.

(iv) Ball is square in shape.

Answer:

Events that always occur are called _____ (sure/ impossible) events.
Events that cannot occur are called _____ (sure/ impossible) events.
Here, The sun rises in the west is _____ event. Water is colourless is _____ event.
Clock rotates in clock wise direction is _____ event. Ball is square in shape is _____ event.

Question: 8

Probability of sure events is _____ (greater / smaller) than probability of impossible events.

Answer:

Probability of sure event $=$ _____(0/ 1/ any number).
Probability of impossible event $=$ _____ (0/ 1/ any number).
Therefore, Probability of sure event _____ Probability of impossible event.

Question: 9

Raju has pencil, an eraser, a scale, sharpener, colour pencil and protractor in his box. What is the probability of getting a pen from his box.

Answer:

Things Raju have _____

Does Raju have pen in his box,_____ (Yes/ No).

Then probability of getting pen from his box is _____ (0/1)

Hi, here in this video you will learn **Mean, Median, Mode**

Question: 10 . . . .

Find the mode of the following data: 5, 15, 23, 5, 32, 44, 72, 55, 6, 3, 5, 65, 45, 67, 24, 19 and 98.

Answer:

Mode is the number that occurs _____ (frequently / rarely) in a given list of observations.

Arranging the data in ascending order: _____

_____ occurs most number of times. Then, mode of the given data is _____

Question: 11 . . . .

Which shape contains median of the given data 3, 5, 6, 2, 7, 9, 6, 4 and 1

$$1 \qquad 5 \qquad 6 \qquad 9$$

Answer:

Median is the _____(first/central/last) value of a data when the data is arranged in ascending or descending order.

Arrange the given data in ascending order : _____

Central value of the given data is _____ and it is the _____ of a data.

Question: 12 . . . .

Marks scored	100	90	80	70
Number of students	4	5	2	1

Mean =_____ , Median = _____ and Mode = _____.

Answer:

Mean $= \dfrac{\text{_____ of all observation}}{\text{number of observation}}$.

Here s sum of all observation = _____ , number of observation = _____

Therefore, mean = _____

Arrange the data in ascending order : _____

Here, median = _____ , mode = _____ .

Hi, here in this video you will learn **Range**

Question: 13 ....

Range of the data = _____ − _____

Answer:

The difference between highest value and lowest value is _____ .

Example: Find the range of 10, 5, 30, 23, 54, 39 and 16

Highest value = _____ , Lowest value = _____ .

Range = _____ − _____ = _____ .

Question: 14 ....

Circle the correct range for the following data 31, -20, 35, -38, 29, 0, 43, -25, 51, 14, 9

$$-20 + 51 \qquad \frac{-38-51}{2} \qquad 51 + 38 \qquad \frac{51+20}{2}$$

Answer:

Range = _____ - _____ .

Arranging the data in ascending order, _____

In the given data,

Highest value = ____ , Lowest value = ____ , Range = _____ − _____ = _____

Question: 15 ....

Find the range of first 10 multiple of 5.

Answer:

First 10 multiple of 5 = _____

Therefore,

Highest value = _____ , Lowest value = _____ , Range = _____ − _____ = _____

Geometry

Topics to be Improved	
Lines of symmetry for regular polygons	Identification of lines of symmetry
Types of triangle	Basics of types of triangle (sides)
Transversal angle made by transversal	Basics of Transversal angle
Related angles	Complementary angles
Angle sum property of triangle	Angle sum property of triangle
Right angle triangle and pythagoras property	Basics of Pythagoras property

---

Hi, here in this video you will learn **Symmerty**

Question: 16 ....

Line of symmetry is divides any shape into _____ (one / two) _____ (identical / non identical) halves.

Answer:

Lines of symmetry is a line that divides any shape into _____ (equal / unequal) halves.
Symmetrical image have _____ (identical / non identical) parts.
Therefore, line of symmetry is dividing the shape into _____ halves.

Question: 17 ....

How many lines of symmetry does square have?

Answer:

Square have _____ sides.
All sides of square are _____ and all angles are _____.
Mark the lines of symmetry.

Therefore, square has _____ lines of symmetry.

Question: 18 ....

Classify the following based on the symmetry.

Letter S, scalene triangle, Letter K, Rhombus, Number 8, and circle .

Answer:

Lines of symmetry is a line that divides the shape into _____ (equal / unequal) halves.

The letter S is _____ (symmetrical / asymmetrical) and have _____ lines of symmetry.

Scalene triangle is _____(symmetrical / asymmetrical) and have _____lines of symmetry.

The letter K is _____ (symmetrical / asymmetrical) and have _____ lines of symmetry.

Rhombus is _____(symmetrical / asymmetrical) and have _____ lines of symmetry.

Cat is _____ (symmetrical / asymmetrical) and have _____ lines of symmetry.

Stars is _____ (symmetrical / asymmetrical) and have _____ lines of symmetry.

Hi, here in this video you will learn **Types of triangle**

Question: 19 ....

Polygon with three sides is called as _____.

Answer:

A polygon is a simple _____ (open / closed) curve made up of only line segments.

Polygon with three sides is called _____.

Draw a diagram of polygon with three sides :

Question: 20 ....

Identify the types of triangles.

4 cm   3 cm

5 cm

3 cm   4 cm

4 cm

3 cm   3 cm

3 cm

Triangle has _____ sides.

- Triangle with all sides are equal is called _____ triangle.

- Triangle with two sides of equal length is called _____ triangle.

- Triangle with three sides of different length is called _____ triangle.

Question: 21 . . . .

A park is in the shape of an isosceles triangle. If side length of the park is 30ft and 60ft. then the possible length of third side of park can be _____.

Answer:

The shape of the park is _____ .
The shapes has _____ sides and this shape has _____ sides of equal length.
Given: length of sides of park is _____.
The possible length of third side is _____.

Hi, here in this video you will learn **Basics of Transversal angle**

Question: 22 . . . .

In given diagram, ∠ 1 and ∠ 7 are _____ (alternate / corresponding) angles.

Answer:

A line that intersects two or more lines at distinct points is called a _____ (transversal/ Intersecting line).
Angle that lies on different vertices and on the opposite sides of transversal is _____ angles.

Angle that lies on different vertices and on the same sides of transversal is _____ angles. Therefore, ∠1 and ∠7 are _____

Question: 23 ....

Find the transversal, alternate angles and corresponding angles in a given diagram.

Answer:

A line that intersects two or more lines at distinct points is called a _____ (transversal/ Intersecting line).

In a given diagram, _____ is a transversal line. (BF/AD/CE)

Alternate angles	Corresponding angles
∠a and ∠g , ∠b and ∠h,	∠a and ∠e, ∠b and ∠f,

Question: 24 ....

Find ∠e and ∠g if ∠a = 30°.

Answer:

When parallel lines cut by a transversal,

(i) Alternate angles are _____ (equal / not equal).

(ii) Corresponding angles are _____ (equal / not equal).

Here, alternate angle of ∠a is _____ and its value is _____.
Corresponding angle of ∠a is _____ and its value is _____.

Hi, here in this video you will learn **Related Angles**

Question: 25 ....

1. Two angles are complementary if their sum is equal to _____.

2. Two angles are supplementary if their sum is equal to _____.

Answer:

1. When sum of the two angles is equal to 90°, they are called as _____ angle.
Example : 45° and 45°, _____, and _____.

2. When sum of the two angles is equal to 180°, they are called as _____ angle.
Example : 90° and 90°, _____, and _____.

Question: 26 ....
Shade the complementary angles.

| 85°, 95° | 45°, 45° | 6°, 84° | 73°, 107° | 36°, 64° | 90°, 90° |

Answer:

Two angles are said be complementary if the sum of their angles are equal to _____.

85°+ 95° = _____ and this is _____ (a / not a) complementary angles.
45°+ 45° = _____ and this is _____ angles.
6° + 84° = _____ and this is _____ angles.
73° + 107° = _____ and this is _____ angles.
36° + 64° = _____ and this is _____ angles.
90° + 90° = _____ and this is _____ angles.

Question: 27 ....
Find the complement and supplement of 15° and 90°

Answer:

One angle is _____ (complements / supplements) to other angle, when sum of the two angles is equal to 90°.

One angle is _____ (complements / supplements) to other angle, when sum of the two angles is equal to 180°.

Complement of 15° = _____,   Complement of 90° = _____.

Supplement of 15° = _____,   Supplement of 90° = _____

Hi, here in this video you will learn **Angle sum property**

Question: 28   ....

Sum of the angles of triangle is _____.

Answer:

$\angle A \ + \ \angle B \ + \ \angle C \ = $ _____

Angle sum formula $= (n - 2) \times 180°, n = $ number of sides

Triangle has _____ sides.

Sum of the angles of triangle = (_____ − 2) × 180° = _____

Question: 29   ....

Which of the following triangle satisfy the angle sum property.

Answer:

Angle sum property of triangle: sum of the angles of a triangle is _____

In $\triangle ABC$, Sum of the angles $= \angle A + \angle B + \angle C = $ _____ = _____

In $\triangle PQR$, Sum of the angles = _____ = _____ = _____
In $\triangle KLM$, Sum of the angles = _____ = _____ = _____
In $\triangle XYZ$, Sum of the angles = _____ = _____ = _____
Therefore, the triangles that satisfy the angle sum property are = _____

Question: 30 ....

Find the angles of triangle, if their angles are in the ratio 8:6:4.

Answer:

Ratio of angles in the triangle is _____
Let's consider the angles of triangle be $8x$, ____ and ____
We know sum of the angles of a triangle is ____
Therefore, $8x+$ ____ $+$ ____ $= 180°$. The value of $x =$ _____
The angles of the triangle are _____

Hi, here in this video you will learn **Pythagoras property**

Question: 31 ....

In a right angled triangle, square of the _____ = sum of the squares of the legs.

Answer:

Pythagoras theorem is only applicable for _____ triangle.
Longest side of the triangle is _____ (hypotenuse/ legs) and other two sides are called _____(hypotenuse/ legs).
Pythagoras theorem states that _____.

Question: 32 ....

Find the hypotenuse of the triangle ABC if base is 12 m and altitude is 5 m.

Answer:

Pythagoras theorem states that square of the _____ = sum of the squares of its _____.

Given: Base = _____, Altitude = _____,
Base and altitude are _____ (hypotenuse/ legs) of the triangle.

$$\text{By Pythagoras theorem, } (\underline{\hspace{1cm}})^2 = (\underline{\hspace{1cm}})^2 + (\underline{\hspace{1cm}})^2$$
$$\underline{\hspace{1cm}} = \underline{\hspace{1cm}} + \underline{\hspace{1cm}}$$

Therefore, hypotenuse of the triangle is $\underline{\hspace{2cm}}$.

Question: 33 ....

Find the length of the rectangle, if breadth is 3 cm and diagonal is 5 cm.

Answer:

Pythagoras theorem states that square on the $\underline{\hspace{3cm}}$ = sum of the squares on $\underline{\hspace{3cm}}$.

Is Pythagoras theorem applicable in rectangle? $\underline{\hspace{1cm}}$ (yes/ no).

Given: breadth = $\underline{\hspace{3cm}}$, length of diagonal = $\underline{\hspace{3cm}}$

$$\text{By Pythagoras theorem, } (\underline{\hspace{1cm}})^2 = (\underline{\hspace{1cm}})^2 + (\underline{\hspace{1cm}})^2$$
$$\underline{\hspace{1cm}} = \underline{\hspace{1cm}} + \underline{\hspace{1cm}}$$

Therefore, diagonal of the rectangle is $\underline{\hspace{3cm}}$

Number system

Topics to be Improved	
Operations on rational numbers	Subtraction of rational numbers, Division of rational numbers
Fractions	Division of fraction
Decimals	Multiplication and division of decimals
Integers	Basics of integers
Exponents	Solving exponents
Positive and negative rational numbers	Identification of positive rational numbers

Hi, here in this video you will learn **Operation on rational numbers**

Question: 34 ....

Solve: $\frac{-3}{3} + \frac{1}{3}$

Answer:

Fractions with same denominators are called _____ (like/ unlike) fractions.
Fraction can be added only if they are _____ (like/ unlike) fractions.

$$\frac{-3}{3} + \frac{1}{3} = \frac{\quad\quad}{3} =$$

Question: 35 ....

Find the addition of shaded part of box A and shaded part of box B.

A   B

Answer:

Total number of square in box A = _____.
Number of shaded square in box A = _____

Shaded part of box A in fraction = _____

Total number of square in box B = _____.
Number of shaded square in box B = _____.
Shaded part of box B in fraction = _____.

Shaded part of box A + Shaded part of box B = _____ + _____ = _____

Question: 36 ....

Find the missing values in the given figure.

Answer:

One litre = _____ ml
$\frac{7}{10}$ of one liter = $\frac{7}{10}$ x ____ ml = ____ ml

Given: $1 = \frac{7}{10} + $ ____
Transposing $\frac{7}{10}$ to other sides, 1 ____ $\frac{7}{10} = $ _____
Therefore, result is _____.

Hi, here in this video you will learn **Division on fractions**

Question: 37 ....

Find the shape which contains the improper fraction of $5\frac{2}{7}$.

Answer:

$5\frac{2}{7}$ is a _____ (proper/mixed) fraction.
Here, 5 is _____ , 2 is _____ and 7 is _____.

To convert mixed fraction into improper fraction, $\frac{(\text{Whole} \times \underline{\quad\quad\quad})+Numerator}{Denominator}$

$$5\frac{2}{7} = \frac{(\underline{\quad} \times \underline{\quad}) + \underline{\qquad}}{7} = \frac{\boxed{}}{\boxed{}}$$

Solve: $\frac{1}{3} \div \frac{14}{3}$

Answer:

To divide a fraction by another fraction, multiply the dividend by $\underline{\qquad\qquad}$ (same / reciprocal) of the divisor. Here, dividend = $\underline{\qquad}$ and divisor = $\underline{\qquad}$.

$$\frac{1}{3} \div \frac{14}{3} = \frac{1}{3} \times \frac{\boxed{}}{\boxed{}} = \frac{\boxed{}}{\boxed{}}$$

Find the half of the fraction $\frac{12}{40}$.

Answer:

To find half of a number, divide the number by $\underline{\qquad}$

$$\frac{12}{40} \div \underline{\qquad} = \frac{12}{40} \times \frac{\boxed{}}{\boxed{}} = \frac{\boxed{}}{\boxed{}}$$

Then the answer is $\underline{\qquad}$

Hi, here in this video you will learn **Basics of decimals**

Shade 0.4 part of the given shape.

Answer:

There are $\underline{\qquad}$ boxes.
0.4 can be expressed as $\underline{\qquad}$ in fraction
This fraction represents $\underline{\qquad}$ parts out of $\underline{\qquad}$ equal parts.
So, we need to shade $\underline{\qquad}$ boxes out of $\underline{\qquad}$ boxes.

Solve the following.

(i) 0.4×1.2

(ii) 0.48×1.2

Answer:

(i) 0.4×1.2 :
Multiplication of 0.4×1.2 assuming there is no decimal point is _____.
The number of digits after decimal point in 0.4 is _____ and 1.2 is _____.
Total digits after decimal point in the product of two numbers is _____.
Count that digits from the right towards left and place the decimal point, the result is _____.

(ii) 0.48×1.2:
Multiplication of 0.48×1.2 assuming there is no decimal point is _____.
The number of digits after decimal point in 0.48 is _____ and 1.2 is _____.
Total digits after decimal point in the product of two numbers is _____.
Count that digits from the right towards left and place the decimal point, the result is _____.

Question: 42 . . . .

One box of chocolate costs Rs.20.10. What is the cost of 15 chocolates, if a box contains 10 chocolates?

Answer:

One box contains _____ chocolates. The cost of one box is _____
Then cost of one chocolate = _____ ÷ _____ = _____

(i) Total digits after decimal point in decimal number = _____

(ii) Divide the two numbers assuming there is no decimal point.

$$\frac{2010}{15} = \underline{\hspace{2cm}}$$

(iii) Place the decimal point after _____ digits counting from the right in the quotient after division.

Then the cost of one chocolate is _____ .
The cost of 15 chocolates = cost of one chocolate × _____ = _____ x _____ = _____

Hi, here in this video you will learn **Basics of integers**

Question: 43 . . . .

Highlight the ring that contains whole numbers.

Answer:

The numbers inside the inner ring (1, 2, 3,....) are _____ numbers.

The numbers inside the middle ring are _____ numbers.

The numbers inside the outer ring are negative numbers, positive numbers and zero and they are called as _____.

Question: 44 . . . .

Colour the frame of the box which contains the number 1, 4 and -10

Whole numbers	Negative numbers	Integers	Naturals numbers

Answer:

Whole number consists of 0,1,2,3,4,..... Negative number consists of _____.

Natural numbers consists of _____. Integers consists of _____.

Now, 1, 4, -10 are in _____.

Question: 45 . . . .

State whether the statement is true or false.

Every positive number is an integer.

Answer:

Positive numbers are _____. Integers consists of _____.

Therefore, positive numbers are _____ (in/not in) integers.

Hi, here in this video you will learn **Exponents and power**

Question: 46 . . . .

Find the exponential form of 1000.

Answer:

_____ (Exponents/Base) tells us how many times a number should be multiplied by itself to get the desired result.

Exponents is also called as _____ (Base / Power).

$$1000 \text{ can be written as} = 10 \times \underline{\hspace{1.5cm}} \times \underline{\hspace{1cm}}$$
$$10 \text{ is raised to the power of } \underline{\hspace{0.8cm}} = (10)^{\underline{\hspace{0.5cm}}}$$

Question: 47 ....

Find the value of $(-2)^3$.

Answer:

_____ (Exponents/Base) tells us how many times a number should be multiplied by itself to get the desired result.

$$\text{In this exponential form } (-2)^3 \text{ , base} = \underline{\hspace{0.8cm}}, \text{ power} = \underline{\hspace{0.8cm}}.$$
$$(-2)^3 = \underline{\hspace{0.8cm}} \times \underline{\hspace{0.8cm}} \times \underline{\hspace{0.8cm}} = \underline{\hspace{0.8cm}}.$$

Question: 48 ....

(i) Tenth power of 100 is ____ $((10)^{100}$ or $(100)^{10})$.

(ii) k is raised to the power of 5 is ____ $((k)^5$ or $(5)^k)$.

Answer:

Exponential form $= (Base)^{\overline{\hspace{1cm}}}$

(i) Tenth power of 100 : Base = ____, Power/Exponents = ____, exponential form = ____.

(ii) k is raised to the power of 5 : Base = ____, Power/Exponent = ____, exponential form = ____.

Hi, here in this video you will learn **Positive and Negative rational numbers**

Question: 49 ....

Segregate positive and negative rational number.

Inside the circle:
$\frac{3}{-2}$, -10, 1, $\frac{3}{7}$, -1, $\frac{-9}{27}$, 55, -6.3, $\frac{4}{5}$, $\frac{-9}{1}$

Answer:

- If both the numerator and the denominator of a rational number are _____ (positive/negative), then it is positive rational number.

- If either the numerator and the denominator of a rational number are negative, then it is _____ (positive/negative) rational number.

In the given circle, positive rational numbers are _____ and negative rational numbers are _____.

Question: 50 ....

$\frac{-3}{-4}$ is a _____ (positive /negative / neither positive nor negative) rational number.

Answer:

-3 is a _____ number, -4 is a _____ number.

Division of $\dfrac{-3}{-4} = \dfrac{\Box}{\Box}$ and this _____ rational number.

(Positive / Negative / Neither positive nor negative rational number)

Question: 51 ....

The product of a positive rational number and a negative rational number is _____ rational number. (Positive/ Negative/ neither positive nor negative)

Answer:

Examples for positive rational numbers: _____
Examples for negative rational numbers: _____
Positive rational number $\times$ Negative rational number $=$ _____ $\times$ _____ $=$ _____ and this is _____ rational number

Hi, here in this video you will learn **Operation on rational numbers**

Question: 52 ....

Fill in the boxes to make the given expression correct.

$$\frac{1}{5} \div \frac{14}{15} = \frac{1}{\square} \times \frac{\square}{\square}$$

Answer:

When any fraction is divided by a fraction, we multiply the dividend by the _____ (same/reciprocal) of the divisor.

Here, dividend = _____ and divisor = _____

$$\frac{1}{5} \div \frac{14}{15} = \frac{1}{\square} \times \frac{\square}{\square} = \frac{\square}{\square}$$

Question: 53 ....

Solve: $\frac{18}{7} \div 0.6$

Answer:

Fraction form of 0.6 = _____,
when any fraction is divided by a fraction, we multiply the dividend by the _____ (same/reciprocal) of the divisor. Here, dividend = _____ and divisor = _____.

$$\frac{18}{7} \div \frac{\square}{\square} = \frac{18}{7} \times \frac{\square}{\square} = \frac{\square}{\square}$$

Question: 54 ....

Find the missing number in the expression $\frac{8}{3} \div \frac{16}{\square} = 2$

Answer:

$$\frac{8}{3} \div \frac{16}{\square} = 2$$

$$\frac{8}{3} \times \frac{\square}{16} = 2$$

Transposing 8/3 to RHS,

$$\frac{\square}{16} = 2 \,\square\, \frac{8}{3}$$

$$\frac{\square}{16} = 2 \times \frac{\square}{\square}$$

$$\frac{\square}{16} = \frac{\square}{\square}$$

Transposing 16 to other side, the result is _____.

Comparing Quantities

Topics to be Improved	
Simple interest	Calculation of simple interest
Conversion of fraction into percentage	Conversion of fraction into percentage
Percentage	Basic of percentage

Hi, here in this video you will learn **Simple Interest**

Question: 55 . . . .

Match the following.

Column A			Column B	
i	Principle(P)		a	Interest calculated based on this
ii	Amount (A)		b	Total sum you borrow
iii	Rate (R)		c	Number of years
iv	Time period (T)		d	Total sum with interest

Answer:

Formula for calculating simple interest = _____.
Interest calculated based on _____.
Total sum you borrow is known as _____.
Number of years is _____. Total sum with interest is _____.

Question: 56 . . . .

Sara deposited Rs.1200 in a bank. After three years, she received Rs.1320. Find the interest she earned.

Answer:

Given:
Amount = _____ , Principle = _____ , Time period = _____.
If Amount and principle is given, then formula for calculating interest is _____.
Interest = _____ - _____ = _____

Question: 57 . . . .

The simple interest on Rs.5000 for 3 years is Rs.1350. Find the rate of interest.

Answer:

Interest = _____ , Time period = _____ , Principal = _____.

$$\text{Rate of interest} \quad = \frac{\text{\_\_\_\_\_ x } 100}{\text{Principal x \_\_\_\_\_}}$$

Substituting values in the formula,

$$\text{Rate of interest} \quad = \frac{\text{\_\_\_\_\_ x } 100}{\text{Principal x \_\_\_\_\_}}$$

Rate of interest = _____

Therefore, the rate of interest is _____ %

Hi, here in this video you will learn **Converting fraction into percentage**

Question: 58 ....

Complete the box in the given equation.

$$5\% \ = \frac{5}{\boxed{}}$$

Answer:

Percentage are the fraction with the denominator _____.

Therefore, 5% can be expressed as _____

Question: 59 ....

Mark the correct conversion form of fraction $\frac{1}{2}$ to percentage.

(i) $\frac{1}{2} \times \frac{50}{50} = \frac{50}{100} = 50\%$

(ii) $\frac{1}{2} \times \frac{100}{100} = \frac{100}{200} = 200\%$

(iii) $\frac{1}{2} \times 100 = \frac{100}{2} = 50\%$

Answer:

To convert fraction into percentage, the value of _____ (denominator / numerator)should be 100 or _____ (multiply / divide) the fraction with 100 %.

Therefore, correct conversion form is _____

Question: 60 ....

Find the percentage of shaded part of square.

Answer:

The square shape is divided into _____ parts.

Number of shaded part of square is _____.

Shaded part of square in fraction is $\dfrac{\square}{\square}$

To Convert $\dfrac{\square}{\square}$ into percentage , $\dfrac{\square}{\square}$ x 100

Hi, here in this video you will learn **Basics of percentage**

Question: 61 . . . .

2% can be written as

Answer:

Percentages are numerators of fractions with denominator_____

$$2\% = \dfrac{\square}{\square}$$

Question: 62 . . . .

Arun attended the LaPIS test for 100 marks and got 75% marks. What is the mark scored by Arun?

Answer:

Arun attended LaPIS test for _____ marks. He got _____ marks.

75 % can be written in fraction form $\dfrac{\square}{\square}$

Then the mark scored by Arun = Total mark × 75% = _____ × $\dfrac{\boxed{}}{\boxed{}}$ = _____

Question: 63 . . . .

There are 25 apples in a basket in which 10 of them are rotten. Find the percentage of rotten apples.

Answer:

There are _____ apples in a basket.
Number of rotten apples are _____ .

Fraction form of rotten apples in a basket = $\dfrac{\boxed{}}{\boxed{}}$

Convert it into a percent= _____ x _____% = _____

Algebra

Hi, here in this video you will learn **Addition on expression**

Question: 64 . . . .

Shade the like terms.

$$\text{3a} \quad 3a^2 \quad \text{3b} \quad \text{6a} \quad \text{3c} \quad \text{33a} \quad \text{9a}$$

Answer:

Given terms are _____.
Two or more term have _____ (same/ different) variables is called like terms.
Here, like terms are _____.

Question: 65 . . . .

Complete the expression $7r^2 + \text{r}\,\square - 2\,\square = \underline{\quad}r^2$

Answer:

_____ (Like / Unlike) terms can be added or subtracted.

$$7r^2 + \text{r}\,\square - 2\,\square = \left(7 + \underline{\quad} - 2 \right) r^2 = \underline{\qquad}$$

Question: 66 . . . .

Sam have 3a chocolates and 9y icecream. Ram have 7a chocolates and 5y icecream.

  (i) Total chocolates Ram and Sam have : _____.

  (ii) How many icecreams Sam have more than Ram : _____ .

Answer:

	Chocolates	Icecream
Sam		
Ram		

  (i) Total chocolates Ram and Sam have :

        Ram's chocolate + Sam's chocolates = _____ + _____ = ___

  (ii) How many icecreams Sam have more than Ram :

        _____ icecream - _____ icecream = _____ - _____ = _____

Hi, here in this video you will learn **Subtraction on expression**

Question: 67 . . . .

Find the sum of two expressions a + b + c and b + c + d

Answer:

The given two expressions are _____ and _____.
The two terms will get added only if they are _____(Like/ Unlike) terms.
The sum of two expressions = _____ + _____.
The answer is _____

Question: 68 . . . .

	School A	School B
Number of boys	100b	250b
Number of girls	150g	200g
Number of teachers	25t	45t

  (i) Total number of boys in school A and B is _____

(ii) Total number of students in school B is _____

(iii) How many more teachers are there in school B than school A ? _____

Answer:

(i) Number of boys in school A = _____,
Number of boys in school B = _____.
Total number of boys in school A and school B is _____ + _____ = _____.

(ii) Number of boys in school B = _____,
Number of girls in school B = _____.
Total number of students in school B is _____ + _____ = _____.

(iii) Number of teachers more in school B than school A = Teachers in school B − Teachers in school A = _____.

Question: 69 ....

Solve the following:

$$13x + \underline{\quad}$$
$$(+) \quad 12x + 10y$$
$$\underline{\quad} + 25y$$

$$3a - 5b$$
$$(-) \quad 5a - 7b$$
$$-2a - \underline{\quad}$$

Answer:

The two terms will get added only if they are _____ (like/unlike) terms.

$$13x + \underline{\quad}$$
$$(+) \quad 12x + 10y$$
$$\underline{\quad} + 25y$$

$$3a - 5b$$
$$(-) \quad 5a - 7b$$
$$-2a - \underline{\quad}$$

Hi, here in this video you will learn **Solving an equation**

Question: 70 ....

If ☺$= 5$, then 5 ☺ $+5 = $ _____

Answer:

The value of the given smiley ☺ is _____.
Substituting the value in the expression $= 5(\underline{\quad}) + 5 = $ _____ $+$ _____ $= $ _____.

Question: 71 ....

Which of the following number can be placed in the box to make the equation correct (-2, -1, 0, 1, 2)
$7\boxed{} + 3 = -4$

Answer:

The given equation is 7___ +3 =-4 Substitute the values (-2, -1, 0, 1, 2) in the circle,

7× ___+3= ___

7× ___+3 = ___

7× ___+3 = ___

7× ___+3 = ___

7× ___+3 = ___

Therefore, _____ is the number that can be placed in a box to make the equation correct.

Question: 72 ....

Arrange the terms in the descending order when the value of x is 2.

$2x$ $5x \times 1$ $x + 3$ $2x - 4$ $\frac{1}{2}x$

Answer:

The given expression are _____.

The value of x is _____.

substituting value of x

$$2x = 2\times \text{_____} = \text{_____} \qquad 2x - 4 = 2\times \text{_____} \text{ - } 4 = \text{_____}$$

$$x + 3 = \text{_____} = \text{_____} \qquad \frac{1}{2}x = \frac{1}{2} \times \text{\_\_\_} = \text{_____}$$

$$5x \times 1 = 5 \times \text{_____} \times 1 = \text{_____}$$

Arranging in descending order: ___, ___, ___, ___, ___.

Their respective algebraic terms are ___, ___, ___, ___, ___.

Hi, here in this video you will learn **Types of expression**

Question: 73 ....

There are _____ terms in the expression $7x + 3y + m + 5$.

Answer:

In algebraic expression, _____ (variables/ terms) are connected together with operations of addition.

The terms in the expression are _____ , _____ , _____ , and _____ .

Therefore, there are _____ terms in the expression.

Question: 74 ....

Classify the following expression into monomial, binomial and polynomial.

1. $7m + n + 2$

2. $8x^2 + 0$

3. $7xy + 4m$

---

1. The terms in expression $8x^2 + 0$ are _____.
   Here, expression has _____ term and it is a _____

2. The terms in expression $7xy + 4m$ are _____.
   Here, expression has _____ term and it is a _____.

3. The terms in expression $7m + n + 2$ are _____.
   Here, expression has ___ term and it is a _____.

Question: 75 . . . .

$5m^2 + m + 0$ is a _____ expression. (Monomial/ Binomial/ Trinomial)

Answer:

The terms in expression $5m^2 + m + 0$ are _____.
Here, the expression has _____ terms and it is called a _____ expression.

Hi, here in this video you will learn **Terms of an expression**

Question: 76 . . . .

Separate the variables and constants for all the terms given in the box

$$18 \quad 16r \quad 54c^4 \quad -4mn \quad 4$$
$$0 \quad z^2$$
$$4x \quad 12 \quad x \quad ab$$

Answer:

In algebraic expression, variables are represented by _____ and Constant is a _____.

Terms	Constants	Variables

Question: 77 . . . .

Mark the expression that contains two terms.

$3x + 5$ $12a$ $4xy$ $12a + b + 1$ $7m + 0$

Answer:

The terms in the expression $3x + 5$ is/are ＿＿＿＿＿＿.
The terms in the expression $12a$ is/are ＿＿＿＿＿＿.
The terms in the expression $4xy$ is/are ＿＿＿＿＿＿.
The terms in the expression $12a + b + 1$ is/are ＿＿＿＿＿＿.
The terms in the expression $7m + 0$ is/are ＿＿＿＿＿＿.

Question: 78 ....

Shade the outline of circle that contains the term of the given expression.

$$6m^2 - 7mn + nl$$

| m² | 7mn | 6m² | -7mn | mn | nl | -mn |

Answer:

In algebraic expression, ＿＿＿＿＿＿ (variables/ terms) are connected together with operations of addition.

Here, ＿＿＿＿＿＿, ＿＿＿＿＿＿, ＿＿＿＿＿＿ are the terms of the given expression.