

LaPIS Diagnostic Test Workbook - Mathematics

Name : Ajayananth K


Class : 7

Section : B

School : AKV Public School

Login ID : AKV132

Ajayananth K's Performance Report



Score: 18/40

Percentage: 45.0%

Ajayananth K's Study Planner

Date	Topics Planned	Q. Numbers	Teacher Remark	Teacher Sign	Parent Sign

Teacher's Feedback to Student

Class Teacher Signature

Principal Signature

Mensuration


Topics to be Improved	
Perimeter	Perimeter of triangle

Hi, here in this video you will learn **Perimeter**



Question: 1

Highlight the perimeter in the given image.




Answer:

Perimeter is the _____ (outer / inner) boundary of the shape

Question: 2

Find the perimeter of the given figure.



Answer:

Sides of the given shape = _____.


Perimeter of a shape is _____ (sum / difference) of _____ (all/ opposite) sides.

Perimeter of the given shape = _____

Question: 3

Find the length of the rectangular floor if its perimeter is 60 ft and breadth is 3 ft.

Answer:



Shape of the floor is _____ and its perimeter formula is _____.

Given:

floor perimeter = _____, and breadth = _____.

Perimeter of the floor = $2(\text{_____} + \text{_____})$.

Therefore, length of the rectangular floor is _____.

Data handling

Topics to be Improved	
Range	Finding the range
Arithmetic mean, mode and median	Mean, Median and Mode
Chance of probability	Basis of probability

Hi, here in this video you will learn **Range**



Question: 4

Range of the data = _____ - _____

Answer:

The difference between highest value and lowest value is _____.

Example: Find the range of 10, 5, 30, 23, 54, 39 and 16

Highest value = _____ , Lowest value = _____ .

Range = _____ - _____ = _____.

Question: 5

Circle the correct range for the following data 31, -20, 35, -38, 29, 0, 43, -25, 51, 14, 9

$$-20 + 51 \qquad \frac{-38-51}{2} \qquad 51 + 38 \qquad \frac{51+20}{2}$$

Answer:

Range = _____ - _____.

Arranging the data in ascending order, _____

In the given data,

Highest value = ____ , Lowest value = ____ , Range = _____ - _____ = _____

Question: 6

Find the range of first 10 multiple of 5.

Answer:

First 10 multiple of 5 = _____

Therefore,

Highest value = _____ , Lowest value = _____ , Range = _____ - _____ = _____

Hi, here in this video you will learn **Mean, Median, Mode**



Question: 7


Find the mode of the following data: 5, 15, 23, 5, 32, 44, 72, 55, 6, 3, 5, 65, 45, 67, 24, 19 and 98.

Answer:

Mode is the number that occurs _____ (frequently / rarely) in a given list of observations.
Arranging the data in ascending order: _____
_____ occurs most number of times. Then, mode of the given data is _____

Question: 8

Which shape contains median of the given data 3, 5, 6, 2, 7, 9, 6, 4 and 1



Answer:

Median is the _____ (first/central/last) value of a data when the data is arranged in ascending or descending order.

Arrange the given data in ascending order : _____

Central value of the given data is _____ and it is the _____ of a data.

Question: 9

Marks scored	100	90	80	70
Number of students	4	5	2	1

Mean = _____ , Median = _____ and Mode = _____.

Answer:

Mean = $\frac{\text{sum of all observation}}{\text{number of observation}}$.

Here s sum of all observation = _____ , number of observation = _____

Therefore, mean = _____

Arrange the data in ascending order : _____

Here, median = _____ , mode = _____.

Hi, here in this video you will learn **Basics of probability**



Question: 10

Identify the sure events and impossible events

- (i) The sun rises in the west.
- (ii) Water is colourless.
- (iii) Clock rotates in clock wise direction.
- (iv) Ball is square in shape.

Answer:

Events that always occur are called _____ (sure/ impossible) events.

Events that cannot occur are called _____ (sure/ impossible) events.

Here, The sun rises in the west is _____ event. Water is colourless is _____ event.

Clock rotates in clock wise direction is _____ event. Ball is square in shape is _____ event.

Question: 11

Probability of sure events is _____ (greater / smaller) than probability of impossible events.

Answer:

Probability of sure event = _____ (0/ 1/ any number).

Probability of impossible event = _____ (0/ 1/ any number).

Therefore, Probability of sure event _____ Probability of impossible event.

Question: 12

Raju has pencil, an eraser, a scale, sharpener, colour pencil and protractor in his box. What is the probability of getting a pen from his box.

Answer:

Things Raju have _____

Does Raju have pen in his box, _____ (Yes/ No).

Then probability of getting pen from his box is _____ (0/1)

Geometry

Topics to be Improved	
Faces vertex and edges	Identification of faces, edges and vertices
Sum of lengths of two sides of a triangle	Sum of two sides of a triangle
Transversal angle made by transversal	Basics of Transversal angle
Right angle triangle and pythagoras property	Basics of Pythagoras property
Angle sum property of triangle	Angle sum property of triangle

Hi, here in this video you will learn **Basics of 3D model**



Question: 13


A point at which two or more lines segments meet is called _____(Vertex/ edges/ faces).

Answer:

_____ has two end point (line/line segment/ray).


A _____ is a point where two or more line segments meet(Vertex/ edges/ faces).

Mark the vertices in the diagram,




Question: 14

Mark and find the number of vertices, edges and faces in a cube.



Answer:

Mark the vertex, edges and faces in a cube.



Count the number of vertex, edges and faces in a cube.

Cube have _____ vertices, _____ edges and _____ faces.

Question: 15

How many vertices, edges and faces does dices have?



Answer:

The shape of dice is _____.


Dices have _____ vertices, _____ edges and _____ faces.

Hi, here in this video you will learn **Sum of the length of sides of the triangle**



Question: 16

Find the greatest distance to reach C from A in the given diagram.



Answer:

The sides of the given triangle are _____.

The possible way to reach point C from point A are _____ and AB then to _____

Side AC = _____

Side AB + BC = _____ + _____ = _____

Therefore, the greatest distance to reach C from A in the given diagram is _____.

Question: 17

_____ (Sum of / Difference between) the length of any two sides of a triangle is smaller than the length of the third side.


Answer:

There are _____ sides in a triangle.

The sum of the two sides of a triangle is _____ than the other side of the triangle.

The difference of the two sides of a triangle is _____ than the other side of the triangle.

Example: In triangle XYZ,



Question: 18

The lengths of two sides of a triangle are 7 cm and 10 cm. Between which two numbers can length of the third side fall?

Answer:

- The sum of the two sides of a triangle is _____ than the third side of the triangle.
Therefore, the third side should be _____ (less/ greater) than sum of other two sides.
Here, sum of the two sides = _____ + _____ = _____
Therefore, the length of the third side is less than _____

2. The difference of the two sides of a triangle is _____ than the third side of the triangle.
 Therefore, the third side should be _____ (less/ greater) than sum of other two sides.
 Here, difference of the two sides = _____ - _____ = _____
 Therefore, the length of the third side is greater than _____


Therefore, length of the third side is greater than _____ but less than _____.

Hi, here in this video you will learn **Basics of Transversal angle**



Question: 19

In given diagram, $\angle 1$ and $\angle 7$ are _____ (alternate / corresponding) angles.



Answer:


A line that intersects two or more lines at distinct points is called a _____ (transversal/ Intersecting line).

Angle that lies on different vertices and on the opposite sides of transversal is _____ angles.

Angle that lies on different vertices and on the same sides of transversal is _____ angles.
 Therefore, $\angle 1$ and $\angle 7$ are _____

Question: 20

Find the transversal, alternate angles and corresponding angles in a given diagram.



Answer:


A line that intersects two or more lines at distinct points is called a _____ (transversal/Intersecting line).

In a given diagram, _____ is a transversal line. (BF/AD/CE)

Alternate angles	Corresponding angles
$\angle a$ and $\angle g$, $\angle b$ and $\angle h$,	$\angle a$ and $\angle e$, $\angle b$ and $\angle f$,

Question: 21

Find $\angle e$ and $\angle g$ if $\angle a = 30^\circ$.



Answer:

When parallel lines cut by a transversal,

(i) Alternate angles are _____ (equal / not equal).

(ii) Corresponding angles are _____ (equal / not equal).

Here, alternate angle of $\angle a$ is _____ and its value is _____.

Corresponding angle of $\angle a$ is _____ and its value is _____.

Hi, here in this video you will learn **Pythagoras property**



Question: 22

In a right angled triangle, square of the _____ = sum of the squares of the legs.


Answer:

Pythagoras theorem is only applicable for _____ triangle.
Longest side of the triangle is _____ (hypotenuse/ legs) and other two sides are called _____(hypotenuse/ legs).
Pythagoras theorem states that _____.

Question: 23

Find the hypotenuse of the triangle ABC if base is 12 m and altitude is 5 m.

Answer:



Pythagoras theorem states that square of the _____ = sum of the squares of its _____.

Given: Base = _____, Altitude = _____,
Base and altitude are _____ (hypotenuse/ legs) of the triangle.


By Pythagoras theorem, $(\text{_____})^2 = (\text{_____})^2 + (\text{_____})^2$
 $\text{_____} = \text{_____} + \text{_____}$

Therefore, hypotenuse of the triangle is _____.

Question: 24

Find the length of the rectangle, if breadth is 3 cm and diagonal is 5 cm.

Answer:



Pythagoras theorem states that square on the _____ = sum of the squares on _____.

Is Pythagoras theorem applicable in rectangle? ____ (yes/ no).

Given: breadth = _____, length of diagonal = _____

By Pythagoras theorem, $(\text{_____})^2 = (\text{_____})^2 + (\text{_____})^2$
 $\text{_____} = \text{_____} + \text{_____}$

Therefore, diagonal of the rectangle is _____


Hi, here in this video you will learn **Angle sum property**



Question: 25

Sum of the angles of triangle is _____.

Answer:



$$\angle A + \angle B + \angle C = \text{_____}$$


Angle sum formula = $(n - 2) \times 180^\circ$, n = number of sides

Triangle has _____ sides.

Sum of the angles of triangle = $(\text{_____} - 2) \times 180^\circ = \text{_____}$

Question: 26

Which of the following triangle satisfy the angle sum property.



Answer:

Angle sum property of triangle: sum of the angles of a triangle is _____

In $\triangle ABC$, Sum of the angles = $\angle A + \angle B + \angle C = \text{_____} = \text{_____}$

In $\triangle PQR$, Sum of the angles = _____ = _____ = _____
 In $\triangle KLM$, Sum of the angles = _____ = _____ = _____
 In $\triangle XYZ$, Sum of the angles = _____ = _____ = _____
 Therefore, the triangles that satisfy the angle sum property are = _____

Question: 27

Find the angles of triangle, if their angles are in the ratio 8:6:4.

Answer:

Ratio of angles in the triangle is _____
 Let's consider the angles of triangle be $8x$, _____ and _____
 We know sum of the angles of a triangle is _____
 Therefore, $8x + ______ + ______ = 180^\circ$. The value of $x = ______$
 The angles of the triangle are _____

Number system

Topics to be Improved	
Properties of integers	Associative property
Positive and negative rational numbers	Identification of positive rational numbers
Fractions	Multiplication of fractions, Division of fraction
Exponents	Solving exponents
Operations on rational numbers	Division of rational numbers

Hi, here in this video you will learn **Properties of integers**



Question: 28

Match the following based on the properties of integers

i	Closure
ii	Associative
iii	Commutative
iv	Identity

a	$(5 + 7) + 3 = 3 + (7 + 5)$
b	$21 + 0 = 21$
c	$15 + 17 = 32$
d	$1 + 99 = 99 + 1$

Answer:

(i) Closure property :

The sum of integers is always _____(integer / not a integer).

Therefore, _____ + _____ = _____

From the given option _____ satisfies the closure property.

(ii) Associative property :

Rearranging the parentheses (brackets) _____ (does not/ does) change the sum.

Therefore, $(a + b) + c =$ _____.

From the given option _____ satisfies the Associative property.

(iii) Commutative property :

Changing the order of the addends _____ (does not/ does) change the sum.

Therefore, $a + b =$ _____ + _____

From the given option _____ satisfies the Commutative property.

(iv) Identity property : The sum of _____ and any number always returns same number.

Therefore, $a +$ _____ = a

From the given option _____ satisfies the Identity property.

Question: 29

Mark the operations in which commutative property holds true for any two integers.

Addition

Subtraction

Multiplication

Division

Answer:

In commutative property, changing the _____ (order/ brackets) of the operands _____ (does not/ does) change the result.

For any two integers, commutative property holds true for _____.

The commutative property for addition is _____.

The commutative property for multiplication is _____.

Question: 30

Are additive identity and multiplicative identity the same? (Yes or No)

Answer:

Identity property holds only for _____ , _____

The Identity property for addition is _____ and additive identity is _____.

The Identity property for multiplication is _____ and multiplicative identity is _____.


Therefore, additive identity is _____ (equal / not equal) to multiplicative identity.

Hi, here in this video you will learn **Positive and Negative rational numbers**



Question: 31

Segregate positive and negative rational number.



Answer:

- If both the numerator and the denominator of a rational number are _____ (positive/negative), then it is positive rational number.
- If either the numerator and the denominator of a rational number are negative, then it is _____ (positive/negative) rational number.

In the given circle, positive rational numbers are _____ and negative rational numbers are _____.

Question: 32

$\frac{-3}{-4}$ is a _____ (positive /negative / neither positive nor negative) rational number.

Answer:

-3 is a _____ number, -4 is a _____ number.

Division of $\frac{-3}{-4} = \frac{\boxed{}}{\boxed{}}$ and this _____ rational number.

(Positive / Negative / Neither positive nor negative rational number)

Question: 33

The product of a positive rational number and a negative rational number is _____ rational number. (Positive/ Negative/ neither positive nor negative)

Answer:

Examples for positive rational numbers: _____

Examples for negative rational numbers: _____

Positive rational number \times Negative rational number = _____ \times _____ = _____ and this is _____ rational number

Hi, here in this video you will learn **Multiplication on fractions**



Question: 34

Fill the boxes

$$2 + 4 + \frac{6}{2} = \frac{2}{\boxed{}} + \frac{4}{\boxed{}} + \frac{3}{\boxed{}} = \frac{\boxed{}}{\boxed{}} = 9$$

Answer:

The whole number can be expressed in fraction with denominator equal to _____ (zero/one).

Therefore, 2 can be written as _____ in fraction.

4 can be written as _____ in fraction.

$$2 + 4 + \frac{6}{2} = \frac{2}{1} + \frac{4}{\boxed{}} + \frac{3}{\boxed{}} = \frac{2}{1} + \frac{4}{\boxed{}} + \frac{3}{\boxed{}} = \frac{\boxed{}}{\boxed{}} = 9$$

Question: 35

There are 400 students in a school. Find the number of girls, if three sixteenth of the students are girls.

Answer:

Total number of students = _____

Fraction of students who are girls = _____

Number of girls = $\frac{\boxed{}}{\boxed{}} \times \text{_____} = \text{_____}$

Question: 36

Solve : $2\frac{7}{4} \times \frac{2}{3}$

Answer:

$2\frac{7}{4}$ is a _____ (proper / mixed) fraction.

Here, 2 is _____, 7 is _____ and 4 is _____.

To convert mixed fraction into improper fraction, $\frac{(\text{Whole} \times \text{Denominator}) + \text{Numerator}}{\text{Denominator}}$

Improper fraction of $2\frac{7}{4} = \text{_____}$

$$2\frac{7}{4} \times \frac{2}{3} = \frac{\boxed{}}{\boxed{}} \times \frac{2}{3} = \frac{\boxed{}}{\boxed{}}$$

Hi, here in this video you will learn **Exponents and power**



Question: 37

Find the exponential form of 1000.

Answer:

_____ (Exponents/Base) tells us how many times a number should be multiplied by itself to get the desired result.

Exponents is also called as _____ (Base / Power).

1000 can be written as = $10 \times \text{_____} \times \text{_____}$

10 is raised to the power of ____ = $(10)\text{---}$

Question: 38

Find the value of $(-2)^3$.

Answer:

_____ (Exponents/Base) tells us how many times a number should be multiplied by itself to get the desired result.

In this exponential form $(-2)^3$, base = _____, power = _____.
 $(-2)^3 = ___ \times ___ \times ___ = ___.$

Question: 39

- (i) Tenth power of 100 is _____ ($(10)^{100}$ or $(100)^{10}$).
(ii) k is raised to the power of 5 is _____ ($(k)^5$ or $(5)^k$).

Answer:

Exponential form = (Base)_____


- (i) Tenth power of 100 : Base = _____, Power/Exponents = _____, exponential form = _____.
(ii) k is raised to the power of 5 : Base = _____, Power/Exponent = _____, exponential form = _____.

Hi, here in this video you will learn **Division on fractions**



Question: 40

Find the shape which contains the improper fraction of $5\frac{2}{7}$.



Answer:

$5\frac{2}{7}$ is a _____ (proper/mixed) fraction.

Here, 5 is _____, 2 is _____ and 7 is _____.

To convert mixed fraction into improper fraction, $\frac{(\text{Whole} \times \text{Denominator}) + \text{Numerator}}{\text{Denominator}}$

$$5\frac{2}{7} = \frac{(___ \times ___) + ___}{7} = \frac{\boxed{}}{\boxed{}}$$

Question: 41

Solve: $\frac{1}{3} \div \frac{14}{3}$

Answer:

To divide a fraction by another fraction, multiply the dividend by _____ (same / reciprocal) of the divisor. Here, dividend = _____ and divisor = _____.

$$\frac{1}{3} \div \frac{14}{3} = \frac{1}{3} \times \frac{\boxed{}}{\boxed{}} = \frac{\boxed{}}{\boxed{}}$$

Question: 42

Find the half of the fraction $\frac{12}{40}$.

Answer:

To find half of a number, divide the number by _____

$$\frac{12}{40} \div \underline{\hspace{1cm}} = \frac{12}{40} \times \frac{\boxed{}}{\boxed{}} = \frac{\boxed{}}{\boxed{}}$$

Then the answer is _____

Hi, here in this video you will learn **Operation on rational numbers**



Question: 43

Fill in the boxes to make the given expression correct.

$$\frac{1}{5} \div \frac{14}{15} = \frac{1}{\boxed{}} \times \frac{\boxed{}}{\boxed{}}$$

Answer:

When any fraction is divided by a fraction, we multiply the dividend by the _____ (same/reciprocal) of the divisor.

Here, dividend = _____ and divisor = _____

$$\frac{1}{5} \div \frac{14}{15} = \frac{1}{\boxed{}} \times \frac{\boxed{}}{\boxed{}} = \frac{\boxed{}}{\boxed{}}$$

Question: 44

Solve: $\frac{18}{7} \div 0.6$

Answer:

Fraction form of 0.6 = _____,
when any fraction is divided by a fraction, we multiply the dividend by the _____
(same/reciprocal) of the divisor. Here, dividend = _____ and divisor = _____.

$$\frac{18}{7} \div \frac{\boxed{}}{\boxed{}} = \frac{18}{7} \times \frac{\boxed{}}{\boxed{}} = \frac{\boxed{}}{\boxed{}}$$

Question: 45

Find the missing number in the expression $\frac{8}{3} \div \frac{16}{\boxed{}} = 2$

Answer:

$$\frac{8}{3} \div \frac{16}{\boxed{}} = 2$$

$$\frac{8}{3} \times \frac{\boxed{}}{16} = 2$$

Transposing $\frac{8}{3}$ to RHS,

$$\frac{\boxed{}}{16} = 2 \boxed{} \frac{8}{3}$$

$$\frac{\boxed{}}{16} = 2 \times \frac{\boxed{}}{\boxed{}}$$

$$\frac{\boxed{}}{16} = \frac{\boxed{}}{\boxed{}}$$

Transposing 16 to other side, the result is _____.

Comparing Quantities

Topics to be Improved	
Conversion of fraction into percentage	Conversion of fraction into percentage
Equivalent ratios	Basic of proportion
Profit and loss	Prediction of loss and profit
Percentage	Basic of percentage
Simple interest	Calculation of simple interest

Hi, here in this video you will learn **Converting fraction into percentage**



Question: 46

Complete the box in the given equation.

$$5\% = \frac{5}{\boxed{}}$$

Answer:

Percentage are the fraction with the denominator _____.

Therefore, 5% can be expressed as _____

Question: 47

Mark the correct conversion form of fraction $\frac{1}{2}$ to percentage.

- (i) $\frac{1}{2} \times \frac{50}{50} = \frac{50}{100} = 50\%$
- (ii) $\frac{1}{2} \times \frac{100}{100} = \frac{100}{200} = 200\%$
- (iii) $\frac{1}{2} \times 100 = \frac{100}{2} = 50\%$


Answer:

To convert fraction into percentage, the value of _____ (denominator / numerator) should be 100 or _____ (multiply / divide) the fraction with 100 %.

Therefore, correct conversion form is _____

Question: 48

Find the percentage of shaded part of square.



Answer:

The square shape is divided into _____ parts.

Number of shaded part of square is _____.

Shaded part of square in fraction is _____

To Convert $\frac{\square}{\square}$ into percentage , $\frac{\square}{\square} \times 100$

Hi, here in this video you will learn **Basics of proportion**



Question: 49

If a:b and c:d are equivalent ratio, then it can be expressed as _____


Answer:

A _____ (proportion / ratio) is used to express _____ (one/two) equivalent ratios.


Standard form to express proportion is _____.

Question: 50

Find the ratio of shaded part to unshaded part of A and B. Are the two ratios equivalent ?



A



B

Answer:

Shaded part of A = _____, Unshaded part of A = _____.
 Ratio of shaded to unshaded parts of A is _____. Fractional form = _____.
 Shaded part of B = _____,
 Unshaded part of B = _____.
 Ratio of shaded to unshaded parts of B is _____.
 Fractional form = _____.
 Fraction form of A _____ (equal/ not equal) to Fraction form of B.

Question: 51

If $a : b :: c : d$ is proportion, shade the correct expression

$$a = \frac{bc}{d}$$

$$c = \frac{ad}{b}$$

$$ad=cd$$

Answer:

Two equivalent ratio which are proportion, it can be written as $a : b :: c : d$
 or _____ = _____ (in fraction) .
 First and fourth term are called _____ and second and third term are called _____.
 In proportion, product of extreme terms is _____ (equal to/ not equal to) product of middle terms.
 Therefore, $a \times d =$ _____,
 then $a =$ _____ and $c =$ _____

Hi, here in this video you will learn **Profit and Loss**



Question: 52

Anu bought a book for ₹100 and sold it for ₹150 . Here, cost price of a book is _____ and selling price of a book is _____

Answer:

The price that is paid to buy or purchase a goods is _____ price and the price at which goods are sold is called _____ price.
 Therefore, cost price of a book = _____, selling price of a book = _____.

Question: 53

You bought a bat for ₹50 to play cricket. After one week, you sold that bat for ₹150. Is that a profit or loss for you?

Answer:

In profit, selling price _____ cost price. (<, >, =)
 In loss, selling price _____ cost price. (<, >, =)
 Cost price of a bat = _____, selling price of a bat = _____.
 Cost price is _____(greater / smaller) than selling price. Then it is _____.

Question: 54

Janu bought a smart phone for Rs.19,499 and after one week she sold her phone at a loss of Rs.2500 . Find the selling price of the phone.

Answer:

Cost price of a smart phone = _____ , loss = _____

Loss = _____ - _____ = _____ - _____

Therefore, selling price = _____

Hi, here in this video you will learn **Basics of percentage**



Question: 55

2% can be written as

Answer:

Percentages are numerators of fractions with denominator _____

$$2\% = \frac{\boxed{}}{\boxed{}}$$

Question: 56

Arun attended the LaPIS test for 100 marks and got 75% marks. What is the mark scored by Arun?

Answer:

Arun attended LaPIS test for _____ marks. He got _____ marks.

75 % can be written in fraction form $\frac{\boxed{}}{\boxed{}}$

Then the mark scored by Arun = Total mark \times 75% = _____ \times $\frac{\boxed{}}{\boxed{}}$ = _____

Question: 57

There are 25 apples in a basket in which 10 of them are rotten. Find the percentage of rotten apples.

Answer:

There are _____ apples in a basket.

Number of rotten apples are _____ .

Fraction form of rotten apples in a basket = $\frac{\boxed{}}{\boxed{}}$

Convert it into a percent = $\text{_____} \times \text{_____}\% = \text{_____}$

Hi, here in this video you will learn **Simple Interest**



Question: 58

Match the following.

Column A	
i	Principle(P)
ii	Amount (A)
iii	Rate (R)
iv	Time period (T)

Column B	
a	Interest calculated based on this
b	Total sum you borrow
c	Number of years
d	Total sum with interest

Answer:

Formula for calculating simple interest = _____.

Interest calculated based on _____.

Total sum you borrow is known as _____.

Number of years is _____. Total sum with interest is _____.

Question: 59

Sara deposited Rs.1200 in a bank. After three years, she received Rs.1320. Find the interest she earned.

Answer:

Given:

Amount = _____, Principle = _____, Time period = _____.

If Amount and principle is given, then formula for calculating interest is _____.

Interest = _____ - _____ = _____

Question: 60

The simple interest on Rs.5000 for 3 years is Rs.1350. Find the rate of interest.

Answer:

Interest = _____, Time period = _____, Principal = _____.

Rate of interest = $\frac{\text{_____} \times 100}{\text{Principal} \times \text{_____}}$

Substituting values in the formula,

$$\text{Rate of interest} = \frac{\text{Interest} \times 100}{\text{Principal} \times \text{Time}}$$

$$\text{Rate of interest} = \frac{\text{Interest} \times 100}{\text{Principal} \times \text{Time}}$$

Therefore, the rate of interest is _____ %

Algebra

Topics to be Improved	
Monomials, binomials, trinomials and polynomials	Types of algebraic expression
Basics of simple equation	Solving of simple equation

Hi, here in this video you will learn **Types of expression**



Question: 61

There are _____ terms in the expression $7x + 3y + m + 5$.

Answer:

In algebraic expression, _____ (variables/ terms) are connected together with operations of addition.

The terms in the expression are _____, _____, _____, and _____.

Therefore, there are _____ terms in the expression.

Question: 62

Classify the following expression into monomial, binomial and polynomial.

1. $7m + n + 2$

2. $8x^2 + 0$

3. $7xy + 4m$

Answer:

1. The terms in expression $8x^2 + 0$ are _____.

Here, expression has _____ term and it is a _____.

2. The terms in expression $7xy + 4m$ are _____.

Here, expression has _____ term and it is a _____.

3. The terms in expression $7m + n + 2$ are _____.

Here, expression has _____ term and it is a _____.

Question: 63

$5m^2 + m + 0$ is a _____ expression. (Monomial/ Binomial/ Trinomial)

Answer:

The terms in expression $5m^2 + m + 0$ are _____.

Here, the expression has _____ terms and it is called a _____ expression.

Hi, here in this video you will learn **Solving an equation**



Question: 64

If $\odot = 5$, then $5 \odot + 5 =$ _____

Answer:

The value of the given smiley \odot is _____.

Substituting the value in the expression $= 5(\text{---}) + 5 = \text{---} + \text{---} = \text{---}$.

Question: 65

Which of the following number can be placed in the box to make the equation correct (-2, -1, 0, 1, 2)

$$7 \square + 3 = -4$$

Answer:

The given equation is $7\text{---} + 3 = -4$ Substitute the values (-2, -1, 0, 1, 2) in the circle,

$$7 \times \text{---} + 3 = \text{---}$$

$$7 \times \text{---} + 3 = \text{---}$$

$$7 \times \text{---} + 3 = \text{---}$$

$$7 \times \text{---} + 3 = \text{---}$$

$$7 \times \text{---} + 3 = \text{---}$$

Therefore, _____ is the number that can be placed in a box to make the equation correct.

Question: 66

Arrange the terms in the descending order when the value of x is 2.

$$2x \quad 5x \times 1 \quad x + 3 \quad 2x - 4 \quad \frac{1}{2}x$$

Answer:

The given expression are _____.

The value of x is _____.

substituting value of x

$$2x = 2 \times \text{---} = \text{---}$$

$$2x - 4 = 2 \times \text{---} - 4 = \text{---}$$

$$x + 3 = \text{---} = \text{---}$$

$$\frac{1}{2}x = \frac{1}{2} \times \text{---} = \text{---}$$

$$5x \times 1 = 5 \times \text{---} \times 1 = \text{---}$$

Arranging in descending order: _____, _____, _____, _____, _____.

Their respective algebraic terms are _____, _____, _____, _____, _____.