

Beamer example with a really really long and boring title

Usage of the theme OsloMet modified for CVC

Whoever Whomever
Whoever Colleague
His lost friend

Computer Vision Center
Universitat Autònoma de Barcelona



Table of contents

1 Overview

2 Mathematics

- Theorem
- Example

3 Highlighting

4 Lists

5 Effects

6 References

Mathematics

Theorem (Fermat's little theorem)

For a prime p and $a \in \mathbb{Z}$ it holds that $a^p \equiv a \pmod{p}$.

Proof.

The invertible elements in a field form a group under multiplication. In particular, the elements

$$1, 2, \dots, p - 1 \in \mathbb{Z}_p$$

form a group under multiplication modulo p . This is a group of order $p - 1$. For $a \in \mathbb{Z}_p$ and $a \neq 0$ we thus get $a^{p-1} = 1 \in \mathbb{Z}_p$. The claim follows. ■

Mathematics

Example

The function $\varphi: \mathbb{R} \rightarrow \mathbb{R}$ given by $\varphi(x) = 2x$ is continuous at the point $x = \alpha$, because if $\epsilon > 0$ and $x \in \mathbb{R}$ is such that $|x - \alpha| < \delta = \frac{\epsilon}{2}$, then

$$|\varphi(x) - \varphi(\alpha)| = 2|x - \alpha| < 2\delta = \epsilon.$$

Highlighting

Highlighting

Some times it is useful to **highlight** certain words in the text.

Important message

If a lot of text should be **highlighted**, it is a good idea to put it in a box.

You can also highlight with the **structure** colour.

Lists

- Bullet lists are marked with a yellow box.
- Numbered lists are marked with a black number inside a yellow box.

Description highlights important words with blue text.

Items in numbered lists like ■ 1 can be referenced with a yellow box.


Example

- Lists change colour after the environment.

Effects

1 Effects that control

Use textblock for arbitrary placement of objects.



Effects

- 1 Effects that control
- 2 when text is displayed

Use **textblock** for arbitrary placement of objects.


Theorem

This theorem is only visible on slide number 2.

Effects

- 1 Effects that control
- 2 when text is displayed
- 3 are specified with `<>` and a list of slides.

Use **textblock** for arbitrary placement of objects.



Effects

- 1 Effects that control
- 2 when text is displayed
- 3 are specified with <> and a list of slides.

Use **textblock** for arbitrary placement of objects.



Effects

- 1 Effects that control
- 2 when text is displayed
- 3 are specified with `<>` and a list of slides.

Use **textblock** for arbitrary placement of objects.

It creates a box with the specified width (here in a percentage of the slide's width) and upper left corner at the specified coordinate (x, y) (here x is a percentage of width and y a percentage of height).

References I

- ▶  **Hartshorne, R.**
Algebraic Geometry.
Springer-Verlag, 1977.
- ▶  **Helsø, M.**
'Rational quartic symmetroids'.
Adv. Geom., 20(1):71–89, 2020.
- ▶  **Helsø, M. and Ranestad, K.**
Rational quartic spectrahedra, 2018.
<https://arxiv.org/abs/1810.11235>
- ▶ **Atiyah, M. and Macdonald, I.**
Introduction to commutative algebra.
Addison-Wesley Publishing Co., Reading, Mass.-London-Don Mills, Ont., 1969

References II

[5] Artin, M.

'On isolated rational singularities of surfaces'.
Amer. J. Math., 80(1):129–136, 1966.