

Issue: Deployment Pipeline Failure

Problem Overview

The **build-and-deploy-all** pipeline failed during the **UI deployment** process. The logs show two main issues:

1. **A syntax error in the "Summary & Evidence Pack" step** – causing the script to exit with an error code.
2. **API smoke test failures (HTTP 404 responses)** – the Postman/Newman smoke tests for the API endpoints (/health, /catalog/rubros, etc.) are failing.

Both issues need to be addressed to achieve a successful deployment.

1. Syntax Error in Summary Step

The pipeline log shows an error:

```
line 176: syntax error near unexpected token `}'  
Error: Process completed with exit code 2.
```

This points to a **mismatched curly brace** in the script that generates the deployment summary. In the GitHub Actions workflow, the "Summary & Evidence Pack" step groups multiple echo commands inside `{ ... } >> $GITHUB_STEP_SUMMARY` to write to the job summary. However, there is an extra `}` without a matching `{`.

Root Cause: In the workflow YAML, after closing the summary block, additional echo lines were accidentally placed outside of any braces, followed by a stray closing brace. For example, in the `deploy-ui.yml` file, we see:

```
...  
echo "***Deployment Status**":  Complete"  
} >> $GITHUB_STEP_SUMMARY          # Closing the summary block  
  echo "- **Index.html**": Cache-Control: no-store (always fresh)"  
  echo "- **Assets (immutable)**": Cache-Control: public, max-age=31536000"  
  echo "- **CloudFront TTL**": Depends on cache policy (typically 60s-  
86400s)"  
  echo ""  
  echo "***Invalidation Status**": In progress (30-60 second propagation  
expected)"  
} >> $GITHUB_STEP_SUMMARY          # <-- Extra closing brace (no matching  
opening)
```

As shown above, the block is closed at line 583, then lines 584-588 are stray echo commands, and line 589 is another `}` closing a non-existent block^[1]. This is a YAML indentation/structure error.

Impact: This syntax error causes the entire step (and thus the job) to fail with exit code 2, even if previous steps succeeded.

Fix for the Syntax Error

To resolve this:

- **Remove or reposition the stray lines and brace.** The lines printing **Index.html** cache info and **Invalidation Status** should either be included inside the first `{ ... }` block or removed if they are redundant. In this case, they appear to duplicate information already presented in the summary (cache behavior is also listed in a table above), so removing them is a safe option.
- Ensure that every `{` has a corresponding `}`. In other words, the summary block should start with `{` and end with `}` once, with no extra unmatched braces.

After fixing, the summary step should look like one continuous block. For example, you can move those cache-related echo lines **before** the closing brace of the summary block. Alternatively, start a new block properly with its own `{ ... }` `>> $GITHUB_STEP_SUMMARY` if you intend to append to the summary in multiple chunks (though this isn't necessary here).

Corrected Example: (closing the block only once)

```
echo "***Deployment Status**":  Complete"
echo "- **Index.html**": Cache-Control: no-store (always fresh)"
echo "- **Assets (immutable)**": Cache-Control: public, max-age=31536000"
echo "- **CloudFront TTL**": Depends on cache policy (typically 60s-86400s)"
echo ""
echo "***Invalidation Status**": In progress (30-60 second propagation expected)"
} >> $GITHUB_STEP_SUMMARY
```

In the above, all lines are inside a single `{ ... }` block and then closed with one `}` at the end. This will eliminate the syntax error.

2. API Smoke Test Failures (404 Not Found)

The logs from Newman (Postman tests) show that calls to the API are returning **404 Not Found** instead of the expected 200 OK. For example:

- GET `https://m3g6am67aj.execute-api.us-east-2.amazonaws.com/prod/health` → **404 Not Found** (expected 200)
- GET `https://m3g6am67aj.execute-api.us-east-2.amazonaws.com/prod/catalog/rubros` → **404 Not Found** (expected 200 or 401 with proper auth)

All assertions for these endpoints failed (e.g., status code check, response fields ok and stage, etc., as shown by failures 1–3 and 4–7 in the log).

Likely Causes:

- The **API Gateway endpoint or stage is not configured correctly for the environment**. The base URL `https://m3g6am67aj.execute-api.us-east-2.amazonaws.com/prod` suggests an API Gateway with ID `m3g6am67aj` and stage `prod`. A 404 error from API Gateway typically means the stage or the resource path is not found. This could happen if:
 - The **prod stage does not exist** or is not deployed. Perhaps only a dev stage exists for that API ID. If the API was deployed in a dev environment but not promoted to prod, the `/prod` stage would return 404.
 - The resource paths (`/health`, `/catalog/rubros`) are not deployed under that stage. Even if the stage exists, if the latest deployment wasn't done or those routes aren't present, it would 404.
 - Less likely: a misconfiguration of a base path mapping or a custom domain (but given the direct `execute-api` URL, stage mis-deployment is more probable).
- **Authorization misconfiguration:** If `/catalog/rubros` is supposed to be protected by Cognito JWT, calling it without a token might result in a 401 Unauthorized normally. However, in the logs it's 404, which implies the request didn't even hit a valid endpoint. So this is more consistent with the endpoint not being deployed (rather than just unauthorized).

How to Fix the API 404s:

1. **Verify the API Gateway deployment:** Ensure that the `finanzas-sd-api-prod` stack (if that's the intended production API) has been deployed and has a stage named `prod`. In AWS API Gateway console:
2. Check if an API with ID `m3g6am67aj` has a stage called `prod`. If not, create or deploy to that stage.
3. Confirm that the `/health` and `/catalog/rubros` endpoints are present in that stage's deployment. According to the OpenAPI spec, these routes exist in the API definition[2][3], so they should be available once deployed.
4. **Update the pipeline configuration if needed:** In the workflow, `EXPECTED_API_ID` is set to `m3g6am67aj` for both dev and prod by default[4]. If the dev API and prod API are actually separate (with different IDs), you should configure `FINZ_EXPECTED_API_ID` for the dev environment accordingly. This ensures the pipeline is checking the correct API. If the intention is to use the same API Gateway for both dev and prod (just different stages), then make sure the prod stage is created and updated.
5. **Re-run the deployment** after fixing the API:

6. Once the API is correctly deployed to respond at `/prod/health` and other endpoints, the smoke tests should return 200. The **Health Check** endpoint should return a JSON with an "ok" field and "stage" field as expected, and **Catalog - Rubros** should return data (or at least not 404; if it requires auth, the test might need adjusting to expect a 401 if no token).
7. The pipeline's Newman step is marked as **non-blocking** (continue-on-error: true[5]), which means the job *would* continue even if tests fail. However, the goal is to have all tests pass to validate the deployment. With a properly deployed API, these assertions should pass (or the test definitions should be updated if the expected behavior is different, e.g., expecting 401 for protected endpoints without a token).

Summary of Actions

- **Fix the GitHub Actions YAML** for the summary step:
- Remove the extra curly brace and ensure all echo commands intended for the summary are within a single `{ ... }` block (or properly opened/closed blocks). This resolves the syntax error [1].
- **Deploy/Verify the API:**
- If not already done, deploy the production API (or create the prod stage for the existing API) so that `https://m3g6am67aj.execute-api.us-east-2.amazonaws.com/prod` is functional for all expected paths.
- Double-check that the **Health Check** endpoint returns HTTP 200 with the correct payload, and that **Catalog/Rubros** is accessible. If **Catalog/Rubros** is meant to require authentication, consider updating the Postman tests to include a Cognito token or adjust the expected status to 401.
- **Run the pipeline again:**
- With the above fixes, the pipeline should complete without syntax errors, and the smoke tests should pass (or at least not block the pipeline if marked non-blocking). The job summary will be generated correctly, providing a nice deployment report.

Once these fixes are in place, the **deployment should succeed** (the summary will show **Deployment Status:  Complete** with no errors, and the API smoke tests will confirm that the endpoints are reachable).

References:

- Excerpt from workflow showing the erroneous brace placement[1].
 - Workflow configuration marking Newman tests as non-blocking[5].
 - OpenAPI excerpt confirming `/health` and `/catalog/rubros` paths exist in the API definition[2][3].
-

[1] [4] [5] deploy-ui.yml

<https://github.com/valencia94/financial-planning-u/blob/788ea685b890488b7f7453babfd90c77e8afd7aa/.github/workflows/deploy-ui.yml>

[2] [3] OAS30_m3g6am67aj_\$(latest_with_apig_ext (1)).json

file:///file_00000000dab4722fbc74c4f69e15ae63