



# Initial Setup with Docker

## Lab-session 0

### Computer Vision and Image Processing

Prof: Luigi di Stefano - [luigi.distefano@unibo.it](mailto:luigi.distefano@unibo.it)

Tutors: Pierluigi Zama Ramirez - [pierluigi.zama@unibo.it](mailto:pierluigi.zama@unibo.it)

Riccardo Spezialetti – [riccardo.spezialetti@unibo.it](mailto:riccardo.spezialetti@unibo.it)


# Step 1: Installing and running Docker

What is Docker? Docker is a tool designed to make it easier to create, deploy, and run applications by using containers.

More details at: <https://www.docker.com/>

## Install and Run Docker on Windows

1. Follow the instruction at the following link: <https://docs.docker.com/docker-for-windows/install/>
2. Run the Docker Desktop application



## Install Docker on Ubuntu

1. Follow the instruction at the following link. **Installation from repository** is recommended.  
<https://docs.docker.com/engine/install/ubuntu/>

# Step 2: Build and Run Docker Container



1. Download the **Dockerfile** configuration file
2. Open a terminal and navigate to the directory containing the configuration file
3. Execute the following command to build the docker container:

```
docker build . -t cvlab
```

4. Download the Lab Session .zip file and unzip it. Remember the path to the **unzipped folder path**:

```
PATH_TO_EXERCISES=/path/to/exercise
```

5. Execute the following command to run docker container (In Windows explicitly write the *PATH\_TO\_EXERCISES*):

```
docker run -v ${PATH_TO_EXERCISES}:/home/cvlab -p 8888:8888 cvlab:latest
```

6. Click or copy link highlighted in the following picture to open the notebook:

A terminal window screenshot showing the output of a Jupyter Notebook server. The text includes: 'Writing notebook server cookie secret to /root/.local/share/jupyter/runtime/notebook\_cookie\_secret', 'Serving notebooks from local directory: /home/cvlab', 'Jupyter Notebook 6.1.4 is running at:', 'http://fb7d15cab6:8888/?token=be161e3285ef8f9fdaaaabb819e0bfeff802a284da327a8', and 'or http://127.0.0.1:8888/?token=be161e3285ef8f9fdaaaabb819e0bfeff802a284da327a8'. The URL 'http://127.0.0.1:8888/?token=be161e3285ef8f9fdaaaabb819e0bfeff802a284da327a8' is highlighted in red at the bottom of the screenshot.

```
[I 10:47:52.125 NotebookApp] Writing notebook server cookie secret to /root/.local/share/jupyter/runtime/notebook_cookie_secret
[I 10:47:52.299 NotebookApp] Serving notebooks from local directory: /home/cvlab
[I 10:47:52.300 NotebookApp] Jupyter Notebook 6.1.4 is running at:
[I 10:47:52.300 NotebookApp] http://fb7d15cab6:8888/?token=be161e3285ef8f9fdaaaabb819e0bfeff802a284da327a8
or http://127.0.0.1:8888/?token=be161e3285ef8f9fdaaaabb819e0bfeff802a284da327a8
[I 10:47:52.300 NotebookApp] Use Control-C to stop this server and shut down all kernels (twice to skip confirmation).
[C 10:47:52.303 NotebookApp]

To access the notebook, open this file in a browser:
file:///root/.local/share/jupyter/runtime/nbserver-11-open.html
Or copy and paste one of these URLs:
http://fb7d15cab6:8888/?token=be161e3285ef8f9fdaaaabb819e0bfeff802a284da327a8
or http://127.0.0.1:8888/?token=be161e3285ef8f9fdaaaabb819e0bfeff802a284da327a8
```

# [OPTIONAL] Connect your webcam to Docker Container (Only Ubuntu)



Docker cannot recognize devices outside from the container. We must explicitly show the device when running the container.

In Ubuntu is quite straightforward. At step 5 of the previous slide, when running the docker container, we run the following command instead:

```
docker run -v ${PATH_TO_EXERCISES}:/home/cvlab -p 8888:8888 --device=/dev/video0:/dev/video0 -it cvlab:latest
```

In Windows we recommend the following guide:

<https://docs.microsoft.com/en-us/virtualization/windowscontainers/deploy-containers/hardware-devices-in-containers>