Repro

Is this bug report real? Run it, safely, and find out.

An agent writes the reproduction. Fresh gVisor sandboxes on a Vultr VM run it. Exit codes decide the verdict.

Vultr Agent Rush, challenge 1: Blast Radius Zero

Bug reports are cheap to write and costly to check

The flood is real. curl ended its bug bounty in January 2026 after a surge of AI-written reports that did not hold up.

Checking is manual. Clone, install, write a test, then try the reported version and the current one.

Checking is risky. A report's "steps to reproduce" are a stranger's code, usually run on a maintainer's own machine.

A coding agent makes it riskier if it runs those steps with your keys and your network.

Source on curl: hackaday.com/2026/01/26/the-curl-project-drops-bug-bounties-due-to-ai-slop

Paste an issue URL, get a verdict with the evidence

1. Read

The issue text is treated as untrusted input.

2. Write

An agent on Vultr Serverless Inference writes `setup.sh` and `repro.sh` in a sandbox. `repro.sh` exits 1 when the bug happens.

3. Verify

The backend re-runs both scripts in fresh sandboxes, at the reported commit and on the default branch, twice each.

4. Report

Reproduced, fixed (with git bisect naming the commit), not reproducible, flaky or inconclusive.

The verdict comes from exit codes, not from what the model says.

run	ref	commit	setup	repro exits	outcome
reported	`v0.1.0`	`589eff8272dc`	0	1, 1	present
default branch	`main`	`bda2776623f4`	0	0, 0	absent

Demo issue #1: git bisect then named `3ee5aeb` as the fix. The report lists every command with its exit code, duration and output hash, and every network request the sandboxes made.

Containment is the product: every payload below ran live

Attack lab payload	What stopped it	Observed under gVisor
`rm -rf /`	Read-only root, scratch space on tmpfs	Deletions refused, 516 binaries before and after
Steal cloud credentials	Egress gate checks the address after DNS; no direct route	Gate refused, direct curl exit 7, attempt logged
Fork bomb	Limit of 256 processes, sandbox destroyed	`fork: retry`, new processes refused
Exfiltrate data	Allowlist of hosts, ports 80 and 443 only	Refused by name, by raw IP and on port 22, each attempt logged
Memory bomb, secret hunt, break-out attempts	2 GB limit, no keys, no socket, non-root, no capabilities	Killed at the 2 GB limit; no keys found; mount, su and system writes refused


After each payload a second, fresh sandbox starts clean. Anyone can press these buttons on the live site, and no model is involved. One limit we show openly: a user namespace can be created inside gVisor, but its root counts only inside that namespace.

Five real bug reports, same behaviour when checked outside Repro

Issue	Verdict	Upstream	Time	Tokens
humanize #57: `metric(0)` crashes	**Fixed** bisect `b1ee687`	closed, PR #47	226 s	68k
humanize #171: negative time gives "a day"	**Fixed** bisect `b939b2e`	closed, PR #173	203 s	81k
tabulate #354: `maxcolwidths` adds whitespace	**Reproduced**	open	223 s	327k
arrow #1294: `+03:00.34` accepted as a timezone	**Reproduced**	open	137 s	170k
parse #116: `{name:s}` does not match	**Reproduced**	open	104 s	121k

We chose these five, so this is a demonstration and not an accuracy benchmark. The first arrow run came back inconclusive after using all 40 tool calls; the agent now warns the model when five calls remain, and the second run submitted on call 39. Each result was repeated in a plain Python container with the published packages.

Built on Vultr, with one way out of the sandbox



Cloud Compute

One VM runs Caddy, the FastAPI backend and job queue, the egress gate, and Docker with gVisor.

Serverless Inference

Every model call, through the OpenAI-compatible API. The key stays in the backend.

Vultr API and firewall

`tools/vultr_vm.py` creates the VM, SSH key and firewall group, and deletes them again.

Each sandbox

Read-only root, non-root, no capabilities, 2 GB, 2 CPUs, 256 processes, time limit. Destroyed after its step.

Who it is for, and what a check costs

Maintainers: a verified reproduction, or a clear "could not reproduce", before anyone spends an afternoon.

Bug bounty and security triage: run a submitted proof of concept with nothing to steal and nowhere to send it.

Teams adopting coding agents: the same sandbox and egress design applies to other agent tasks that run untrusted code.

104 to 226 s	**68k to 327k**	**$0.066 per hour**
per run on the five real issues	tokens per run on glm-5.3	for the VM (vhp-4c-8gb-amd, Frankfurt)

Repro

Try to break it.

Live https://repro-209-250-235-249.sslip.io

Code https://github.com/CVasilopoulos/repro (MIT)

AI-assisted, human-directed.