

Attack-defense semantics of argumentation

Beishui LIAO ^{a,1}, Leendert VAN DER TORRE ^b

^a*Zhejiang University*

^b*University of Luxembourg*

Abstract. This is the appendix for all the proofs in the paper “Attack-defense semantics of argumentation”.

A. Proofs

Theorem 1. *If D is a stable attack-defense extension, then it is complete and preferred, but not necessarily vice versa.*

Proof. Since for all $z_y^x \in T \setminus D$, $y \in \mathbf{defendee}(D)$, $D \cup \{z_y^x\}$ is not admissible. So, D is complete. Assume that D is not maximal. Let $D' \subset D$ be a preferred attack-defense extension. For each $z_y^x \in D' \setminus D$, $D \cup \{z_y^x\}$ is not admissible. So, D' is not admissible. Contradiction. For the counter example, consider $T = \{a_a^a\}$. The emptyset is both a preferred attack-defense extension and a complete attack-defense extension, but not a stable attack-defense extension. \square

Theorem 2. *Let D be a set of attack-defenses. If $\mathbf{defendee}(D) \cap \mathbf{attacker}(D) = \emptyset$, then D is a complete attack-defense extension iff $D = F_T(D)$. The grounded attack-defense extension is the least complete attack-defense extension of F (w.r.t. set inclusion).*

Proof. Since $\mathbf{defendee}(D) \cap \mathbf{attacker}(D) = \emptyset$ and $D = F_T(D)$, D is admissible. Since no attack-defense in $T \setminus D$ is successful w.r.t. D , D is complete. Since F_T is monotonic, there is a unique least fixed point that is the least complete attack-defense extension of F . \square

Theorem 3. *Let $T \subseteq \mathcal{D}^U$ be an attack-defense framework. For all $D \in \Sigma(T)$, $x, u \in \mathbf{argument}(T)$, if $z_y^x, w_v^u \in D$, $z_{y'}^w \in T$, then $z_{y'}^w \in D$.*

Proof. We need to verify this property under complete attack-defense semantics. Since $w_v^u \in D$, $w \in \mathbf{defendee}(D)$. Since $z_y^x \in D$, for each $y' \neq y$ that attacks z , $\exists z_{y'}^x \in D$. Thus, $z_{y'}^w$ is successful w.r.t. D . Since D is a complete attack-defense extension, $z_{y'}^w \in D$. \square

Theorem 4. *For all $D \in \Sigma(T)$, if $z_y^x \in D$ and $x \neq \top$ then there exists $x_{y'}^u \in T$ s.t. $x_{y'}^u \in D$.*

Proof. According to Definition 3, since $z_y^x \in D$, it holds that defender $x \in \mathbf{defendee}(D)$. So, there exist $u, y' \in \mathbf{argument}(T)$ such that $x_{y'}^u \in D$. \square

¹Corresponding Author: Beishui Liao.

The third property is about the incompleteness of an attack-defense framework.

Theorem 5. For all $z_y^x, v_y^u \in T$, it is not necessary that $v_y^x \in T$.

Proof. By definition, this property obviously holds. \square

Theorem 7. Defenses $z_y^y, z_z^x \in T$ are unsatisfiable. Furthermore, if $z_y^y \in T$, then u_v^y is unsatisfiable under semantics $\Sigma \in \{CO, PR, GR, ST\}$.

Proof. First, z_y^y means that y self-attacks and it attacks z . If z_y^y is in an admissible set of attack-defenses, then y is a defendee. According to Definition 4, $\mathbf{defendee}(D) \cap \mathbf{attacker}(D) \neq \emptyset$. Contradiction. Second, obviously, z_z^x is not satisfiable. Third, assume that u_v^y is in some attack-defense admissible set D . Then, according to Theorem 4, there exists $y_w^x \in T$ such that $y_w^x \in D$. If $w = y$, then this contradicts $\mathbf{defendee}(D) \cap \mathbf{attacker}(D) = \emptyset$. Otherwise, according to the definition of complete attack-defense extension, z_y^y is also in D . This also contradicts $\mathbf{defendee}(D) \cap \mathbf{attacker}(D) = \emptyset$. \square

Theorem 8. If there exist $x_z^y, y_x^z, z_y^x \in T$, then x_z^y and z_y^x are unsatisfiable under semantics $\Sigma \in \{CO, PR, GR, ST\}$.

Proof. Assume that x_z^y is in some admissible set $D \subseteq T$. Then, y_x^z is also in D . As a result, $\mathbf{defendee}(D) \cap \mathbf{attacker}(D) \supseteq \{x\}$, contradicting $\mathbf{defendee}(D) \cap \mathbf{attacker}(D) = \emptyset$. \square

Theorem 9. For any attack-defense framework T , and for $\Sigma \in \{CO, PR, GR\}$, $\Sigma(T) = \Sigma(T^-)$.

Proof. Under complete attack-defense semantics, let $D \in CO(T)$. Since for all $z_y^x \in u(T)$, z_y^x is unsatisfiable, $z_y^x \notin D$. According to Definitions 4 and 5, D is a complete attack-defense extension of T^- . On the other hand, let $D \in CO(T^-)$. Since any attack-defense in $u(T)$ is unsatisfiable, adding it to T^- does not affect the evaluation of other attack-defenses. Therefore, D is a complete attack-defense extension of T . Similarly, under preferred and grounded attack-defense semantics, this property also holds. \square

Theorem 10. For any attack-defense frameworks T and T' , for any $B \subseteq \mathbf{argument}(T) \cap \mathbf{argument}(T')$, if $T \equiv_d^\Sigma T'$ then $T \equiv_{r,B}^\Sigma T'$, but not vice versa.

Proof. Since $T \equiv_d^\Sigma T'$, $\Sigma(T) = \Sigma(T')$. For all $D \in \Sigma(T)$, for all $z \in B$, $\text{root}_\Sigma(z, T) = \text{root}_\Sigma(z, T')$. As a result, $T \equiv_{r,B}^\Sigma T'$.

For the converse direction, consider T_3 and T'_3 in Examples 3 and 4. Under preferred attack-defense semantics, $PR(T_3) \neq PR(T'_3)$, i.e., it is not the case that $T_3 \equiv_d^{PR} T'_3$. Meanwhile, let $B = \{a, b\}$. As described in Example 4, we have $T_3 \equiv_{r,B}^{PR} T'_3$. \square

Theorem 11. Let $d(\mathcal{F})$ be the attack-defense framework of an AF $\mathcal{F} = (\mathcal{A}, \rightarrow)$. For all $z_y^x, v_y^u \in d(\mathcal{F})$, it holds that $v_y^x \in d(\mathcal{F})$.

Proof. Since $z_y^x, v_y^u \in d(\mathcal{F})$, it holds that $x \rightarrow y$, $y \rightarrow z$, $u \rightarrow y$ and $y \rightarrow v$. Given that $x \rightarrow y$ and $y \rightarrow v$, we have $v_y^x \in d(\mathcal{F})$. \square

Theorem 12. For all $D \in \Sigma(d(\mathcal{F}))$, $\mathbf{defendee}(D) \in \sigma(\mathcal{F})$, where $\Sigma \in \{CO, PR, GR, ST\}$ and $\sigma \in \{co, pr, gr, st\}$.

Proof. Let D be a complete attack-defense extension of $d(\mathcal{F})$. According to Definition 4, $\mathbf{defendee}(D) \cap \mathbf{attacker}(D) = \emptyset$. Hence, $\mathbf{defendee}(D)$ is conflict-free. According to Definition 3, for all $z \in \mathbf{defendee}(D)$, z is an initial argument, or every attacker of z is attacked by an argument in $\mathbf{defendee}(D)$. So, $\mathbf{defendee}(D)$ is an admissible set of arguments. According to Definition 5, each successful attack-defense w.r.t. D is in D . So, each argument that is defended by $\mathbf{defendee}(D)$ is in $\mathbf{defendee}(D)$. Therefore, $\mathbf{defendee}(D)$ is a complete extension of \mathcal{F} . When D is a preferred attack-defense extension, it is easy to see that $\mathbf{defendee}(D)$ is a maximal complete extension (w.r.t. set inclusion) and therefore is a preferred extension of \mathcal{F} . Similarly, this property holds under grounded attack-defense semantics. Finally, when D is a stable attack-defense extension, for all $z_y^x \in d(\mathcal{F}) \setminus D$, $y \in \mathbf{defendee}(D)$. This means that for each argument $z \in \mathcal{A} \setminus \mathbf{defendee}(D)$, z is attacked by an argument y in $\mathbf{defendee}(D)$. Hence, $\mathbf{defendee}(D)$ is a stable extension of \mathcal{F} . \square

Theorem 13. For all $E \in \sigma(\mathcal{F})$, let $\mathbf{def}(E) = \{z_y^x \mid z_y^x \in d(\mathcal{F}) : x, z \in E\} \cup \{z_\perp^\perp \mid z_\perp^\perp \in d(\mathcal{F}) : z \in E\}$. Then, $\mathbf{def}(E) \in \Sigma(d(\mathcal{F}))$.

Proof. Let E be a complete extension of \mathcal{F} . For each $z_y^x \in \mathbf{def}(E)$, since $x, z \in E$ and E is admissible, z_y^x is successful w.r.t. $\mathbf{def}(E)$. $\mathbf{defendee}(\mathbf{def}(E)) \cap \mathbf{attacker}(\mathbf{def}(E)) = \emptyset$. Otherwise, if there is an attacker in $\mathbf{def}(E)$ that is a defendee, then $E = \mathbf{defendee}(\mathbf{def}(E))$ is not conflict-free, contradicting the fact that E is conflict-free. As a result, $\mathbf{def}(E)$ is admissible. Assume that $\mathbf{def}(E)$ is not complete. Then, there exists $z_y^x \in d(\mathcal{F})$, such that z_y^x is successful w.r.t. $\mathbf{def}(E)$, and $z_y^x \notin \mathbf{def}(E)$. Since $z_y^x \notin \mathbf{def}(E)$, $x \notin E$ or $z \notin E$. If $x \notin E$, then $x \notin \mathbf{defendee}(\mathbf{def}(E))$ and therefore z_y^x is not successful w.r.t. $\mathbf{def}(E)$. Contradiction. Alternatively, if $z \notin E$, then since E is a complete extension of \mathcal{F} , z is not defended by E . Then, there exists $y' \neq y$, such that y' attacks z and y' is not attacked by any argument in E . It turns out that z_y^x is not successful w.r.t. $\mathbf{def}(E)$. Contradiction. Hence, $\mathbf{def}(E)$ is a complete attack-defense extension of $d(\mathcal{F})$.

When E is a preferred extension of \mathcal{F} , E is maximal and therefore $\mathbf{def}(E)$ is maximal (w.r.t. set inclusion). Hence, $\mathbf{def}(E)$ is a preferred attack-defense extension of $d(\mathcal{F})$.

Similarly, this property holds under grounded semantics.

Finally, when E is a stable extension of \mathcal{F} , for all $z \in \mathcal{A} \setminus E$, z is attacked by an argument in E . This means that for each defense $z_y^x \in d(\mathcal{F}) \setminus \mathbf{def}(E)$, $y \in \mathbf{defendee}(\mathbf{def}(E))$. Therefore, $\mathbf{def}(E)$ is a stable attack-defense extension of $d(\mathcal{F})$. \square

Theorem 14. Let \mathcal{F} and \mathcal{G} be two AFs. If $d(\mathcal{F}) \equiv_d^\Sigma d(\mathcal{G})$, then $\mathcal{F} \equiv^\sigma \mathcal{G}$, where $\Sigma \in \{CO, PR, GR, ST\}$, $\sigma \in \{co, pr, gr, st\}$.

Proof. If $d(\mathcal{F}) \equiv_d^\Sigma d(\mathcal{G})$, then $\Sigma(d(\mathcal{F})) = \Sigma(d(\mathcal{G}))$. According to Theorem 12, $\sigma(\mathcal{F}) = \mathbf{defendee}(\Sigma(d(\mathcal{F}))) = \mathbf{defendee}(\Sigma(d(\mathcal{G}))) = \sigma(\mathcal{G})$. Since $\sigma(\mathcal{F}) = \sigma(\mathcal{G})$, $\mathcal{F} \equiv^\sigma \mathcal{G}$. \square

Lemma 1. It holds that $CO(d(\mathcal{F})) = CO(d(\mathcal{F}^{\text{ck}}))$.

Proof. Since for every attack-defense that is related to a self-attacking argument is unsatisfiable, it is clear that $CO(d(\mathcal{F})) = CO(d(\mathcal{F}^{\text{ck}}))$. \square

Theorem 15. Let \mathcal{F} and \mathcal{G} be two AFs. If $\mathcal{F} \equiv_s^{\text{co}} \mathcal{G}$, then $d(\mathcal{F}) \equiv_d^{\text{CO}} d(\mathcal{G})$.

Proof. Obvious. \square

Theorem 16. Let $\mathcal{F} = (\mathcal{A}_1, \rightarrow_1)$ and $\mathcal{H} = (\mathcal{A}_2, \rightarrow_2)$ be two AFs. If $d(\mathcal{F}) \equiv_r^\Sigma d(\mathcal{H})$, then $\mathcal{F} \equiv^\sigma \mathcal{H}$, where $\Sigma \in \{\text{CO}, \text{PR}, \text{GR}, \text{ST}\}$ and $\sigma \in \{\text{co}, \text{pr}, \text{gr}, \text{st}\}$.

Proof. According to Definition 14, under complete semantics, the number of extensions of $\text{co}(\mathcal{F})$ is equal to the number of $\text{root}_{\text{CO}}(z, d(\mathcal{F}))$, where $z \in \mathcal{A}_1$. Since $\text{root}_{\text{CO}}(z, d(\mathcal{F})) = \text{root}_{\text{CO}}(z, d(\mathcal{H}))$, $\mathcal{A}_1 = \mathcal{A}_2$.

Let $\text{root}_{\text{CO}}(z, d(\mathcal{F})) = \text{root}_{\text{CO}}(z, d(\mathcal{H})) = \{R_1, \dots, R_n\}$. Let $\text{co}(\mathcal{F}) = \{E_1, \dots, E_n\}$ be the set of extensions of \mathcal{F} , where $n \geq 1$.

For all $\alpha \in \mathcal{A}_1$, for all $R_i, i = 1, \dots, n$, we have $\alpha \in E_i$ iff $R_i \neq \{\}$, in that in terms of Definition 14, when $R_i \neq \{\}$, there is a reason to accept α .

On the other hand, let $\text{co}(\mathcal{H}) = \{S_1, \dots, S_n\}$ be the set of extensions of \mathcal{H} . For all $\alpha \in \mathcal{A}_2 = \mathcal{A}_1$, for all $R_i, i = 1, \dots, n$, for the same reason, we have $\alpha \in S_i$ iff $R_i \neq \{\}$. So, it holds that $E_i = S_i$ for $i = 1, \dots, n$, and hence $\text{co}(\mathcal{F}) = \text{co}(\mathcal{H})$, i.e., $\mathcal{F} \equiv^{\text{co}} \mathcal{H}$.

Similarly, this property holds under preferred semantics and grounded semantics, respectively.

Finally, under stable semantics, if $ST(d(\mathcal{F})) = ST(d(\mathcal{H})) = \emptyset$, then $st(\mathcal{F}) = st(\mathcal{H}) = \emptyset$. Hence, $\mathcal{F} \equiv^{\text{st}} \mathcal{H}$. Otherwise, $st(\mathcal{F}) = st(\mathcal{H}) \neq \emptyset$. In this case, as verified under complete semantics, it holds that $\mathcal{F} \equiv^{\text{st}} \mathcal{H}$. \square