
Install Splunk on Linux Ubuntu Server:


As you know we install ubuntu server machine according to our topology. Now we will install splunk in it.




Go to below link to download the splunk.

- get the free trial
- make account
- verify account
- get splunk for linux from free trial
- download the .tgz in ubuntu

https://www.splunk.com/en_us/download.html





- login with account
- go to products and select free trial

Choose Your Installation Package



When download will complete go to the terminal in ubuntu.

Shift it super user

```
To run a command as administrator (user "root"), use "sudo <command>".

See "man sudo_root" for details.

admin@osboxes:~$ sudo su
[sudo] password for admin:
root@osboxes:/home/admin#
```

Go to Download folders using the command

cd /home/<your username>/Downloads

Then use command to see which files and folders have in that folder

So now unzip the file using the following command

tar -xv zf <download file name>

```
root@osboxes:/home/admin/Downloads# ls
splunk-9.0.5-e9494146ae5c-Linux-x86_64.tgz
root@osboxes:/home/admin/Downloads# tar -xvzf splunk-9.0.5-e9494146ae5c-Linux-x8
6_64.tgz
```

When it unzip you see other folder their name splunk, do the following steps

Go to that folder

cd splunk

See what have in that folder

ls

Go to bin folder

cd bin

See what have in bin folder with Is command

Run the following commands to start the installation

./splunk start

```
root@osboxes:/home/admin/Downloads/splunk/bin# ./splunk start
```

- ❖ Use space bar key to read out the lisence that show after it
- At end write v to accept the lisence

```
Do you agree with this license? [y/n]: y

This appears to be your first time running this version of Splunk.

Splunk software must create an administrator account during startup. Otherwise, you cannot log in.

Create credentials for the administrator account.

Characters do not appear on the screen when you type in credentials.
```

Then login using username and password

```
Splunk software must create an administrator account during startup. Otherwise, you cannot log in.
Create credentials for the administrator account.
Characters do not appear on the screen when you type in credentials.

Please enter an administrator username: admin
Password must contain at least:

* 8 total printable ASCII character(s).
Please enter a new password:
Please confirm new password:
Copying '/home/admin/Downloads/splunk/etc/openldap/ldap.conf.default' to '/home/
```


- ❖ At end it will show link go to that link and login graphically
- Else write your machine ip address and port number like 8000 in browser and then splunk open graphically

```
Splunk software must create an administrator account during startup. Otherwise, you cannot log in.
Create credentials for the administrator account.
Characters do not appear on the screen when you type in credentials.


Please enter an administrator username: admin
Password must contain at least:

* 8 total printable ASCII character(s).
Please enter a new password:
Please confirm new password:
Copying '/home/admin/Downloads/splunk/etc/openldap/ldap.conf.default' to '/home/
```

❖ login



Splunk interface



Note: when you shutdown the machine splunk also shutdown. You can repeat the process to open it. Go to /bin directory of splunk and run command ./splunk start . then login.