

INFORMATION FOR DUT BOARD LAYOUT
(DUT BOARD KEEP-OUT AREA)

VIEW FROM
DUT SIDE

HOLE CHART	
A	Ø6.00
B	Ø4.50
C	Ø6.50
D	Ø5.20
E	Ø6.60

Application Notes:
1. Holes B and C are required to align to the Delta Castle seal block adapter.
2. Holes D and E are required to align to the Delta Flex seal block adapter.



PRIMARY COMPONENT PLACEMENT AREA
Components, traces, and vias allowed



LIMITED COMPONENT PLACEMENT AREA
Max component height = 7.00mm
Traces and vias allowed




TRACE CLEARANCE AREA
No components allowed
Traces and vias allowed



LOAD-BOARD PCB CONTACT AREA
Inlay directly contacts load-board pcb on bottom side in this area
No components, traces, or vias allowed

Notes:
1. Use inlay keep-out area shown in conjunction with DUT-Board keep-out areas, see drawings D-E6980-96540-1 and D-E6980-96550-1.



VERIGY RESTRICTED
THIS DOCUMENT AND ANY ASSOCIATED DATA
CONTAIN RESTRICTED INFORMATION THAT IS
VERIGY PROPERTY.
ONLY DISCLOSE OR DUPLICATE FOR OTHERS
AS AUTHORIZED BY VERIGY.

STRENG VERTRAULICH - INFORMATION
AN DRITTE UND VERWERTUNGSRECHT NUR FÜR BEZUGNEHME
DES UNTERSCHREIBERS - SCHUTZGEHEIM NACH DIN EN 60815

TOLERANCES APPLY ONLY TO DESIGNATED
DIMENSIONS UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN MILLIMETRES


THIRD ANGLE PROJECTION

Tolerances according
ISO 2768-mH

Part Master File is 3D Body/Assembly
DO NOT SCALE THIS DRAWING

ITEM	QTY.	PART/MATERIAL-DESCRIPTION	MATL-PART NO.	MATL-QWS NO.	MATL-SPEC.
Peter Hirschmann DRAWN BY	29.10.03 DATE	STIFFENER INLAY PLATE DUT BOARD KEEP-OUT AREA			VERIGY
Peter Hirschmann REWORK/REVISION	29.10.03 DATE				
X RELEASE TO PROD. P/CDR. BSH	X DATE	TITLE			PART NUMBER E6980-24160
Wilhelm Boedder RELEASE TO PROD. MATL. BSH	X DATE				
SUPERSEDES DWS		SCALE 1:1		SHEET 2 OF 4	D-E6980-24160-1

APPLICATION: FOR DELTA FLEX



VERIGY RESTRICTED
THIS DOCUMENT AND ANY ASSOCIATED DATA
CONTAIN RESTRICTED INFORMATION THAT IS
VERIGY PROPERTY.
ONLY DISCLOSE OR DUPLICATE FOR OTHERS
AS AUTHORIZED BY VERIGY.

STRENG VERTRAULICH - INFORMATION
AN DREITE UND VERFAHRSTREIBER NUR MIT BEFUGNIS
DES UNTERSCHREIBERS - SCHUTZGEHEIM NACH DIN EN ISO 9001

TOLERANCES APPLY ONLY TO DESIGNATED
DIMENSIONS UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN MILLIMETERS
THIRD ANGLE PROJECTION
Tolerances according
ISO 2768-mH
Part Master File is 3D Body/Assembly
DO NOT SCALE THIS DRAWING

ITEM	QTY.	PART/MATERIAL-DESCRIPTION	MATL-PART NO.	MATL-QWS NO.	MATL-SPEC.
Peter Hirschmann	29.10.03	STIFFENER INLAY PALTE DELTA FLEX APPLICATION	E6980-24160	VERIGY	D-E6980-24160-1
Peter Hirschmann	29.10.03				
RELEASE TO PROD. PRICE BSH	X				
WILHELM BOECKLER	X				
RELEASE TO PROD. MATL. BSH	X	TITLE	FILE NAME	SCALE	SHEET 3 OF 4
SUPERSEDES DWS					

