



V93000 WAVESCALE MILLIMETER DIRECT DOCK SPECIAL PROBE CARD SPECIFICATIONS

(FOR USE WITH E8016BBMM BRIDGE BEAM ONLY)




CAM HEIGHT CONDITION  
NOTE: CAM HEIGHT IS PERPENDICULAR HEIGHT  
FROM THE TOP OF EACH INDIVIDUAL CONTACT  
TAB TO THE TANGENTIAL TOP OF ITS ASSOCIATED  
CAM FOLLOWER.





NOTE: DATUM A REFERS TO  
PLANES AS DEFINED BY THE  
TOP OF 4X CONTACT TABS.


RECOMMENDED: ANY PLANARITY BASED  
ADJUSTMENTS TO THE PROBER HEAD  
SHOULD BE MADE IN REFERENCE TO  
DATUM A.

GUIDE PIN FEATURE CONDITIONS




Detail1  
Scale 1:1





|                                                                                                                        |  |                                              |  |                                                                                                                                                                                 |  |                 |  |                                |  |
|------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------------|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------|--|--------------------------------|--|
| STANDARD TOLERANCES UNLESS OTHERWISE SPECIFIED:<br>LINEAR: ±0.1 mm ANGULAR: ±0.5°                                      |  | ZHAN ZHANG<br>DRAWN BY                       |  | 2020-12-04<br>DATE (YYYY-MM-DD)                                                                                                                                                 |  | PCB OUTLINE     |  | ADVANTEST®                     |  |
| WORKPIECE EDGES DIN ISO 13715<br> |  | -                                            |  | -                                                                                                                                                                               |  |                 |  |                                |  |
| DO NOT SCALE THIS<br>METRIC<br>DRAWING                                                                                 |  | GD&T SYMBOLOGY<br>PER<br>ISO 1101 & ISO 5459 |  | UNLESS OTHERWISE SPECIFIED<br>* DIMENSIONS ARE IN MILLIMETERS<br>* THIRD ANGLE PROJECTION  |  | TITLE           |  | FRAME (A3): 2006-06-01         |  |
|                                                                                                                        |  |                                              |  | * ADHERENCE TO DWG A-5951-1541-1<br>(COMPANY STD. SECTION 408) AND<br>A-5951-1745-1 (GSE) IS REQUIRED                                                                           |  | 2 of 8<br>SHEET |  | 1:1<br>SCALE                   |  |
|                                                                                                                        |  |                                              |  |                                                                                                                                                                                 |  | A1<br>SIZE      |  | E8027-96571<br>DOCUMENT NUMBER |  |



ADVANTEST CONFIDENTIAL  
LIMITED ACCESS

THIS DOCUMENT AND ANY ASSOCIATED DATA CONTAINS  
CONFIDENTIAL INFORMATION THAT IS ADVANTEST  
PROPERTY. ONLY DISCLOSE OR DUPLICATE FOR OTHERS  
AS AUTHORIZED BY ADVANTEST.

ASSOCIATED 3D MODEL IS  
GEOMETRY MASTER







DO NOT MODIFY THE GEOMETRY IN THIS  
2D DRAWING. GEOMETRY MODIFICATIONS  
MUST BE MADE TO THE MASTER 3D MODEL  
AND USED TO UPDATE THIS DRAWING.

|                            |          |            |                 |  |
|----------------------------|----------|------------|-----------------|--|
| 7                          | 8        |            |                 |  |
| FILE NAME                  | REVISION | STORE DATE | DOCUMENT NUMBER |  |
| E8027-96571 PCB LAYOUT.qmi | 2        | 2021-02-23 | E8027-96571     |  |

TEST HEAD  
CABLE OUTLET SIDE


VIEW FROM DUT/PROBE SIDE

HATCHED SURFACES REFER TO PCB BOTTOM SIDE

-  STIFFENER FRAME AREA  
NO COMPONENTS ALLOWED.  
VIAS AND PADS ARE NOT ALLOWED.
-  STIFFENER FRAME AREA  
RESERVED FOR POGO SEGMENTS.  
NO COMPONENTS ALLOWED.  
VIAS AND PADS ARE ALLOWED.
-  STIFFENER FRAME AREA  
0.5MM CLEARANCE TO STIFFENER.  
NO COMPONENTS ALLOWED.  
VIAS AND PADS ARE ALLOWED.
-  COMPONENT AREA, CENTER AREA.  
COMPONENT AREA LIMITED BY WSMM BRIDGE BEAM  
SEE SHEET 5.
-  COMPONENT AREA, OUTER AREA.  
COMPONENT AREA LIMITED BY WSMM BRIDGE BEAM  
SEE SHEET 5.
-  185MM CABLE AREA  
0.5MM CLEARANCE TO STIFFENER

GENERAL NOTES FOR LANDING PADS/VIAS:  
1. POGO LANDING PADS:  $\phi$  1.4MM ... 15MM HARD GOLD PLATED.  
POGO LANDING HOLES:  $\phi$  0.7MM FHS MAX (FINISH HOLE SIZE).  
2. FOR MORE SPECIFIC INFORMATION, SEE TDC TOPIC 247077.

|                                                                                       |  |                                             |  |                                                                                                                                                                                 |  |                           |  |                                |  |
|---------------------------------------------------------------------------------------|--|---------------------------------------------|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------|--|--------------------------------|--|
| STANDARD TOLERANCES (UNLESS OTHERWISE SPECIFIED)<br>LINEAR: ±0.1 mm ANGULAR: ±0.5°    |  | ZHAN ZHANG<br>DRAWN BY                      |  | 2020-12-04<br>DATE (YYYY-MM-DD)                                                                                                                                                 |  | KOZ<br>PCB BOTTOM<br>SIDE |  | ADVANTEST.                     |  |
| WORKPIECE EDGES DIN ISO 13715                                                         |  | -                                           |  | -                                                                                                                                                                               |  | TITLE                     |  | PART<br>NUMBER                 |  |
|  |  | ENGINEER/CHECKER                            |  | DATE                                                                                                                                                                            |  |                           |  |                                |  |
| DO NOT SCALE THIS<br>DRAWING                                                          |  | G&T SYMBOLOGY<br>PER<br>ISO 1101 & ISO 5459 |  | UNLESS OTHERWISE SPECIFIED<br>* DIMENSIONS ARE IN MILLIMETERS<br>* THIRD ANGLE PROJECTION  |  | 3 OF 8<br>SHEET           |  | A1<br>SIZE                     |  |
| METRIC                                                                                |  |                                             |  | ADHERENCE TO DWG A-5951-1561-1<br>(COMPANY STD. SPECIFICATION) AND<br>A-5951-1745-1 (GSE) IS REQUIRED                                                                           |  |                           |  |                                |  |
|                                                                                       |  |                                             |  |                                                                                                                                                                                 |  | 1:2<br>SCALE              |  | E8027-96571<br>DOCUMENT NUMBER |  |




ADVANTEST CONFIDENTIAL  
LIMITED ACCESS

THIS DOCUMENT AND ANY ASSOCIATED DATA CONTAINS  
CONFIDENTIAL INFORMATION THAT IS ADVANTEST  
PROPERTY. ONLY DISCLOSE OR DUPLICATE FOR OTHERS  
AS AUTHORIZED BY ADVANTEST.


ASSOCIATED 3D MODEL IS  
GEOMETRY MASTER

DO NOT MODIFY THE GEOMETRY IN THIS  
2D DRAWING. GEOMETRY MODIFICATIONS  
MUST BE MADE TO THE MASTER 3D MODEL  
AND USED TO UPDATE THIS DRAWING.

|                                         |                                |
|-----------------------------------------|--------------------------------|
| 7                                       | 8                              |
| FILE NAME<br>E8027-96571 PCB LAYOUT.qmi | DOCUMENT NUMBER<br>E8027-96571 |
| REVISION<br>2                           | STORE DATE<br>2021-02-23       |




POGO SEGMENT AREA  
RESERVED FOR POGO SEGMENTS.  
NO COMPONENTS ALLOWED.  
VIAS AND PADS ARE ALLOWED.




COMPONENT AREA  
MAX COMPONENT AREA, REDUCED BY PROBE SACC.  
MAX COMPONENT HEIGHT DEFINED BY PROBE SACC AND PROBE HEAD HEIGHT

|                                                                                           |  |                                                                                                     |  |                                 |  |                        |  |                                |  |
|-------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------|--|---------------------------------|--|------------------------|--|--------------------------------|--|
| STANDARD TOLERANCES (UNLESS OTHERWISE SPECIFIED)<br>LINEAR: ±0.1 mm ANGULAR: ±0.5°        |  | ZHAN ZHANG<br>DRAWN BY                                                                              |  | 2020-12-04<br>DATE (YYYY-MM-DD) |  | KOZ<br>PCB TOP<br>SIDE |  | ADVANTEST®                     |  |
| WORKPIECE EDGES DIN ISO 13715<br>                                                         |  | ENGINEER/CHECKER                                                                                    |  | DATE                            |  |                        |  | PART NUMBER                    |  |
| UNLESS OTHERWISE SPECIFIED<br>* DIMENSIONS ARE IN MILLIMETERS<br>* THIRD ANGLE PROJECTION |  | ADHERENCE TO DWG A-5951-7561-1<br>(COMPANY STD. SECTION 608) AND<br>A-5951-1745-1 (GSE) IS REQUIRED |  | TITLE                           |  | FRAME DATE 2006-01-01  |  |                                |  |
| DO NOT SCALE THIS<br>DRAWING                                                              |  | GD&T SYMBOLOLOGY<br>PER<br>ISO 1101 & ISO 5459                                                      |  | 4 OF 8<br>SHEET                 |  | 1:2<br>SCALE           |  | A1<br>SIZE                     |  |
| METRIC<br>DRAWING                                                                         |  |                                                                                                     |  |                                 |  |                        |  | E8027-96571<br>DOCUMENT NUMBER |  |

VIEW FROM DUT/PROBE SIDE  
HATCHED SURFACES REFER TO PCB BOTTOM SIDE



NOTE:  
KOZ FOR ALL GENERIC AREAS,  
SEE SHEET 3.




ADVANTEST CONFIDENTIAL  
LIMITED ACCESS

THIS DOCUMENT AND ANY ASSOCIATED DATA CONTAINS  
CONFIDENTIAL INFORMATION THAT IS ADVANTEST  
PROPERTY. ONLY DISCLOSE OR DUPLICATE FOR OTHERS  
AS AUTHORIZED BY ADVANTEST.


ASSOCIATED 3D MODEL IS  
GEOMETRY MASTER

DO NOT MODIFY THE GEOMETRY IN THIS  
2D DRAWING. GEOMETRY MODIFICATIONS  
MUST BE MADE TO THE MASTER 3D MODEL  
AND USED TO UPDATE THIS DRAWING.


| FILE NAME                  | REVISION | STORE DATE | DOCUMENT NUMBER |
|----------------------------|----------|------------|-----------------|
| E8027-96571 PCB LAYOUT.qmi | 2        | 2021-02-23 | E8027-96571     |




PROBE-BACKER AREA  
FOR PROBE HEAD CORE MAX HEIGHT IS 12.5MM REF.  
IF NO PROBE-BACKER IS USED, MAX COMPONENT HEIGHT IS 12MM.  
ALL PCB STRUCTURE ARE ALLOWED.




COMPONENT AREA  
MAX COMPONENT HEIGHT IS 34MM.




COMPONENT AREA  
MAX COMPONENT HEIGHT IS 16MM.



COMPONENT AREA  
MAX COMPONENT HEIGHT IS 20MM.




COMPONENT AREA  
MAX COMPONENT HEIGHT IS 29.5MM.




COMPONENT AREA  
MAX COMPONENT HEIGHT IS 10MM.

|                                                                                    |  |                                                |  |                                                                                                        |  |                           |  |                                |  |
|------------------------------------------------------------------------------------|--|------------------------------------------------|--|--------------------------------------------------------------------------------------------------------|--|---------------------------|--|--------------------------------|--|
| STANDARD TOLERANCES (UNLESS OTHERWISE SPECIFIED)<br>LINEAR: ±0.1 mm ANGULAR: ±0.5° |  | ZHAN ZHANG<br>DRAWN BY                         |  | 2020-12-04<br>DATE (YYYY-MM-DD)                                                                        |  | KOZ<br>PCB BOTTOM<br>SIDE |  | ADVANTEST.                     |  |
| WORKPIECE EDGES DIN ISO 13715                                                      |  | -                                              |  | -                                                                                                      |  | TITLE                     |  | PART<br>NUMBER                 |  |
| DO NOT SCALE THIS<br>METRIC<br>DRAWING                                             |  | GD&T SYMBOLOLOGY<br>PER<br>ISO 1101 & ISO 5459 |  | UNLESS OTHERWISE SPECIFIED<br>* DIMENSIONS ARE IN MILLIMETERS<br>* THIRD ANGLE PROJECTION              |  | 6 OF 8<br>SHEET           |  | 2:1<br>SCALE                   |  |
|                                                                                    |  |                                                |  | * ADHERENCE TO DWG A-5951-1561-1<br>(COMPANY STD. SECTION 600) AND<br>A-5951-1745-1 (IGSE) IS REQUIRED |  | A1<br>SIZE                |  | E8027-96571<br>DOCUMENT NUMBER |  |

VIEW FROM DUT/PROBE SIDE  
HATCHED SURFACES REFER TO PCB BOTTOMSIDE



|                                                                                                                        |  |                                        |  |                                                                                                      |  |                                                          |  |                                                                                       |  |
|------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------|--|------------------------------------------------------------------------------------------------------|--|----------------------------------------------------------|--|---------------------------------------------------------------------------------------|--|
| (STANDARD TOLERANCES UNLESS OTHERWISE SPECIFIED)<br>LINEAR: ±0.1 mm ANGULAR: ±0.5°                                     |  | ZHAN ZHANG<br>DRAWN BY                 |  | 2020-12-04<br>DATE (YYYY-MM-DD)                                                                      |  | KOZ PORT ALLOCATION<br>AND PIN NUMBERING<br>PCB TOP SIDE |  |  |  |
| WORKPIECE EDGES DIN ISO 13715<br> |  | ENGINEER/CHECKER                       |  | DATE                                                                                                 |  | TITLE                                                    |  | PART NUMBER                                                                           |  |
| DO NOT SCALE THIS<br><b>METRIC</b>                                                                                     |  | GD&T SYMBOLLOGY<br>ISO 1101 & ISO 5459 |  | * UNLESS OTHERWISE SPECIFIED<br>* DIMENSIONS ARE IN MILLIMETERS<br>* THIRD ANGLE PROJECTION          |  | 7 of 8<br>SHEET                                          |  | 1:2<br>SCALE                                                                          |  |
|                                                                                                                        |  |                                        |  | * ADHERENCE TO DWG A-5951-1561-1<br>(COMPANY STD. SECTION 608) AND<br>A-5951-77-1 (GISE) IS REQUIRED |  | 1 of 1<br>SHEET                                          |  | E8027-96571<br>(DOCUMENT NUMBER)                                                      |  |



ADVANTEST CONFIDENTIAL  
LIMITED ACCESS

THIS DOCUMENT AND ANY ASSOCIATED DATA CONTAINS  
CONFIDENTIAL INFORMATION THAT IS ADVANTEST  
PROPERTY. ONLY DISCLOSE OR DUPLICATE FOR OTHERS  
AS AUTHORIZED BY ADVANTEST.

ASSOCIATED 3D MODEL IS  
GEOMETRY MASTER

DO NOT MODIFY THE GEOMETRY IN THIS  
2D DRAWING. GEOMETRY MODIFICATIONS  
MUST BE MADE TO THE MASTER 3D MODEL  
AND USED TO UPDATE THIS DRAWING.

FILE NAME  
E8027-96571 PCB LAYOUT.qmi

REVISION  
2

STORE DATE  
2021-02-23

DOCUMENT NUMBER  
E8027-96571

STANDARD TOLERANCES (UNLESS OTHERWISE SPECIFIED)  
LINEAR:  $\pm 0.1$  mm ANGULAR:  $\pm 0.5^\circ$

WORKPIECE EDGES DIN ISO 13715

DO NOT SCALE THIS  
DRAWING

METRIC

ZHAN ZHANG  
DRAWN BY

ENGINEER/CHECKER

DATE

UNLESS OTHERWISE SPECIFIED

\* DIMENSIONS ARE IN MILLIMETERS

\* THIRD ANGLE PROJECTION

\* ADHERENCE TO DWG A-5951-1561-1  
(COMPANY STD. SECTION 600) AND  
A-5951-1745-1 (IGSE) IS REQUIRED

2020-12-04  
DATE (YYYY-MM-DD)

DATE

FRAME DATA: 200-06-01

WAVESCALE  
MILLIMETER  
APPLICATION

TITLE

8 OF 8  
SHEET

1:2  
SCALE

A1  
SIZE

ADVANTEST

PART  
NUMBER

E8027-96571  
DOCUMENT NUMBER