

UXTesting

In our project, the perceived control is an attribute of UX that can be evaluated in the structure of the interface and that it wasn't considered in the final delivery, but it can be reflected in the mechanism of mistakes recovery and the options of personalization. The metrics I propose are the System Usability Scale (SUS), a behavioral metric (number of times when the user uses functions to "go back" or undo), and a qualitative measure (user confidence level).

Perceived control refers to the user's sense of autonomy and capability to influence the results when he/she interacts with a system. It includes how easily the users can navigate, take decisions and recover from mistakes (Hassenzahl & Tractinsky, 2006).

The scenario is the next: You're a therapist using this system to check quickly the full clinical record of a patient before an urgent appointment.

Specific tasks:

Find the expedient of the patient, go back to the general view, search again by filter between similar names, check the last appointment, get out accidentally of the record and recover the last view, reordering the record view.

Data Collection and analysis:

Quantitative data:

- SUS scores
- Number of corrective actions

Qualitative data:

- Post test interviewers

And the metrics we could analyze are the recover time, filter precision, and the frustration index.

Reference:

Hassenzahl, M., & Tractinsky, N. (2006). User experience - a research agenda. *Behaviour & Information Technology*, 25(2), 91-97. [User experience - a research agenda: Behaviour & Information Technology: Vol 25, No 2](#)