Structural Design Patterns

Software Modeling Foundations

Author: Eng. Carlos Andrés Sierra, M.Sc.
cavirguezs@udistrital.edu.co

Computer Engineer
Lecturer
Universidad Distrital Francisco José de Caldas

2024-III

Outline

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Outline

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Basic Concepts

- **Intent**: Describe how objects are connected to each other. These patterns are related to the design principles of descomposition and generalization.
- **Motivation**:
  - **Problem**: A system is composed of multiple classes that interact with each other. The system becomes complex due to the relationships between these classes.
  - **Solution**: Structural class patterns use inheritance to compose interfaces or implementations.



Basic Concepts

- **Intent**: Describe how objects are connected to each other. These patterns are related to the design principles of descomposition and generalization.
- **Motivation**:
  - **Problem**: A system is composed of multiple classes that interact with each other. The system becomes complex due to the relationships between these classes.
  - **Solution**: Structural class patterns use inheritance to compose interfaces or implementations.



UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Basic Concepts

- **Intent**: Describe how objects are connected to each other. These patterns are related to the design principles of descomposition and generalization.
- **Motivation**:
  - **Problem**: A system is composed of multiple classes that interact with each other. The system becomes complex due to the relationships between these classes.
  - **Solution**: Structural class patterns use inheritance to compose interfaces or implementations.



UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Outline

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Outline

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Bridge Pattern — Concepts

- When there is a **very large class**, this pattern lets **split** it into two separate hierarchies based on *abstraction* and *implementation*.
- Also, it helps when you want to combine two different but **related classes**, and you want to keep them independent.
- This **pattern** solves this problem avoiding **heritance** and trying to switch to **object composition**.

1. Multiple responsability
2. ~ 20 o more methods

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Bridge Pattern — Concepts

- When there is a **very large class**, this pattern lets **split** it into two separate hierarchies based on *abstraction* and *implementation*.
- Also, it helps when you want to combine two different but **related classes**, and you want to keep them independent.
- This **pattern** solves this problem avoiding **heritance** and trying to switch to **object composition**.



UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Bridge Pattern — Concepts

- When there is a **very large class**, this pattern lets **split** it into two separate hierarchies based on *abstraction* and *implementation*.
- Also, it helps when you want to combine two different but **related classes**, and you want to keep them independent.
- This **pattern** solves this problem avoiding **heritance** and trying to switch to **object composition**.



Bridge Pattern — Classes Structure



Figure: Bridge Pattern Class Diagram

Bridge Pattern Example: Remote Controls



Outline

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Composite Pattern — Concepts

- Compose objects into **tree structures** to represent part-whole hierarchies.
- **Composite** lets clients treat individual **objects** and **compositions** of objects uniformly, based on tree nodes concepts.
- It **makes sense** to use this pattern if the problem could be **represented as a tree**.
- Remember, when you try to work with part-whole hierarchies you should think in **recursive** structures. In this case, also it means to think in polymorphism.



UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Composite Pattern — Concepts

- Compose objects into **tree structures** to represent part-whole hierarchies.
- **Composite** lets clients treat individual **objects** and **compositions** of objects uniformly, based on tree nodes concepts.
- It **makes sense** to use this pattern if the problem could be **represented as a tree**.
- Remember, when you try to work with part-whole hierarchies you should think in **recursive** structures. In this case, also it means to think in polymorphism.



UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Composite Pattern — Concepts

- Compose objects into **tree structures** to represent part-whole hierarchies.
- **Composite** lets clients treat individual **objects** and **compositions** of objects uniformly, based on tree nodes concepts.
- It **makes sense** to use this pattern if the problem could be **represented as a tree**.
- Remember, when you try to work with part-whole hierarchies you should think in **recursive** structures. In this case, also it means to think in polymorphism.

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Composite Pattern — Concepts

- Compose objects into **tree structures** to represent part-whole hierarchies.
- **Composite** lets clients treat individual **objects** and **compositions** of objects uniformly, based on tree nodes concepts.
- It **makes sense** to use this pattern if the problem could be **represented as a tree**.
- Remember, when you try to work with part-whole hierarchies you should think in **recursive** structures. In this case, also it means to think in polymorphism.

Composite Pattern — Classes Structure

Looks like the *russian dolls*, the matryoshka.



Figure: Composite Pattern Class Diagram

Composite Pattern Example: Amazon Delivery Warehouse



Outline

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Proxy Pattern — Concepts

- This pattern lets to provide a **substitute** for an object. In this way, access coud be controlled.
- It is useful when you want to **add a level of indirection** to control access to an object. Is is like a add middle layer without affect previous logic.
- Also, it is useful when you want to **reduce memory** used in a service, similar to think in *cache memory*.
- In some cases, this pattern lets **add additional logic** (like *logging* or *security*) to an existing logic **without** change original class.

Proxy Pattern — Concepts

- This pattern lets to provide a **substitute** for an object. In this way, access coud be controlled.
- It is useful when you want to **add a level of indirection** to control access to an object. Is is like a add middle layer without affect previous logic.
- Also, it is useful when you want to **reduce memory** used in a service, similar to think in *cache memory*.
- In some cases, this pattern lets **add additional logic** (like *logging* or *security*) to an existing logic **without** change original class.

Proxy Pattern — Concepts

- This pattern lets to provide a **substitute** for an object. In this way, access coud be controlled.
- It is useful when you want to **add a level of indirection** to control access to an object. Is is like a add middle layer without affect previous logic.
- Also, it is useful when you want to **reduce memory** used in a service, similar to think in *cache memory*.
- In some cases, this pattern lets **add additional logic** (like *logging* or *security*) to an existing logic **without** change original class.

Proxy Pattern — Concepts

- This pattern lets to provide a **substitute** for an object. In this way, access coud be controlled.
- It is useful when you want to **add a level of indirection** to control access to an object. Is is like a add middle layer without affect previous logic.
- Also, it is useful when you want to **reduce memory** used in a service, similar to think in *cache memory*.
- In some cases, this pattern lets **add additional logic** (like *logging* or *security*) to an existing logic **without** change original class.

Proxy Pattern — Classes Structure

Do you remember Mini Me from *Austin Powers*?



Figure: Proxy Class Diagram

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Proxy Pattern Example: Cache Trends on a Social Networks

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Outline

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Flyweight Pattern — Concepts

- This pattern lets you use **sharing** to support large numbers of fine-grained objects efficiently.
- It is useful when you want to **reduce memory usage** and **increase performance** in a system.
- The idea to **reuse** objects parts with **immutable** state. This lets share common parts and reduce memory usage.
- It **makes sense** to use it in **problems** with **high memory** comsumption, but with repeated objects, i.e. some *simulations*.

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Flyweight Pattern — Concepts

- This pattern lets you use **sharing** to support large numbers of fine-grained objects efficiently.
- It is useful when you want to **reduce memory usage** and **increase performance** in a system.
- The idea to **reuse** objects parts with **immutable** state. This lets share common parts and reduce memory usage.
- It **makes sense** to use it in **problems** with **high memory** comsumption, but with repeated objects, i.e. some *simulations*.

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Flyweight Pattern — Concepts

- This pattern lets you use **sharing** to support large numbers of fine-grained objects efficiently.
- It is useful when you want to **reduce memory usage** and **increase performance** in a system.
- The idea to **reuse** objects parts with **immutable** state. This lets share common parts and reduce memory usage.
- It **makes sense** to use it in **problems** with **high memory** comsumption, but with repeated objects, i.e. some *simulations*.

Flyweight Pattern — Concepts

- This pattern lets you use **sharing** to support large numbers of fine-grained objects efficiently.
- It is useful when you want to **reduce memory usage** and **increase performance** in a system.
- The idea to **reuse** objects parts with **immutable** state. This lets share common parts and reduce memory usage.
- It **makes sense** to use it in **problems** with **high memory** comsumption, but with repeated objects, i.e. some *simulations*.

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Flyweight Pattern — Classes Structure



Figure: Flyweight Pattern Class Diagram

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Flyweight Pattern Example: Draw a Forest in a VideoGame

Outline

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Decorator Pattern — Concepts

- This pattern lets you **attach** additional **functionalities** to an object dynamically.
- It is useful when you want to **add** new **functionalities** to an object **without affecting** its **original logic**. Indeed, you could add same additional functionalities to different objects.
- Here the concept of **wrap** an object with another object is important. One object could have some **behaviors** from another object without heritance. It is because in this case the relation is based on object-oriented aggregation

Decorator Pattern — Concepts

- This pattern lets you **attach** additional **functionalities** to an object dynamically.
- It is useful when you want to **add** new **functionalities** to an object **without affecting** its **original logic**. Indeed, you could add same additional functionalities to different objects.
- Here the concept of **wrap** an object with another object is important. One object could have some **behaviors** from another object without heritance. It is because in this case the relation is based on object-oriented aggregation

Decorator Pattern — Concepts

- This pattern lets you **attach** additional **functionalities** to an object dynamically.
- It is useful when you want to **add** new **functionalities** to an object **without affecting** its **original logic**. Indeed, you could add same additional functionalities to different objects.
- Here the concept of **wrap** an object with another object is important. One object could have some **behaviors** from another object without heritance. It is because in this case the relation is based on object-oriented aggregation

Decorator Pattern — Classes Structure

It is like Dr. Strange and his **Cloak of Levitation**.



Figure: Decorator Pattern Class Diagram

Decorator Pattern Example: Monitoring an Application

Outline

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Adapter Pattern — Concepts

- This pattern is pretty simple, it just attempts to **convert** the **interface** of a class into **another interface** clients expects.
- It is useful when you want to **reuse** an existing class, but its **not compatible** with the rest of your code, or at least where you need it.
- It is normal when you want to process **different data sources**, or to **upgrade** an existing system with new functionalities or technologies.
- In increases compatibility, and lets define an architecture based on **interfaces** and not on concrete classes.

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Adapter Pattern — Concepts

- This pattern is pretty simple, it just attempts to **convert** the **interface** of a class into **another interface** clients expects.
- It is useful when you want to **reuse** an existing class, but its **not compatible** with the rest of your code, or at least where you need it.
- It is normal when you want to process **different data sources**, or to **upgrade** an existing system with new functionalities or technologies.
- In increases compatibility, and lets define an architecture based on **interfaces** and not on concrete classes.

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Adapter Pattern — Concepts

- This pattern is pretty simple, it just attempts to **convert** the **interface** of a class into **another interface** clients expects.
- It is useful when you want to **reuse** an existing class, but its **not compatible** with the rest of your code, or at least where you need it.
- It is normal when you want to process **different data sources**, or to **upgrade** an existing system with new functionalities or technologies.
- In increases compatibility, and lets define an architecture based on **interfaces** and not on concrete classes.

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Adapter Pattern — Concepts

- This pattern is pretty simple, it just attempts to **convert** the **interface** of a class into **another interface** clients expects.
- It is useful when you want to **reuse** an existing class, but its **not compatible** with the rest of your code, or at least where you need it.
- It is normal when you want to process **different data sources**, or to **upgrade** an existing system with new functionalities or technologies.
- In increases compatibility, and lets define an architecture based on **interfaces** and not on concrete classes.

Adapter Pattern — Classes Structure

Now technology is based in adapters to make everything **compatible**.



Figure: Adapter Pattern Class Diagram

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Adapter Pattern Example: Processing different File Sources

Outline

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Facade Pattern — Concepts

- This pattern provides a **unified interface** to a set of classes that could be group into a subsystem.
- It is useful when you want to **define a high-level interface** that makes the subsystem **easier to use**. It means, hide any complex logicand let the client use a **simple interface**.
- It is normal when you want to **reduce** the **dependencies**. The client just interacts with the facade, and the **facade interacts with the subsystem**.
- You could add complexity at the subsystem and **client will not be affected**, it increases flexibility. At most, there will be more new functionalities to be exposed to the client.

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Facade Pattern — Concepts

- This pattern provides a **unified interface** to a set of classes that could be group into a subsystem.
- It is useful when you want to **define a high-level interface** that makes the subsystem **easier to use**. It means, hide any complex logicand let the client use a **simple interface**.
- It is normal when you want to **reduce** the **dependencies**. The client just interacts with the facade, and the **facade interacts with the subsystem**.
- You could add complexity at the subsystem and **client will not be affected**, it increases flexibility. At most, there will be more new functionalities to be exposed to the client.

Facade Pattern — Concepts

- This pattern provides a **unified interface** to a set of classes that could be group into a subsystem.
- It is useful when you want to **define a high-level interface** that makes the subsystem **easier to use**. It means, hide any complex logicand let the client use a **simple interface**.
- It is normal when you want to **reduce** the **dependencies**. The client just interacts with the facade, and the **facade interacts with the subsystem**.
- You could add complexity at the subsystem and **client will not be affected**, it increases flexibility. At most, there will be more new functionalities to be exposed to the client.

Facade Pattern — Concepts

- This pattern provides a **unified interface** to a set of classes that could be group into a subsystem.
- It is useful when you want to **define a high-level interface** that makes the subsystem **easier to use**. It means, hide any complex logicand let the client use a **simple interface**.
- It is normal when you want to **reduce** the **dependencies**. The client just interacts with the facade, and the **facade interacts with the subsystem**.
- You could add complexity at the subsystem and **client will not be affected**, it increases flexibility. At most, there will be more new functionalities to be exposed to the client.

Facade Pattern — Classes Structure

You are the only one who knows how to find something in your bedroom.



Figure: Facade Pattern Class Diagram

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Facade Pattern Example: Bank Account Management

Outline

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Conclusions

- **Structural patterns** are useful to describe how ocreate a clonebjects are connected to each other.
- They are related to the **design principles** of descomposition and generalization.
- You could fix a lot of problems with these **patterns** as a nice solution. However, be careful with the complexity of the solution.
- The idea is to make the **system** flexible, reusable, and easy to maintain.

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Conclusions

- **Structural patterns** are useful to describe how ocreate a clonebjects are connected to each other.
- They are related to the **design principles** of descomposition and generalization.
- You could fix a lot of problems with these **patterns** as a nice solution. However, be careful with the complexity of the solution.
- The idea is to make the **system** flexible, reusable, and easy to maintain.

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Conclusions

- **Structural patterns** are useful to describe how ocreate a clonebjects are connected to each other.
- They are related to the **design principles** of descomposition and generalization.
- You could fix a lot of problems with these **patterns** as a nice solution. However, be careful with the complexity of the solution.
- The idea is to make the **system** flexible, reusable, and easy to maintain.

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Conclusions

- **Structural patterns** are useful to describe how ocreate a clonebjects are connected to each other.
- They are related to the **design principles** of descomposition and generalization.
- You could fix a lot of problems with these **patterns** as a nice solution. However, be careful with the complexity of the solution.
- The idea is to make the **system** flexible, reusable, and easy to maintain.

Outline

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS

Thanks!

Questions?

Repo: *https://github.com/EngAndres/ud-public/tree/main/courses/software-modeling*

UNIVERSIDAD DISTRITAL
FRANCISCO JOSÉ DE CALDAS