Web Development

Advanced Programming I

Author: Eng. Carlos Andrés Sierra, M.Sc. cavirguezs@udistrital.edu.co

Computer Engineer

Lecturer

Universidad Distrital Francisco José de Caldas

2024-III





Outline

Sockets and Services

2 Layers Architecture

Web User Interface





Outline

Sockets and Services

2 Layers Architecture

Web User Interface





Sockets

- A socket is an **endpoint** for communication between two machines over a network.
- A socket is a software structure that allows two machines to exchange data over a network.
- A socket is identified by an IP address and a port number





Sockets

- A socket is an **endpoint** for communication between two machines over a network.
- A socket is a software structure that allows two machines to exchange data over a network.
- A socket is identified by an IP address and a port number





Sockets

- A socket is an **endpoint** for communication between two machines over a network.
- A socket is a software structure that allows two machines to exchange data over a network.
- A socket is identified by an IP address and a port number.





- A web service is a software system designed to support interoperable machine-to-machine interaction over a network.
- It has an interface described in a machine-processable format (specifically WSDL).
- Other systems interact with the web service in a manner prescribed by its description using RESTful, typically conveyed using HTTP with an JSON serialization in conjunction with other web-related standards.
- A web service is a collection of open protocols and standards used for exchanging data between applications or systems.
- Software applications written in various programming languages and running on various platforms can use web services to exchange data over computer networks like the Internet in a manner similar to inter-process communication on a single computer.

- A web service is a software system designed to support interoperable machine-to-machine interaction over a network.
- It has an interface described in a machine-processable format (specifically WSDL).
- Other systems interact with the web service in a manner prescribed by its description using RESTful, typically conveyed using HTTP with an JSON serialization in conjunction with other web-related standards.
- A web service is a collection of open protocols and standards used for exchanging data between applications or systems.
- Software applications written in various programming languages and running on various platforms can use web services to exchange data over computer networks like the Internet in a manner similar to Inter-process communication on a single computer.

- A web service is a software system designed to support interoperable machine-to-machine interaction over a network.
- It has an interface described in a machine-processable format (specifically WSDL).
- Other systems interact with the web service in a manner prescribed by its description using RESTful, typically conveyed using HTTP with an JSON serialization in conjunction with other web-related standards.
- A web service is a collection of open protocols and standards used for exchanging data between applications or systems.
- Software applications written in various programming languages and running on various platforms can use web services to exchange data over computer networks like the Internet in a manner similar to inter-process communication on a single computer.

- A web service is a software system designed to support interoperable machine-to-machine interaction over a network.
- It has an interface described in a machine-processable format (specifically WSDL).
- Other systems interact with the web service in a manner prescribed by its description using RESTful, typically conveyed using HTTP with an JSON serialization in conjunction with other web-related standards.
- A web service is a collection of open protocols and standards used for exchanging data between applications or systems.
- Software applications written in various programming languages and running on various platforms can use web services to exchange data over computer networks like the Internet in a manner similar to inter-process communication on a single computer.

- A web service is a software system designed to support interoperable machine-to-machine interaction over a network.
- It has an interface described in a machine-processable format (specifically WSDL).
- Other systems interact with the web service in a manner prescribed by its description using RESTful, typically conveyed using HTTP with an JSON serialization in conjunction with other web-related standards.
- A web service is a collection of open protocols and standards used for exchanging data between applications or systems.
- Software applications written in various programming languages and running on various platforms can use web services to exchange data over computer networks like the Internet in a manner similar to inter-process communication on a single computer.

Outline

Sockets and Services

2 Layers Architecture

Web User Interface





Monolithic Architecture

- A monolithic architecture is a traditional unified model for the design of a software program.
- In a monolithic architecture, the user interface and data access code are combined into a single program from a single platform.





BackEnd Layer

The back-end is the **server-side** of the application and everything that communicates between the **database** and the **browser**.





FrontEnd Layer

- The front-end is the client-side of the application and everything that the user interacts with.
- The front-end is the **presentation layer** of the application
- The front-end is the user interface and the user experience





FrontEnd Layer

- The front-end is the client-side of the application and everything that the user interacts with.
- The front-end is the **presentation layer** of the application.
- The front-end is the user interface and the user experience



MSc. C.A. Sierra (UD FJC)



FrontEnd Layer

- The front-end is the client-side of the application and everything that the user interacts with.
- The front-end is the **presentation layer** of the application.
- The front-end is the user interface and the user experience.





Communication

- The front-end and the back-end communicate with each other through web APIs.
- The front-end sends a request to the back-end and the back-end sends a response back to the front-end.
- The front-end and the back-end are decoupled from each other
- The front-end and the back-end can be developed independently from each other.





Communication

- The front-end and the back-end communicate with each other through web APIs.
- The front-end sends a request to the back-end and the back-end sends a response back to the front-end.
- The front-end and the back-end are decoupled from each other
- The front-end and the back-end can be developed independently from each other.





Communication

- The front-end and the back-end communicate with each other through web APIs.
- The front-end sends a request to the back-end and the back-end sends a response back to the front-end.
- The front-end and the back-end are decoupled from each other.
- The front-end and the back-end can be developed independently from each other.





Prons and Cons

- Monolithic Architecture is simple and easy to develop. Layers architecture is complex and difficult to develop.
- Monolithic Architecture is difficult to scale. Layers architecture is easy to scale.
- Monolithic Architecture is difficult to maintain. Layers architecture is easy to maintain.





Prons and Cons

- Monolithic Architecture is simple and easy to develop. Layers architecture is complex and difficult to develop.
- Monolithic Architecture is difficult to scale. Layers architecture is easy to scale.
- Monolithic Architecture is difficult to maintain. Layers architecture is easy to maintain.





Prons and Cons

- Monolithic Architecture is simple and easy to develop. Layers architecture is complex and difficult to develop.
- Monolithic Architecture is difficult to scale. Layers architecture is easy to scale.
- Monolithic Architecture is difficult to maintain. Layers architecture is easy to maintain.





Outline

Sockets and Services

2 Layers Architecture

Web User Interface





- A web GUI is a graphical user interface that is displayed in a web browser.
- Also, a GUI in general is a user interface that includes graphical elements such as windows, icons, and buttons.
- A server sends UI information using HTTP protocol, and a web browser renders the content.
- A web GUI is a **client-side** interface that allows users to interact with a **web application**.





- A web GUI is a graphical user interface that is displayed in a web browser.
- Also, a GUI in general is a user interface that includes graphical elements such as windows, icons, and buttons.
- A server sends UI information using HTTP protocol, and a web browser renders the content.
- A web GUI is a **client-side** interface that allows users to interact with a **web application**.





- A web GUI is a graphical user interface that is displayed in a web browser.
- Also, a GUI in general is a user interface that includes graphical elements such as windows, icons, and buttons.
- A server sends UI information using HTTP protocol, and a web browser renders the content.
- A web GUI is a **client-side** interface that allows users to interact with a **web application**.





- A web GUI is a graphical user interface that is displayed in a web browser.
- Also, a GUI in general is a user interface that includes graphical elements such as windows, icons, and buttons.
- A server sends UI information using HTTP protocol, and a web browser renders the content.
- A web GUI is a **client-side** interface that allows users to interact with a **web application**.





Render and Web Standards

- The rendering engine is a software component that displays the requested content.
- The rendering engine reads the HTML and CSS code and renders the content.
- The W3 is an international community that develops open standards to ensure the long-term growth of the Web.
- The W3C is the main international standards organization for the World Wide Web





Render and Web Standards

- The rendering engine is a software component that displays the requested content.
- The rendering engine reads the HTML and CSS code and renders the content.
- The W3 is an international community that develops open standards to ensure the long-term growth of the Web.
- The W3C is the main international standards organization for the World Wide Web





Render and Web Standards

- The rendering engine is a software component that displays the requested content.
- The rendering engine reads the HTML and CSS code and renders the content.
- The W3 is an international community that develops **open standards** to ensure the long-term growth of the Web.
- The W3C is the main international standards organization for the World Wide Web.





Hypertext Markup Language (HTML)

- HTML is the standard markup language for documents designed to be displayed in a web browser.
- HTML describes the **structure** of a **web page** semantically
- HTML elements are the building blocks of HTML pages





Hypertext Markup Language (HTML)

- HTML is the standard markup language for documents designed to be displayed in a web browser.
- HTML describes the structure of a web page semantically.
- HTML elements are the building blocks of HTML pages





Hypertext Markup Language (HTML)

- HTML is the standard markup language for documents designed to be displayed in a web browser.
- HTML describes the structure of a web page semantically.
- HTML elements are the building blocks of HTML pages.





Cascading Style Sheets (CSS)

- CSS is a style sheet language used for describing the presentation of a document written in HTML.
- CSS describes how elements should be rendered on screen, on paper, in speech, or on other media.
- CSS is a style sheet language that controls the look and feel of a website.





Cascading Style Sheets (CSS)

- CSS is a style sheet language used for describing the presentation of a document written in HTML.
- CSS describes how elements should be rendered on screen, on paper, in speech, or on other media.
- CSS is a style sheet language that controls the look and feel of a website





Cascading Style Sheets (CSS)

- CSS is a style sheet language used for describing the presentation of a document written in HTML.
- CSS describes how elements should be rendered on screen, on paper, in speech, or on other media.
- CSS is a style sheet language that controls the look and feel of a website.





Document Object Model (DOM)

- The Document Object Model is a cross-platform and language-independent interface that treats an XML or HTML document as a tree structure where each node is an object representing a part of the document.
- The DOM represents the document as nodes and objects. It is a tree data-structure.
- Languages as JS could access and manipulate DOM in real-time. In increases interactivity with final users.





Document Object Model (DOM)

- The Document Object Model is a cross-platform and language-independent interface that treats an XML or HTML document as a tree structure where each node is an object representing a part of the document.
- The DOM represents the document as nodes and objects. It is a tree data-structure.
- Languages as JS could access and manipulate DOM in real-time. In increases interactivity with final users.





Document Object Model (DOM)

- The Document Object Model is a cross-platform and language-independent interface that treats an XML or HTML document as a tree structure where each node is an object representing a part of the document.
- The DOM represents the document as nodes and objects. It is a tree data-structure.
- Languages as JS could access and manipulate DOM in real-time. In increases **interactivity** with final users.





- JavaScript is a high-level programming language that conforms to the ECMAScript specification.
- It is a multi-paradigm language, supporting object-oriented, imperative, and declarative styles.
- JavaScript is a client-side language that allows interactivity with the web page.
- JavaScript is a scripting language that allows you to create dynamically updating content, control multimedia, animate images, and much more.





- JavaScript is a high-level programming language that conforms to the ECMAScript specification.
- It is a multi-paradigm language, supporting object-oriented, imperative, and declarative styles.
- JavaScript is a client-side language that allows interactivity with the web page.
- JavaScript is a scripting language that allows you to create dynamically updating content, control multimedia, animate images, and much more.





- JavaScript is a **high-level** programming language that conforms to the **ECMAScript** specification.
- It is a multi-paradigm language, supporting object-oriented, imperative, and declarative styles.
- JavaScript is a **client-side** language that allows **interactivity** with the web page.

Advanced Programming I





- JavaScript is a **high-level** programming language that conforms to the **ECMAScript** specification.
- It is a multi-paradigm language, supporting object-oriented, imperative, and declarative styles.
- JavaScript is a **client-side** language that allows **interactivity** with the web page.
- JavaScript is a **scripting language** that allows you to **create** dynamically updating content, control multimedia, animate images, and much more.

Advanced Programming I





Outline

Sockets and Services

2 Layers Architecture

Web User Interface





Thanks!

Questions?



Repo:

github.com/engandres/ud-public/tree/main/courses/ advanced-programming



