

# CREATIONAL DESIGN PATTERNS

## Software Modeling Foundations

Author: Eng. Carlos Andrés Sierra, M.Sc.  
cavirguezs@udistrital.edu.co

Lecturer  
Computer Engineer  
School of Engineering  
Universidad Distrital Francisco José de Caldas

2024-III



UNIVERSIDAD DISTRITAL  
FRANCISCO JOSÉ DE CALDAS

# Outline

## 1 Introduction

## 2 Patterns

- Builder
- Factory\*
- Abstract Factory
- Singleton\*
- Prototype

## 3 Conclusions



# Outline

## 1 Introduction

## 2 Patterns

- Builder
- Factory\*
- Abstract Factory
- Singleton\*
- Prototype

## 3 Conclusions



# Basic Concepts

- **Intent:** Separate the construction of a complex object from its representation so that the **same construction process** can create **different representations**.
- **Motivation:**
  - Problem: An application needs to create instances of a class, but the class is abstract and has many possible implementations.
  - Solution: Provide different object creation mechanisms, which allow the client to create the object without knowing the actual implementation. This increase flexibility and reuse of code.



# Basic Concepts

- **Intent:** Separate the construction of a complex object from its representation so that the same construction process can create different representations.
- **Motivation:**
  - **Problem:** An application needs to create instances of a class, but the class is abstract and has many possible implementations.
  - **Solution:** Provide different object creation mechanisms, which allow the client to create the object without knowing the actual implementation. This increase flexibility and reuse of code.



# Basic Concepts

- **Intent:** Separate the construction of a complex object from its representation so that the same construction process can create different representations.
- **Motivation:**
  - **Problem:** An application needs to create instances of a class, but the class is abstract and has many possible implementations.
  - **Solution:** Provide different object creation mechanisms, which allow the client to create the object without knowing the actual implementation. This increase flexibility and reuse of code.



# Outline

## 1 Introduction

## 2 Patterns

- Builder
- Factory\*
- Abstract Factory
- Singleton\*
- Prototype

## 3 Conclusions



# Outline

## 1 Introduction

## 2 Patterns

- **Builder**
- Factory\*
- Abstract Factory
- Singleton\*
- Prototype

## 3 Conclusions





# Builder Pattern — Concepts

- It is a **pattern** that lets **construct** a **complex object** **step by step**. The idea is to **create different representations** of an object using the **same construction code**.
- One typical **problem** is work with a **class** that has **many attributes** and it is **difficult** to **create an instance** of it. It gets **worse** when there are **many possible representations** of the object.
- Several **attributes** are **optional** and the client has to **specify them** in a specific order. So, this could be a **problem** for both **objects management** and **code maintenance**. Also, **increase memory consumption**.
- The **solution** is to **encapsulate** the object construction and use separate **methods** to add or build the object attributes.



# Builder Pattern — Concepts

- It is a **pattern** that lets **construct** a **complex object** **step by step**. The idea is to **create different representations** of an object using the **same construction code**.
- One typical **problem** is work with a **class** that has **many attributes** and it is **difficult** to **create** an **instance** of it. It gets **worse** when there are **many possible representations** of the object.
- Several **attributes** are **optional** and the client has to **specify them** in a specific order. So, this could be a **problem** for both **objects management** and **code maintenance**. Also, **increase memory consumption**.
- The **solution** is to **encapsulate** the object **construction** and use separate **methods** to **add** or **build** the object **attributes**.



# Builder Pattern — Concepts

- It is a **pattern** that lets **construct** a **complex object** **step by step**. The idea is to **create different representations** of an object using the **same construction code**.
- One typical **problem** is work with a **class** that has **many attributes** and it is **difficult** to **create** an **instance** of it. It gets **worse** when there are **many possible representations** of the object.
- Several **attributes** are **optional** and the client has to **specify them** in a specific order. So, this could be a **problem** for both **objects management** and **code maintenance**. Also, **increase memory consumption**.
- The **solution** is to **encapsulate** the object **construction** and use separate **methods** to **add** or **build** the object **attributes**.



# Builder Pattern — Concepts

- It is a **pattern** that lets **construct** a **complex object** **step by step**. The idea is to **create different representations** of an object using the **same construction code**.
- One typical **problem** is work with a **class** that has **many attributes** and it is **difficult** to **create** an **instance** of it. It gets **worse** when there are **many possible representations** of the object.
- Several **attributes** are **optional** and the client has to **specify them** in a specific order. So, this could be a **problem** for both **objects management** and **code maintenance**. Also, **increase memory consumption**.
- The **solution** is to **encapsulate** the object **construction** and **use** separate **methods** to **add** or **build** the object **attributes**.



# Builder Pattern — Classes Structure

Lets the director orchestrate the building process.




Figure: Builder Pattern Class Diagram



# Builder Pattern Example: Computers



# Outline

## 1 Introduction

## 2 Patterns

- Builder
- **Factory\***
- Abstract Factory
- Singleton\*
- Prototype

## 3 Conclusions



# Factory Pattern — Concepts

- It is **pattern** based on a **superclass** and the **subclasses** could alter the **type of objects** to be created.
- One of the **most common** design pattern used, is **simple**, **powerful** and **flexible**. It is **used** with **many other design patterns**.
- It lets make **simple** a **complex code**. If you have **groups** of **objects** that are **created in a similar way**, the **factory method** is the **best choice**.
- The **client** just needs to **interact** with the **factory**, and the **factory** will create the object. The **client** does **not** need to **know** the actual implementation of the object (or the *subclasses*).





# Factory Pattern — Concepts

- It is **pattern** based on a **superclass** and the **subclasses** could alter the **type of objects** to be created.
- One of the **most common design pattern used**, is **simple**, **powerful** and **flexible**. It is **used** with **many other design patterns**.
- It lets make **simple** a **complex code**. If you have **groups of objects** that are **created in a similar way**, the **factory method** is the **best choice**.
- The **client** just needs to **interact** with the **factory**, and the **factory** will **create the object**. The **client** does **not** need to **know** the actual **implementation of the object** (or the **subclasses**).



# Factory Pattern — Concepts

- It is **pattern** based on a **superclass** and the **subclasses** could alter the **type of objects** to be created.
- One of the **most common design pattern used**, is **simple**, **powerful** and **flexible**. It is **used** with **many other design patterns**.
- It lets make **simple** a **complex code**. If you have **groups of objects** that are **created in a similar way**, the **factory method** is the **best choice**.
- The **client** just needs to **interact** with the **factory**, and the **factory** will **create the object**. The **client** does **not** need to **know** the actual **implementation of the object** (or the *subclasses*).



# Factory Pattern — Concepts

- It is **pattern** based on a **superclass** and the **subclasses** could alter the **type of objects** to be created.
- One of the **most common design pattern** used, is **simple**, **powerful** and **flexible**. It is **used** with **many other design patterns**.
- It lets make **simple** a **complex code**. If you have **groups** of **objects** that are **created in a similar way**, the **factory method** is the **best choice**.
- The **client** just needs to **interact** with the **factory**, and the **factory** will **create the object**. The **client** does **not** need to **know** the actual **implementation of the object** (or the *subclasses*).



# Factory Pattern — Classes Structure

It is like to watch [Charlie and the Chocolate Factory](#).




Figure: Factory Pattern Class Diagram



# Factory Pattern Example: On-line Store



# Outline

## 1 Introduction

## 2 Patterns

- Builder
- Factory\*
- **Abstract Factory**
- Singleton\*
- Prototype

## 3 Conclusions



# Abstract Factory Pattern — Concepts

- This is a **pattern** that lets you **produce families** of **related objects** **without specifying** their **concrete classes**.
- It is a **super factory** that **creates other factories**. It is used when you have a **super class** that can **create subclasses** and the **subclasses** can **create objects**.
- Also this **pattern** allows to keep the **client** code **decoupled** from the **actual objects** in the **system**. Keep **old code** when you need to add **new representations**.
- It is used when you have **many objects** that can be grouped in **families**.



# Abstract Factory Pattern — Concepts

- This is a **pattern** that lets you **produce families** of **related objects** **without specifying** their **concrete classes**.
- It is a **super factory** that **creates other factories**. It is used when you have a **super class** that can **create subclasses** and the **subclasses** can **create objects**.
- Also this **pattern** allows to keep the **client** code **decoupled** from the **actual objects** in the **system**. Keep **old code** when you need to add **new representations**.
- It is used when you have **many objects** that can be **grouped** in **families**.





# Abstract Factory Pattern — Concepts

- This is a **pattern** that lets you **produce families** of **related objects** **without specifying** their **concrete classes**.
- It is a **super factory** that **creates other factories**. It is used when you have a **super class** that can **create subclasses** and the **subclasses** can **create objects**.
- Also this **pattern** allows to keep the **client** code **decoupled** from the **actual objects** in the **system**. Keep **old code** when you need to add **new representations**.
- It is used when you have **many objects** that can be **grouped in families**.



# Abstract Factory Pattern — Concepts

- This is a **pattern** that lets you **produce families** of **related objects** **without specifying** their **concrete classes**.
- It is a **super factory** that **creates other factories**. It is used when you have a **super class** that can **create subclasses** and the **subclasses** can **create objects**.
- Also this **pattern** allows to keep the **client** code **decoupled** from the **actual objects** in the **system**. Keep **old code** when you need to add **new representations**.
- It is used when you have **many objects** that can be **grouped** in **families**.



# Abstract Factory Pattern — Classes Structure




Figure: Abstract Factory Pattern Class Diagram



# Abstract Factory Pattern Example: Furniture Shop



# Outline

## 1 Introduction

## 2 Patterns

- Builder
- Factory\*
- Abstract Factory
- **Singleton\***
- Prototype

## 3 Conclusions



# Singleton Pattern — Concepts

- In an attempt to **reduce memory consumption**, this **pattern** ensure that a **class** has only **one instance** and provide a **global point of access** to it.
- It is used when you need to **control** the **number of instances** of a class, so **just one** class **instance** is allowed **across all** the application. Also it allows to **apply** the concept of **lazy creation**.
- It is **pretty simple**: just create a class with a method that **creates** a new **instance** of the class **if one does not exist**. If an instance **already exists**, it returns a **reference** to that object.
- It **violates** the *Single Responsibility Principle* and the *Open/Closed Principle*. Also, internal instance and **get** method are *static*.
- **Not** a very **good idea** if you are using a **multi-trending** application. could be issues trying to access a shared single object.



# Singleton Pattern — Concepts

- In an attempt to **reduce memory consumption**, this **pattern** ensure that a **class** has only **one instance** and provide a **global point of access** to it.
- It is used when you need to **control** the **number of instances** of a class, so **just one** class **instance** is allowed **across all** the application. Also it allows to **apply** the concept of **lazy creation**.
- It is **pretty simple**: just create a class with a method that **creates** a new **instance** of the class if **one does not exist**. If an instance **already exists**, it returns a **reference** to that object.
- It **violates** the *Single Responsibility Principle* and the *Open/Closed Principle*. Also, **internal instance** and **get method** are *static*.
- **Not** a very **good idea** if you are using a **multi-trending** application. It could be issues trying to access a shared single object.



# Singleton Pattern — Concepts

- In an attempt to **reduce memory consumption**, this **pattern** ensure that a **class** has only **one instance** and provide a **global point of access** to it.
- It is used when you need to **control** the **number of instances** of a class, so **just one** class **instance** is allowed **across all** the application. Also it allows to **apply** the concept of **lazy creation**.
- It is **pretty simple**: just create a class with a method that **creates** a new **instance** of the class **if one does not exist**. If an instance **already exists**, it returns a **reference** to that object.
- It **violates** the *Single Responsibility Principle* and the *Open/Closed Principle*. Also, **internal instance** and **get method** are *static*.
- **Not** a very **good idea** if you are using a **multi-trending** application, could be issues trying to **access a shared** single object.





# Singleton Pattern — Concepts

- In an attempt to **reduce memory consumption**, this **pattern** ensure that a **class** has only **one instance** and provide a **global point of access** to it.
- It is used when you need to **control** the **number of instances** of a class, so **just one** class **instance** is allowed **across all** the application. Also it allows to **apply** the concept of **lazy creation**.
- It is **pretty simple**: just create a class with a method that **creates** a new **instance** of the class **if one does not exist**. If an instance **already exists**, it returns a **reference** to that object.
- It **violates** the *Single Responsibility Principle* and the *Open/Closed Principle*. Also, **internal instance** and **get method** are *static*.
- **Not** a very **good idea** if you are using a **multi-trending** application, could be issues trying to **access a shared single object**.



# Singleton Pattern — Concepts

- In an attempt to **reduce memory consumption**, this **pattern** ensure that a **class** has only **one instance** and provide a **global point of access** to it.
- It is used when you need to **control** the **number of instances** of a class, so **just one** class **instance** is allowed **across all** the application. Also it allows to **apply** the concept of **lazy creation**.
- It is **pretty simple**: just create a class with a method that **creates** a new **instance** of the class **if one does not exist**. If an instance **already exists**, it returns a **reference** to that object.
- It **violates** the *Single Responsibility Principle* and the *Open/Closed Principle*. Also, **internal instance** and **get method** are *static*.
- **Not** a very **good idea** if you are using a **multi-trending** application, could be issues trying to **access a shared** single object.



# Singleton Pattern — Classes Structure

Think in a **circle room** with several doors but *just one doorman*.




Figure: Singleton Pattern Class Diagram



# Singleton Pattern Example: Game Style Preferences



# Outline

## 1 Introduction

## 2 Patterns

- Builder
- Factory\*
- Abstract Factory
- Singleton\*
- **Prototype**

## 3 Conclusions



# Prototype Pattern — Concepts

- It is based on **copy** of an **existing object**. It is used when the **type of objects** to create is determined by a **prototypical instance**, which is **cloned** to produce new objects.
- Remember, **clone** is **not just copy** an object, it is **create** a new **object** with the **same attributes** and **values** of the original object.
- It solves the **problem** of **copy the private attributes** of an object. So, you could create a **copy including the hidden logic**.
- This **pattern delegates** the **cloning** process to the **actual objects** that are being cloned. This is a **good idea** because the object knows **how** to create a **copy** of itself using an internal method.
- It exists the concept of **prototype registry**, just to make **quick access** and **save** of **frecuent used objects**.



# Prototype Pattern — Concepts

- It is based on **copy** of an **existing object**. It is used when the **type of objects** to create is determined by a **prototypical instance**, which is **cloned** to produce new objects.
- Remember, **clone** is **not just copy** an object, it is **create** a new **object** with the **same attributes** and **values** of the original object.
- It solves the **problem** of **copy the private attributes** of an object. So, you could create a **copy including the hidden logic**.
- This **pattern delegates** the **cloning** process to the **actual objects** that are being cloned. This is a **good idea** because the object **knows how** to create a **copy** of itself **using an internal method**.
- It exists the concept of **prototype registry**, just to make quick access and save of frequent used objects.



# Prototype Pattern — Concepts

- It is based on **copy** of an **existing object**. It is used when the **type of objects** to create is determined by a **prototypical instance**, which is **cloned** to produce new objects.
- Remember, **clone** is **not just copy** an object, it is **create** a new **object** with the **same attributes** and **values** of the original object.
- It solves the **problem** of **copy the private attributes** of an object. So, you could create a **copy including the hidden logic**.
- This **pattern delegates** the **cloning** process to the **actual objects** that are being cloned. This is a **good idea** because the object **knows how** to create a **copy** of itself using an **internal method**.
- It exists the concept of **prototype registry**, just to make **quick access** and save of **frecuent used objects**.





# Prototype Pattern — Concepts

- It is based on **copy** of an **existing object**. It is used when the **type of objects** to create is determined by a **prototypical instance**, which is **cloned** to produce new objects.
- Remember, **clone** is **not just copy** an object, it is **create** a new **object** with the **same attributes** and **values** of the original object.
- It solves the **problem** of **copy the private attributes** of an object. So, you could create a **copy including the hidden logic**.
- This **pattern delegates** the **cloning** process to the **actual objects** that are being cloned. This is a **good idea** because the object **knows how** to create a **copy** of itself **using an internal method**.
- It exists the concept of **prototype registry**, just to make **quick access** and **save of frequent used objects**.



# Prototype Pattern — Concepts

- It is based on **copy** of an **existing object**. It is used when the **type of objects** to create is determined by a **prototypical instance**, which is **cloned** to produce new objects.
- Remember, **clone** is **not just copy** an object, it is **create** a new **object** with the **same attributes** and **values** of the original object.
- It solves the **problem** of **copy the private attributes** of an object. So, you could create a **copy including the hidden logic**.
- This **pattern delegates** the **cloning** process to the **actual objects** that are being cloned. This is a **good idea** because the object **knows how** to create a **copy** of itself **using an internal method**.
- It exists the concept of **prototype registry**, just to make **quick access** and save of **frecuent used objects**.



# Prototype Pattern — Classes Structure

You know all **my secrets**, so you could **create a clone** of me.




Figure: Prototpe Pattern Class Diagram



# Prototype Pattern Example: Cellular Differentiation



# Outline

## 1 Introduction

## 2 Patterns

- Builder
- Factory\*
- Abstract Factory
- Singleton\*
- Prototype

## 3 Conclusions



# Conclusions

- There are a few ways to **create objects** inside an application in a **pretty efficient way**. You just need to think about it and **choose the best one** for your application.
- You **could combine** these **patterns** to create a **more complex and flexible application**. However, you need to be **careful** with the **complexity** of the application.
- The **Builder pattern** is used to create a **complex object step by step**. The **Factory pattern** is used to create objects in a simple way. The **Abstract Factory pattern** is used to create families of objects. The **Singleton pattern** is used to create **just one instance** of a class. The **Prototype pattern** is used to create a new object by copying an existing object.



# Conclusions

- There are a few ways to **create objects** inside an application in a **pretty efficient way**. You just need to think about it and **choose the best one** for your application.
- You **could combine** these **patterns** to create a **more complex** and **flexible application**. However, you need to be **careful** with the **complexity** of the application.
- The **Builder pattern** is used to create a **complex object step by step**. The **Factory pattern** is used to create objects in a simple way. The **Abstract Factory pattern** is used to create families of objects. The **Singleton pattern** is used to create **just one instance** of a class. The **Prototype pattern** is used to create a new object by copying an existing object.



# Conclusions

- There are a few ways to **create objects** inside an application in a **pretty efficient way**. You just need to think about it and **choose the best one** for your application.
- You **could combine** these **patterns** to create a **more complex** and **flexible application**. However, you need to be **careful** with the **complexity** of the application.
- The **Builder pattern** is used to create a **complex object step by step**. The **Factory pattern** is used to create objects in a simple way. The **Abstract Factory pattern** is used to create **families of objects**. The **Singleton pattern** is used to create **just one instance of a class**. The **Prototype pattern** is used to create **a new object by copying an existing object**.





# Outline

## 1 Introduction

## 2 Patterns

- Builder
- Factory\*
- Abstract Factory
- Singleton\*
- Prototype

## 3 Conclusions



# Thanks!

## Questions?



Repo: <https://github.com/EngAndres/ud-public/tree/main/courses/software-modeling>

