

INDEX

- 1. 기술 스택
- 2. EC2 서버 설정
- 3. MySQL WorkBench Connection
- 4. git ignore
- <u>5. 외부 서비스</u>
- <u>6. 인프라 구조</u>

1. 기술 스택

- 이슈 관리 : Jira
- 형상 관리 : Gitlab, Sourcetree
- 의사소통, 협업 : Notion, Mattermost, Discord
- 개발환경
 - o OS: Windows10
 - IDE: Intellij, VSCode
 - EC2: Ubuntu
 - o Database: MySQL v8.2.0, MySQL Workbench 8.0.34
 - SSH: MobaXterm
 - CI/CD: Jenkins
 - Reverse Proxy: Nginx
 - SSL: CertBot
- 프론트엔드 (Vue)

- JavaScript
- Vue.js
- 백엔드 (SpringBoot)
 - SpringBoot Starter Data JPA
 - SpringBoot Starter Web
 - SpringBoot Starter Security
 - JWT (with Bearer Token)
 - lombok
 - SpringBoot devtools
 - Gradle
 - yml
 - o java-17

2. EC2 서버 설정

Docker 설치

```
sudo apt-get -y install apt-transport-https ca-certificates
curl gnupg-agent software-properties-common
curl -fsSL https://download.docker.com/linux/ubuntu/gpg | s
udo apt-key add -
sudo add-apt-repository "deb [arch=amd64] https://download.
docker.com/linux/ubuntu $(lsb_release -cs) stable"
sudo apt-get -y update
sudo apt-get -y install docker-ce docker-ce-cli containerd.
io
sudo usermod -aG docker ubuntu
```

DockerFile

```
FROM openjdk:17
WORKDIR /usr/src/app
```

```
ARG JAR_PATH=./build/libs

COPY ${JAR_PATH}/sgdc-0.0.1-SNAPSHOT.jar ${JAR_PATH}/sgdc-0.0.1-SNAPSHOT.jar

CMD ["java","-jar","./build/libs/sgdc-0.0.1-SNAPSHOT.jar"]
```

• 방화벽 설정

```
sudo ufw allow 443
sudo ufw allow 8080
sudo ufw allow 80
sudo ufw enable
```

Nginx 설치

```
sudo apt-get -y install nginx
```

• SSL 적용

```
sudo snap install --classic certbot
sudo certbot --nginx -d www.sgdc.store
```

• MySQL 설치

```
docker pull mysql
docker images
docker run --name mysql-sgdc -e MYSQL_ROOT_PASSWORD=<passwo
rd> -d -p 3306:3306 mysql:latest
```

Jenkins 설치

```
sudo systemctl start docker-jenkins.service
sudo systemctl enable docker-jenkins.service
sudo systemctl start docker
docker run -d --env JENKINS_OPTS=--httpPort=8080 -v /etc/lo
caltime:/etc/localtime:ro -e TZ=Asia/Seoul -p 8080:8080 -v
```

```
/jenkins:/var/jenkins_home -v /var/run/docker.sock:/var/ru
n/docker.sock -v /usr/local/bin/docker-compose:/usr/local/b
in/docker-compose --name jenkins -u root jenkins/jenkins:jd
k17
docker pull jenkins/jenkins:jdk17
```

3. MySQL WorkBench Connection

```
Hostname: i10a108.p.ssafy.io
Port: 3306
Username: testSuean
Password: ssafy108
database: sqdc db
-- MySQL dump 10.13 Distrib 8.0.34, for Win64 (x86_64)
-- Host: i10a108.p.ssafy.io Database: sgdc_db
-- Server version 8.3.0
/*!40101 SET @OLD CHARACTER SET CLIENT=@@CHARACTER SET CLIE
NT */;
/*!40101 SET @OLD CHARACTER SET RESULTS=@@CHARACTER SET RES
ULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTI
ON */;
/*!50503 SET NAMES utf8 */;
/*!40103 SET TIME ZONE='+00:00' */;
/*!40014 SET @OLD_UNIQUE_CHECKS=@@UNIQUE_CHECKS, UNIQUE_CHE
CKS=0 */;
/*!40014 SET @OLD FOREIGN KEY CHECKS=@@FOREIGN KEY CHECKS,
FOREIGN_KEY_CHECKS=0 */;
/*!40101 SET @OLD_SQL_MODE=@@SQL_MODE, SQL_MODE='NO_AUTO_VA
LUE_ON_ZERO' */;
/*!40111 SET @OLD_SQL_NOTES=@@SQL_NOTES, SQL_NOTES=0 */;
```

```
-- Table structure for table `badge`
DROP TABLE IF EXISTS `badge`;
/*!40101 SET @saved_cs_client = @@character_set_client
*/;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `badge` (
  `badge_id` int NOT NULL AUTO_INCREMENT,
  `badge_name` varchar(20) DEFAULT NULL,
  `badge_detail` varchar(200) DEFAULT NULL,
  `badge_img` varchar(200) DEFAULT NULL,
 PRIMARY KEY (`badge_id`)
) ENGINE=InnoDB AUTO INCREMENT=19 DEFAULT CHARSET=utf8mb4 C
OLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character set client = @saved cs client */;
-- Dumping data for table `badge`
LOCK TABLES `badge` WRITE;
/*!40000 ALTER TABLE `badge` DISABLE KEYS */;
INSERT INTO `badge` VALUES (1, '기린이', '기상 경쟁 승리 횟수 5회
이상 - 열심히 일어나셨네요', 'https://sgdc-test-bucket.s3.ap-nort
heast-2.amazonaws.com/BADGE/girini.png'),(2,'싸피를 나온 암
탉','기상 경쟁 승리 횟수 10회 이상 - 이젠 싸피 학생들을 깨워주는
닭...','https://sgdc-test-bucket.s3.ap-northeast-2.amazonaw
s.com/BADGE/amtark.png'),(3,'굶어 죽은 새','기상 경쟁 패배 횟수 5
회 이상 - 일찍 일어난 새가 벌레를 잡아요', 'https://sqdc-test-bucke
t.s3.ap-northeast-2.amazonaws.com/BADGE/diechicken.png'),
(4, '맘스터치', '기상 경쟁 패배 횟수 10회 이상 - 으이구 일어나!! 해가
중천이야!!','https://sgdc-test-bucket.s3.ap-northeast-2.amazo
naws.com/BADGE/momstouch.png'),(5,'가장 따뜻한 로봇','알고리즘
경쟁 승리 횟수 5회 이상 - 혹시 당신은 알고리즘 푸는 로봇?', 'https://s
gdc-test-bucket.s3.ap-northeast-2.amazonaws.com/BADGE/gadda
```

```
ro.png'),(6,'깡통 로봇','알고리즘 경쟁 패배 횟수 5회 이상 - 이 쓸모
없는 깡통 녀석','https://sqdc-test-bucket.s3.ap-northeast-2.am
azonaws.com/BADGE/kkangtong.png'),(7,'트리케라톱스','식단 경쟁
승리 3회 이상 - 프로토케라톱스는 초식 공룡입니다.','https://sgdc-tes
t-bucket.s3.ap-northeast-2.amazonaws.com/BADGE/triceratops.
png'),(8,'코끼리','식단 경쟁 승리 5회 이상 - 코끼리는 초식 동물입니
다.','https://sqdc-test-bucket.s3.ap-northeast-2.amazonaws.
com/BADGE/elephant.png'),(9,'꽃사슴','식단 경쟁 승리 7회 이상 -
꽃사슴은 초식 동물입니다.','https://sgdc-test-bucket.s3.ap-north
east-2.amazonaws.com/BADGE/Cervus+nippon.png'),(10,'\(\Omega\)
정','식단 경쟁 승리 10회 이상 - 이슬만 먹고 사시는군요','https://sgd
c-test-bucket.s3.ap-northeast-2.amazonaws.com/BADGE/fairy.p
ng'),(11,'밥도둑','식단 경쟁 패배 5회 이상 - 내 밥가져와','http
s://sgdc-test-bucket.s3.ap-northeast-2.amazonaws.com/BADGE/
ricetheif.png'),(12,'언더아머 단속반','운동 경쟁 승리 5회 이상 - 5
00이하 언더아머 금지', 'https://sqdc-test-bucket.s3.ap-northeas
t-2.amazonaws.com/BADGE/underarmor.png'),(13,'김종꾹','운동 경
쟁 승리 10회 이상 - 본업은 가수에요', 'https://sgdc-test-bucket.s
3.ap-northeast-2.amazonaws.com/BADGE/kim.png'),(14, '숨쉬기 운
동 금지','운동 경쟁 패배 5회 이상 - 숨은 잘 쉬어요','https://sgdc-t
est-bucket.s3.ap-northeast-2.amazonaws.com/BADGE/breath.pn
g'),(15,'운동 전문 실패자','운동 경쟁 패배 10회 이상 - 하면 잘 하는
사람이..', 'https://sgdc-test-bucket.s3.ap-northeast-2.amazon
aws.com/BADGE/fail.png'),(16,'엉덩이 1t','스터디 시간 경쟁 승리
5회 이상 - 엉덩이가 진짜 무거우시네요.', 'https://sgdc-test-bucket.
s3.ap-northeast-2.amazonaws.com/BADGE/1t.png'),(17,'叫上列
오','거짓으로 인증했을 시 - 우리한테 왜 그랬어요..','https://sgdc-t
est-bucket.s3.ap-northeast-2.amazonaws.com/BADGE/pinokio.pn
q'),(18,'싸피 보안관','거짓 인증 신고하기 5회 - 거짓말쟁이 피노키오
발견! 탕!','https://sgdc-test-bucket.s3.ap-northeast-2.amazo
naws.com/BADGE/ssafypolice.png');
/*!40000 ALTER TABLE `badge` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table `category`
```

```
DROP TABLE IF EXISTS `category`;
/*!40101 SET @saved cs client = @@character set client
*/;
/*!50503 SET character set client = utf8mb4 */;
CREATE TABLE `category` (
  `category_id` int NOT NULL AUTO_INCREMENT,
  `category_name` enum('morning','algorithm','running','stu
dyTime','diet','selfControl') DEFAULT NULL,
  PRIMARY KEY (`category_id`)
) ENGINE=InnoDB AUTO INCREMENT=7 DEFAULT CHARSET=utf8mb4 CO
LLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;
-- Dumping data for table `category`
LOCK TABLES `category` WRITE;
/*!40000 ALTER TABLE `category` DISABLE KEYS */;
INSERT INTO `category` VALUES (1, 'morning'), (2, 'algorith
m'),(3,'running'),(4,'studyTime'),(5,'diet'),(6,'selfContro
1');
/*!40000 ALTER TABLE `category` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table `compet_detail`
DROP TABLE IF EXISTS `compet_detail`;
/*!40101 SET @saved cs client = @@character set client
*/;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `compet_detail` (
  `compet_result_id` int NOT NULL AUTO_INCREMENT,
  `compet_result` enum('SEND_WIN','RECEIVE_WIN','BOTH_WI
N', 'BOTH FAIL') DEFAULT NULL,
  PRIMARY KEY (`compet_result_id`)
```

```
) ENGINE=InnoDB AUTO_INCREMENT=14 DEFAULT CHARSET=utf8mb4 C
OLLATE=utf8mb4 0900 ai ci;
/*!40101 SET character_set_client = @saved_cs_client */;
-- Dumping data for table `compet_detail`
LOCK TABLES `compet_detail` WRITE;
/*!40000 ALTER TABLE `compet_detail` DISABLE KEYS */;
INSERT INTO `compet_detail` VALUES (1, 'BOTH_WIN'), (2, 'BOTH_
WIN'), (3, 'BOTH_WIN'), (4, 'BOTH_WIN'), (5, 'BOTH_WIN'), (6, 'BOTH_WIN')
_WIN'),(7,'BOTH_WIN'),(8,'BOTH_WIN'),(9,'BOTH_WIN'),(10,'BO
TH_WIN'), (11, 'BOTH_WIN'), (12, 'BOTH_WIN'), (13, 'SEND_WIN');
/*!40000 ALTER TABLE `compet_detail` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table `competition`
DROP TABLE IF EXISTS `competition`;
/*!40101 SET @saved_cs_client = @@character_set_client
*/;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `competition` (
  `compet_detail_id` int DEFAULT NULL,
  `compet_id` int NOT NULL AUTO_INCREMENT,
  `create_at` datetime(6) DEFAULT NULL,
  `done_at` datetime(6) DEFAULT NULL,
  PRIMARY KEY (`compet_id`),
  UNIQUE KEY `UK_7wcu4s82btxqjubatx3vc2lmy` (`compet_detail
_id`),
  CONSTRAINT `FKdj4a8jlxe98dkr1ut90yln8ds` FOREIGN KEY (`co
mpet_detail_id`) REFERENCES `compet_detail` (`compet_result
id`)
) ENGINE=InnoDB AUTO INCREMENT=17 DEFAULT CHARSET=utf8mb4 C
OLLATE=utf8mb4_0900_ai_ci;
```

```
/*!40101 SET character_set_client = @saved_cs_client */;
-- Dumping data for table `competition`
LOCK TABLES `competition` WRITE;
/*!40000 ALTER TABLE `competition` DISABLE KEYS */;
INSERT INTO `competition` VALUES (2,1,'2024-02-15 17:56:45.
369554', '2024-02-15 23:53:47.698091'), (1, 2, '2024-02-15 17:5
6:47.602697', '2024-02-15 23:51:41.577212'), (4,3, '2024-02-15
18:06:45.356235','2024-02-16 00:02:22.141917'),(3,4,'2024-0
2-15 18:07:15.167991', '2024-02-15 23:55:08.708069'), (13,
5, '2024-02-15 18:09:40.439601', '2024-02-15 23:52:33.51404
3'), (5, 6, '2024-02-15 18:09:42.666970', '2024-02-15 23:53:17.
473909'), (6,7,'2024-02-15 18:11:32.345173','2024-02-16 00:0
7:16.463742'), (NULL, 8, '2024-02-15 18:11:34.621196', '2024-02
-16 00:08:42.531887'), (NULL, 9, '2024-02-15 18:12:12.52578
6','2024-02-16 00:05:57.590943'),(10,10,'2024-02-15 18:12:3
5.865820','2024-02-15 23:51:48.684090'),(11,11,'2024-02-15
18:12:50.337886','2024-02-15 23:09:17.618394'),(7,12,'2024-
02-15 18:17:39.010762', '2024-02-16 00:17:35.774486'), (8,1)
3, '2024-02-15 18:17:46.570173', '2024-02-16 00:17:39.18664
8'), (9, 14, '2024-02-15 18:18:27.247366', '2024-02-16 00:17:2
6.465946'), (NULL, 15, '2024-02-15 18:18:54.933562', '2024-02-1
6 00:18:36.850499'),(12,16,'2024-02-16 08:28:35.624070','20
24-02-16 08:33:34.073437');
/*!40000 ALTER TABLE `competition` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table `feed`
DROP TABLE IF EXISTS `feed`;
/*!40101 SET @saved_cs_client = @@character_set_client
*/;
/*!50503 SET character_set_client = utf8mb4 */;
```

```
CREATE TABLE `feed` (
  `compet id` int DEFAULT NULL,
  `feed_id` int NOT NULL AUTO_INCREMENT,
  `feed like num` int DEFAULT NULL,
  `privacy` bit(1) DEFAULT NULL,
  `views` int DEFAULT NULL,
  `create at` datetime(6) DEFAULT NULL,
  `update at` datetime(6) DEFAULT NULL,
  `feed_content` varchar(200) DEFAULT NULL,
  `feed_img` varchar(200) DEFAULT NULL,
  `feed_title` varchar(200) DEFAULT NULL,
 PRIMARY KEY (`feed_id`),
 UNIQUE KEY `UK_erb6tam38es874acr9e1sx6kw` (`compet_id`),
 CONSTRAINT `FKryx3inr0wgw1knnaotd22qwuc` FOREIGN KEY (`co
mpet_id`) REFERENCES `competition` (`compet_id`)
) ENGINE=InnoDB AUTO INCREMENT=14 DEFAULT CHARSET=utf8mb4 C
OLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character set client = @saved cs client */;
-- Dumping data for table `feed`
LOCK TABLES `feed` WRITE;
/*!40000 ALTER TABLE `feed` DISABLE KEYS */;
INSERT INTO `feed` VALUES (2,1,4, binary '\0',44,'2024-02-1
5 18:01:34.143231', NULL, '', 'https://sgdc-test-bucket.s3.ap-
northeast-2.amazonaws.com/COMPETITION AUTH IMAGE/3 2 %EA%B
8%B0%EC%83%81.PNG','[기상] 태범아발표잘해라님과 지니님이 공동승리 하
였습니다!'),(1,2,5,_binary '\0',52,'2024-02-15 18:01:42.59388
3', NULL, '', 'https://sgdc-test-bucket.s3.ap-northeast-2.amaz
onaws.com/COMPETITION AUTH IMAGE/4 1 1694679858306 0.pn
g','[식단] 통통한선인장님과 지니님이 공동승리 하였습니다!'),(4,3,4,_b
inary '\0',50,'2024-02-15 18:08:02.850743', NULL,'','http
s://sgdc-test-bucket.s3.ap-northeast-2.amazonaws.com/COMPET
ITION AUTH IMAGE/2 4 %EC%8B%9D%EB%8B%A8%EC%9D%B8%EC%A6%9D.p
ng','[식단] 지니님과 통통한선인장님이 공동승리 하였습니다!'),(3,4,5,
binary '\0',53,'2024-02-15 18:08:07.481722', NULL,'','http
```

s://sgdc-test-bucket.s3.ap-northeast-2.amazonaws.com/COMPET ITION AUTH IMAGE/3 3 %EA%B3%B5%EB%B6%80%EC%8B%9C%EA%B0%84.j pg','[스터디] 태범아발표잘해라님과 지니님이 공동승리 하였습니다!'),(6, 5,4,_binary '\0',51,'2024-02-15 18:11:48.159229',NULL,'','h ttps://sqdc-test-bucket.s3.ap-northeast-2.amazonaws.com/COM PETITION_AUTH_IMAGE/4_6_KakaoTalk_20240215_181117423.jp g','[운동] 통통한선인장님과 태범아발표잘해라님이 공동승리 하였습니다!'), (7,6,4,_binary '\0',45,'2024-02-15 18:16:32.398601',NUL L, '', 'https://sgdc-test-bucket.s3.ap-northeast-2.amazonaws. com/COMPETITION_AUTH_IMAGE/2_7_%EC%9A%B4%EB%8F%99%EC%9D%B8% EC%A6%9D1.png','[운동] 지니님과 춘식이사생팬님이 공동승리 하였습니 다!'),(12,7,4,_binary '\0',42,'2024-02-15 18:18:25.238492', NULL, '', 'https://sgdc-test-bucket.s3.ap-northeast-2.amazona ws.com/COMPETITION_AUTH_IMAGE/4_12_2021091301491_0.jp g','[기상] 통통한선인장님과 춘식이사생팬님이 공동승리 하였습니다!'),(1 3,8,4, binary '\0',41,'2024-02-15 18:19:13.519927', NUL L, '', 'https://sgdc-test-bucket.s3.ap-northeast-2.amazonaws. com/COMPETITION_AUTH_IMAGE/4_13_SSI_20170823165908_V.jp g','[절제] 통통한선인장님과 지니님이 공동승리 하였습니다!'),(14,9,3,_ binary '\0',39,'2024-02-15 18:20:47.515422', NULL,'','http s://sqdc-test-bucket.s3.ap-northeast-2.amazonaws.com/COMPET ITION_AUTH_IMAGE/4_14_121.PNG', '[알고리즘] 통통한선인장님과 춘식이 사생팬님이 공동승리 하였습니다!'),(10,10,3,_binary '\0',35,'2024-02-15 18:22:41.432353', NULL, '', 'https://sgdc-test-bucket.s 3.ap-northeast-2.amazonaws.com/COMPETITION_AUTH_IMAGE/3_10 %EC%95%8C%EA%B3%A0%EB%A6%AC%EC%A6%98.PNG','[알고리즘] 태범아 발표잘해라님과 춘식님이 공동승리 하였습니다!'),(11,11,1,_binary '\0',21,'2024-02-15 23:09:17.644740', NULL,'', 'https://sgdctest-bucket.s3.ap-northeast-2.amazonaws.com/COMPETITION AUT H IMAGE/2 11 %EA%B8%B0%EC%83%81%EC%B1%8C%EB%A6%B0%EC%A7%80. png','[기상] 지니님과 춘식님이 공동승리 하였습니다!'),(16,12,1, bin ary '\0',10,'2024-02-16 08:33:34.092774', NULL,'','https://s gdc-test-bucket.s3.ap-northeast-2.amazonaws.com/COMPETITION AUTH IMAGE/2 16 %EA%B8%B0%EC%83%812.png','[기상] 지니님과 춘 식이사생팬님이 공동승리 하였습니다!'),(5,13,0,_binary '\0',4,'2024 -02-16 09:04:20.939962', NULL, '', 'https://sgdc-test-bucket.s 3.ap-northeast-2.amazonaws.com/COMPETITION AUTH IMAGE/2 5 % EC%95%8C%EA%B3%A0%EB%A6%AC%EC%A6%98%EC%9D%B8%EC%A6%9D.pn

```
g','[알고리즘] 지니님이 태범아발표잘해라님과의 경쟁에서 이겼습니다!');
/*!40000 ALTER TABLE `feed` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table `feed like`
DROP TABLE IF EXISTS `feed like`;
/*!40101 SET @saved_cs_client = @@character_set_client
*/;
/*!50503 SET character set client = utf8mb4 */;
CREATE TABLE `feed like` (
  `feed id` int NOT NULL,
  `feed_like_id` int NOT NULL AUTO_INCREMENT,
  `user id` int NOT NULL,
  PRIMARY KEY (`feed_like_id`),
  KEY `FKgurobtyio3jh1vn4n8tmqt842` (`feed_id`),
  KEY `FKht7sg59oaw8w3bcrbgbeip8u7` (`user_id`),
  CONSTRAINT `FKgurobtyio3jh1vn4n8tmqt842` FOREIGN KEY (`fe
ed id`) REFERENCES `feed` (`feed id`),
  CONSTRAINT `FKht7sg59oaw8w3bcrbgbeip8u7` FOREIGN KEY (`us
er id`) REFERENCES `users` (`user id`)
) ENGINE=InnoDB AUTO INCREMENT=47 DEFAULT CHARSET=utf8mb4 C
OLLATE=utf8mb4 0900 ai ci;
/*!40101 SET character set client = @saved cs client */;
-- Dumping data for table `feed_like`
LOCK TABLES `feed like` WRITE;
/*!40000 ALTER TABLE `feed_like` DISABLE KEYS */;
INSERT INTO `feed_like` VALUES (1,1,3),(2,3,3),(4,4,3),(4,
5, 2), (3, 6, 2), (2, 7, 2), (5, 8, 2), (5, 9, 4), (4, 10, 4), (3, 11, 4), (2, 1
(2,4), (7,13,2), (6,14,2), (8,15,2), (1,16,4), (9,17,4), (10,18,1)
4), (8, 19, 4), (7, 20, 4), (6, 21, 4), (10, 22, 1), (9, 23, 1), (8, 24, 1),
(7,25,1), (6,26,1), (5,27,1), (4,28,1), (3,29,1), (2,30,1), (1,3)
```

```
1,1), (1,34,5), (2,35,5), (4,37,5), (5,38,5), (6,39,5), (7,40,5),
(8,41,5), (9,42,5), (10,43,5), (11,44,5), (3,45,5), (12,46,5);
/*!40000 ALTER TABLE `feed_like` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table `feed_report`
DROP TABLE IF EXISTS `feed_report`;
/*!40101 SET @saved_cs_client = @@character_set_client
*/;
/*!50503 SET character set client = utf8mb4 */;
CREATE TABLE `feed_report` (
  `feed_report_id` int NOT NULL AUTO_INCREMENT,
  `report feed id` int DEFAULT NULL,
  `report_user_id` int DEFAULT NULL,
  `user id` int DEFAULT NULL,
  `report_detail` varchar(255) DEFAULT NULL,
  PRIMARY KEY (`feed_report_id`),
  KEY `FK4mnnk8id471p653nytlba8srr` (`report_feed_id`),
  KEY `FK4sxhdgj0iv65gby5x79nx7764` (`report_user_id`),
  KEY `FKnr122yxpxyccasp1rib38x5qq` (`user_id`),
  CONSTRAINT `FK4mnnk8id471p653nytlba8srr` FOREIGN KEY (`re
port_feed_id`) REFERENCES `feed` (`feed_id`),
  CONSTRAINT `FK4sxhdqj0iv65qby5x79nx7764` FOREIGN KEY (`re
port_user_id`) REFERENCES `users` (`user_id`),
  CONSTRAINT `FKnr122yxpxyccasp1rib38x5qq` FOREIGN KEY (`us
er_id`) REFERENCES `users` (`user_id`)
) ENGINE=InnoDB AUTO_INCREMENT=4 DEFAULT CHARSET=utf8mb4 CO
LLATE=utf8mb4 0900 ai ci;
/*!40101 SET character set client = @saved cs client */;
-- Dumping data for table `feed_report`
LOCK TABLES `feed_report` WRITE;
```

```
/*!40000 ALTER TABLE `feed_report` DISABLE KEYS */;
INSERT INTO `feed report` VALUES (1,1,3,2,'지각했어요!!!!'),
(2,4,3,1,'3분 공부했어요'),(3,1,3,1,'지각했어요');
/*!40000 ALTER TABLE `feed_report` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table `follow`
DROP TABLE IF EXISTS `follow`;
/*!40101 SET @saved cs client = @@character set client
*/;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `follow` (
  `following id` int DEFAULT NULL,
  `friend id` int NOT NULL AUTO INCREMENT,
  `user id` int DEFAULT NULL,
  PRIMARY KEY (`friend_id`),
  UNIQUE KEY `follow_uk` (`user_id`, `following_id`),
  KEY `FK9ogsjovu9bl95dwt8ibiy2oey` (`following id`),
  CONSTRAINT `FK3xydb9wjv9vxkr0ohgba0n0e6` FOREIGN KEY (`us
er_id`) REFERENCES `users` (`user_id`),
  CONSTRAINT `FK9oqsjovu9bl95dwt8ibiy2oey` FOREIGN KEY (`fo
llowing_id`) REFERENCES `users` (`user_id`)
) ENGINE=InnoDB AUTO INCREMENT=34 DEFAULT CHARSET=utf8mb4 C
OLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character set client = @saved cs client */;
-- Dumping data for table `follow`
LOCK TABLES `follow` WRITE;
/*!40000 ALTER TABLE `follow` DISABLE KEYS */;
INSERT INTO `follow` VALUES (2,1,1), (3,7,1), (4,12,1), (5,20,
1), (1,2,2), (3,4,2), (4,9,2), (5,17,2), (7,33,2), (9,32,2), (1,5,
3), (2,3,3), (4,10,3), (5,18,3), (1,11,4), (2,8,4), (3,6,4), (5,1)
```

```
9,4), (7,24,4), (1,13,5), (2,14,5), (3,16,5), (4,15,5), (1,22,6),
(3,21,6), (4,27,7), (5,29,7), (9,25,7), (1,30,9), (2,28,9), (5,3)
1,9),(7,26,9);
/*!40000 ALTER TABLE `follow` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table `image auth`
DROP TABLE IF EXISTS `image_auth`;
/*!40101 SET @saved cs client = @@character set client
*/;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `image_auth` (
  `auth id` int NOT NULL AUTO INCREMENT,
  `compet_id` int DEFAULT NULL,
  `matcing_id` int DEFAULT NULL,
  `create_at` datetime(6) DEFAULT NULL,
  `auth_img` varchar(255) DEFAULT NULL,
  PRIMARY KEY (`auth id`),
  UNIQUE KEY `UK_84aafvst2dt4rufiy1bvsnnn0` (`matcing_id`),
  KEY `FK22kan7yx8olwh2v69yr17tifx` (`compet id`),
  CONSTRAINT `FK22kan7yx8olwh2v69yr17tifx` FOREIGN KEY (`co
mpet_id`) REFERENCES `competition` (`compet_id`),
  CONSTRAINT `FK17f2lwsqq2f63ltm145w7vu1e` FOREIGN KEY (`ma
tcing_id`) REFERENCES `matching` (`matching_id`)
) ENGINE=InnoDB AUTO INCREMENT=29 DEFAULT CHARSET=utf8mb4 C
OLLATE=utf8mb4 0900 ai ci;
/*!40101 SET character_set_client = @saved_cs_client */;
-- Dumping data for table `image_auth`
LOCK TABLES `image_auth` WRITE;
/*!40000 ALTER TABLE `image auth` DISABLE KEYS */;
INSERT INTO `image_auth` VALUES (1,2,2,'2024-02-15 18:00:3
```

4.861620', 'https://sgdc-test-bucket.s3.ap-northeast-2.amazo naws.com/COMPETITION AUTH IMAGE/3 2 %EA%B8%B0%EC%83%81.PN G'),(2,1,12,'2024-02-15 18:00:59.064664','https://sgdc-test -bucket.s3.ap-northeast-2.amazonaws.com/COMPETITION AUTH IM AGE/4_1_1694679858306_0.png'),(3,2,1,'2024-02-15 18:01:34.1 09459', 'https://sgdc-test-bucket.s3.ap-northeast-2.amazonaw s.com/COMPETITION AUTH IMAGE/2 2 %EA%B8%B0%EC%83%81%EC%B1%8 C%EB%A6%B0%EC%A7%80.png'), (4,1,11,'2024-02-15 18:01:42.5677 74', 'https://sgdc-test-bucket.s3.ap-northeast-2.amazonaws.c om/COMPETITION AUTH IMAGE/2 1 %EC%8B%9D%EB%8B%A8%EC%9D%B8%E C%A6%9D.png'), (5,4,16,'2024-02-15 18:07:39.144552','http s://sgdc-test-bucket.s3.ap-northeast-2.amazonaws.com/COMPET ITION_AUTH_IMAGE/2_4_%EC%8B%9D%EB%8B%A8%EC%9D%B8%EC%A6%9D.p ng'),(6,3,17,'2024-02-15 18:07:47.899603','https://sgdc-tes t-bucket.s3.ap-northeast-2.amazonaws.com/COMPETITION_AUTH_I MAGE/2 3 %EC%8A%A4%ED%84%B0%EB%94%94%EC%9D%B8%EC%A6%9D2.pn g'),(7,4,15,'2024-02-15 18:08:02.823345','https://sgdc-test -bucket.s3.ap-northeast-2.amazonaws.com/COMPETITION AUTH IM AGE/4_4_detail_76863_0_b1616cc8-3a25-41a7-a145-613b50eb75b 4.jpg'),(8,3,18,'2024-02-15 18:08:07.457939','https://sgdctest-bucket.s3.ap-northeast-2.amazonaws.com/COMPETITION AUT H_IMAGE/3_3_%EA%B3%B5%EB%B6%80%EC%8B%9C%EA%B0%84.jpg'), (9, 5,8,'2024-02-15 18:10:07.683360','https://sgdc-test-bucket. s3.ap-northeast-2.amazonaws.com/COMPETITION AUTH IMAGE/2 5 %EC%95%8C%EA%B3%A0%EB%A6%AC%EC%A6%98%EC%9D%B8%EC%A6%9D.pn g'),(10,6,9,'2024-02-15 18:10:31.930239','https://sgdc-test -bucket.s3.ap-northeast-2.amazonaws.com/COMPETITION_AUTH_IM AGE/3_6_%EB%A3%AC%EB%8F%99.png'),(11,6,10,'2024-02-15 18:1 1:48.134957', 'https://sgdc-test-bucket.s3.ap-northeast-2.am azonaws.com/COMPETITION_AUTH_IMAGE/4_6_KakaoTalk_20240215_1 81117423.jpg'),(12,7,24,'2024-02-15 18:12:42.279208','http s://sqdc-test-bucket.s3.ap-northeast-2.amazonaws.com/COMPET ITION_AUTH_IMAGE/2_7_%EC%9A%B4%EB%8F%99%EC%9D%B8%EC%A6%9D1. png'),(13,11,6,'2024-02-15 18:13:33.353852','https://sgdc-t est-bucket.s3.ap-northeast-2.amazonaws.com/COMPETITION_AUTH IMAGE/2 11 %EA%B8%B0%EC%83%81%EC%B1%8C%EB%A6%B0%EC%A7%80.p ng'),(14,9,21,'2024-02-15 18:15:00.169094','https://sqdc-te st-bucket.s3.ap-northeast-2.amazonaws.com/COMPETITION_AUTH_

IMAGE/4_9_KakaoTalk_20240215_181428059.jpg'),(15,8,25,'2024 -02-15 18:16:13.046827', 'https://sgdc-test-bucket.s3.ap-nor theast-2.amazonaws.com/COMPETITION_AUTH_IMAGE/5_8_rn_image_ picker_lib_temp_be45ecde-056c-47cf-95dc-5d64a9e7040a.jpg'), (16,7,23,'2024-02-15 18:16:32.376521','https://sgdc-test-bu cket.s3.ap-northeast-2.amazonaws.com/COMPETITION_AUTH_IMAG E/5 7 rn image picker lib temp be45ecde-056c-47cf-95dc-5d64 a9e7040a.jpg'),(17,12,29,'2024-02-15 18:18:16.236860','http s://sgdc-test-bucket.s3.ap-northeast-2.amazonaws.com/COMPET ITION AUTH IMAGE/5 12 %EC%BA%A1%EC%B2%98.PNG'), (18, 10, 4, '20 24-02-15 18:18:23.233293', 'https://sgdc-test-bucket.s3.ap-n ortheast-2.amazonaws.com/COMPETITION AUTH IMAGE/3 10 %EC%9 5%8C%EA%B3%A0%EB%A6%AC%EC%A6%98.PNG'), (19,12,30,'2024-02-15 18:18:25.215173', 'https://sgdc-test-bucket.s3.ap-northeast-2.amazonaws.com/COMPETITION_AUTH_IMAGE/4_12_2021091301491_ 0.jpg'),(20,13,31,'2024-02-15 18:19:06.763063','https://sqd c-test-bucket.s3.ap-northeast-2.amazonaws.com/COMPETITION_A UTH_IMAGE/2_13_%EC%A0%88%EC%A0%9C%EA%B1%B0%EC%A7%93.png'), (21,13,32,'2024-02-15 18:19:13.505502','https://sgdc-test-b ucket.s3.ap-northeast-2.amazonaws.com/COMPETITION_AUTH_IMAG E/4_13_SSI_20170823165908_V.jpg'),(22,14,27,'2024-02-15 18: 20:08.379224', 'https://sgdc-test-bucket.s3.ap-northeast-2.a mazonaws.com/COMPETITION_AUTH_IMAGE/5_14_ssadasd.PNG'), (23, 14,28,'2024-02-15 18:20:47.492425','https://sgdc-test-bucke t.s3.ap-northeast-2.amazonaws.com/COMPETITION_AUTH_IMAGE/4_ 14 121.PNG'), (24,15,33,'2024-02-15 18:21:02.702564','http s://sgdc-test-bucket.s3.ap-northeast-2.amazonaws.com/COMPET ITION_AUTH_IMAGE/5_15_%EC%BA%A1%EC%B2%98dfsdf.PNG'), (25, 10, 3,'2024-02-15 18:22:41.408962','https://sgdc-test-bucket.s 3.ap-northeast-2.amazonaws.com/COMPETITION_AUTH_IMAGE/1_10 _%EC%BA%A1%EC%B2%98.PNG'),(26,11,5,'2024-02-15 23:09:17.604 699', 'https://sqdc-test-bucket.s3.ap-northeast-2.amazonaws. com/COMPETITION_AUTH_IMAGE/1_11_%ED%99%94%EB%A9%B4%EC%BA%A 1%EC%B2%982024-02-15230859.jpg'),(27,16,38,'2024-02-16 08:3 0:37.871924', 'https://sgdc-test-bucket.s3.ap-northeast-2.am azonaws.com/COMPETITION_AUTH_IMAGE/2_16_%EA%B8%B0%EC%83%81 2.png'),(28,16,37,'2024-02-16 08:33:34.060141','https://sgd c-test-bucket.s3.ap-northeast-2.amazonaws.com/COMPETITION_A

```
UTH_IMAGE/5_16_sdasd.PNG');
/*!40000 ALTER TABLE `image auth` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table `matching`
DROP TABLE IF EXISTS `matching`;
/*!40101 SET @saved_cs_client = @@character_set_client
*/;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `matching` (
  `category_id` int DEFAULT NULL,
  `compet_id` int DEFAULT NULL,
  `matching id` int NOT NULL AUTO INCREMENT,
  `user id` int DEFAULT NULL,
  `compet_expiration_time` datetime(6) DEFAULT NULL,
  `compet_kind` enum('FRIEND','RANDOM') DEFAULT NULL,
  `is_sender` enum('Y','N') DEFAULT NULL,
  `match status` enum('WAIT','ACCEPT','REJECT','EXPERATIO
N') DEFAULT NULL,
  PRIMARY KEY (`matching id`),
 KEY `FKltrrknjwrcbcweb6q7wdcu3x1` (`category_id`),
  KEY `FKhmk2r01og1myk02sj2vlyka2y` (`compet_id`),
  KEY `FKtpubyyhxtsc4ltr1bcn0yfbw7` (`user_id`),
  CONSTRAINT `FKhmk2r01og1myk02sj2vlyka2y` FOREIGN KEY (`co
mpet_id`) REFERENCES `competition` (`compet_id`),
  CONSTRAINT `FKltrrknjwrcbcweb6q7wdcu3x1` FOREIGN KEY (`ca
tegory_id`) REFERENCES `category` (`category_id`),
  CONSTRAINT `FKtpubyyhxtsc4ltr1bcn0yfbw7` FOREIGN KEY (`us
er id`) REFERENCES `users` (`user id`)
) ENGINE=InnoDB AUTO_INCREMENT=41 DEFAULT CHARSET=utf8mb4 C
OLLATE=utf8mb4 0900 ai ci;
/*!40101 SET character_set_client = @saved_cs_client */;
-- Dumping data for table `matching`
```

- -

LOCK TABLES `matching` WRITE; /*!40000 ALTER TABLE `matching` DISABLE KEYS */; INSERT INTO `matching` VALUES (1,2,1,2,'2024-02-15 19:51:4 1.577212', 'FRIEND', 'N', 'ACCEPT'), (1,2,2,3, '2024-02-15 19:5 1:41.577187', 'FRIEND', 'Y', 'ACCEPT'), (2,10,3,1, '2024-02-15 1 9:51:48.684090', 'FRIEND', 'N', 'ACCEPT'), (2,10,4,3, '2024-02-1 5 19:51:48.684077', 'FRIEND', 'Y', 'ACCEPT'), (1,11,5,1, '2024-0 2-15 19:52:30.392121', 'FRIEND', 'N', 'ACCEPT'), (1,11,6,2,'202 4-02-15 19:52:30.392105', 'FRIEND', 'Y', 'ACCEPT'), (2,5,7,3,'2 024-02-15 19:52:33.514043', 'FRIEND', 'N', 'ACCEPT'), (2,5,8, 2, '2024-02-15 19:52:33.513964', 'FRIEND', 'Y', 'ACCEPT'), (3,6, 9,3,'2024-02-15 19:53:17.473909','FRIEND','N','ACCEPT'),(3, 6,10,4,'2024-02-15 19:53:17.473899','FRIEND','Y','ACCEPT'), (5,1,11,2,'2024-02-15 19:53:47.698091','FRIEND','N','ACCEP T'), (5,1,12,4,'2024-02-15 19:53:47.698058', 'FRIEND', 'Y', 'AC CEPT'), (2, NULL, 13, 1, '2024-02-15 19:54:30.298946', 'FRIEN D', 'N', 'WAIT'), (2, NULL, 14, 4, '2024-02-15 19:54:30.298937', 'F RIEND', 'Y', 'WAIT'), (5,4,15,4,'2024-02-15 19:55:08.70806 9', 'FRIEND', 'N', 'ACCEPT'), (5,4,16,2, '2024-02-15 19:55:08.70 8059', 'FRIEND', 'Y', 'ACCEPT'), (4,3,17,2, '2024-02-15 20:02:2 2.141917', 'FRIEND', 'N', 'ACCEPT'), (4,3,18,3,'2024-02-15 20:0 2:22.141907', 'FRIEND', 'Y', 'ACCEPT'), (2, NULL, 19, 3, '2024-02-1 5 20:02:33.477267', 'FRIEND', 'N', 'WAIT'), (2, NULL, 20, 2, '2024-02-15 20:02:33.477256', 'FRIEND', 'Y', 'WAIT'), (3,9,21,4, '2024 -02-15 20:05:57.590943', 'FRIEND', 'N', 'ACCEPT'), (3,9,22,3,'2 024-02-15 20:05:57.590933', 'FRIEND', 'Y', 'ACCEPT'), (3,7,23, 5, '2024-02-15 20:07:16.463742', 'FRIEND', 'N', 'ACCEPT'), (3,7, 24,2,'2024-02-15 20:07:16.463734','FRIEND','Y','ACCEPT'), (6,8,25,5,'2024-02-15 20:08:42.531887','FRIEND','N','ACCEP T'), (6,8,26,3,'2024-02-15 20:08:42.531871', 'FRIEND', 'Y', 'AC CEPT'), (2,14,27,5,'2024-02-15 20:17:26.465946','FRIEN D', 'N', 'ACCEPT'), (2, 14, 28, 4, '2024-02-15 20:17:26.465937', 'F RIEND', 'Y', 'ACCEPT'), (1, 12, 29, 5, '2024-02-15 20:17:35.77448 6', 'FRIEND', 'N', 'ACCEPT'), (1,12,30,4,'2024-02-15 20:17:35.7 74479', 'FRIEND', 'Y', 'ACCEPT'), (6, 13, 31, 2, '2024-02-15 20:17: 39.186648', 'FRIEND', 'N', 'ACCEPT'), (6,13,32,4,'2024-02-15 2

```
0:17:39.186638', 'FRIEND', 'Y', 'ACCEPT'), (5,15,33,5,'2024-02-
15 20:18:36.850499', 'FRIEND', 'N', 'ACCEPT'), (5,15,34,3,'2024
-02-15 20:18:36.850489', 'FRIEND', 'Y', 'ACCEPT'), (6, NULL, 35,
2,'2024-02-16 01:08:04.709030','FRIEND','N','WAIT'),(6,NUL
L,36,1,'2024-02-16 01:08:04.709005','FRIEND','Y','WAIT'),
(1,16,37,5,'2024-02-16 10:27:07.981393','FRIEND','N','ACCEP
T'), (1,16,38,2,'2024-02-16 10:27:07.981370', 'FRIEND', 'Y', 'A
CCEPT'), (1, NULL, 39, 2, '2024-02-16 10:52:22.462381', 'FRIEN
D', 'N', 'WAIT'), (1, NULL, 40, 1, '2024-02-16 10:52:22.462372', 'F
RIEND', 'Y', 'WAIT');
/*!40000 ALTER TABLE `matching` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table `solo`
DROP TABLE IF EXISTS `solo`;
/*!40101 SET @saved_cs_client = @@character_set_client
/*!50503 SET character set client = utf8mb4 */;
CREATE TABLE `solo` (
  `category_id` int DEFAULT NULL,
  `solo id` int NOT NULL AUTO INCREMENT,
  `user_id` int DEFAULT NULL,
  `create at` datetime(6) DEFAULT NULL,
  `solo_auth_img` varchar(200) DEFAULT NULL,
  `solo_result` enum('COMPLETE','INCOMPLETE') DEFAULT NULL,
  `solo_status` enum('PROGRESS','DONE') DEFAULT NULL,
  PRIMARY KEY (`solo_id`),
  KEY `FKpkex3bs6e2eq8dx0ocuj0y8ee` (`category_id`),
  KEY `FKktmgtifklf2f7x3flv8ynxobr` (`user id`),
  CONSTRAINT `FKktmqtifklf2f7x3flv8ynxobr` FOREIGN KEY (`us
er_id`) REFERENCES `users` (`user_id`),
  CONSTRAINT `FKpkex3bs6e2eq8dx0ocuj0y8ee` FOREIGN KEY (`ca
tegory_id`) REFERENCES `category` (`category_id`)
) ENGINE=InnoDB AUTO INCREMENT=15 DEFAULT CHARSET=utf8mb4 C
OLLATE=utf8mb4_0900_ai_ci;
```

```
/*!40101 SET character_set_client = @saved_cs_client */;
-- Dumping data for table `solo`
LOCK TABLES `solo` WRITE;
/*!40000 ALTER TABLE `solo` DISABLE KEYS */;
INSERT INTO `solo` VALUES (1,1,3,'2024-02-15 18:03:38.69152
8', 'https://sqdc-test-bucket.s3.ap-northeast-2.amazonaws.co
m/SOLO_AUTH_IMAGE/3_1_%EA%B8%B0%EC%83%81.PNG','COMPLETE','D
ONE'),(2,2,3,'2024-02-15 18:03:52.240619','https://sgdc-tes
t-bucket.s3.ap-northeast-2.amazonaws.com/SOLO AUTH IMAGE/3
2_%EC%95%8C%EA%B3%A0%EB%A6%AC%EC%A6%98.jpg','COMPLETE','DON
E'), (3, 3, 3, '2024-02-15 18:03:54.923689', 'https://sgdc-test-
bucket.s3.ap-northeast-2.amazonaws.com/SOLO AUTH IMAGE/3 3
_%EC%9A%B4%EB%8F%99.jpg','COMPLETE','DONE'),(1,4,2,'2024-02
-15 18:10:39.742069', 'https://sqdc-test-bucket.s3.ap-northe
ast-2.amazonaws.com/SOLO_AUTH_IMAGE/2_1_%EA%B8%B0%EC%83%81%
EC%B1%8C%EB%A6%B0%EC%A7%80.png', 'COMPLETE', 'DONE'), (2,5,
2,'2024-02-15 18:10:46.718719','https://sqdc-test-bucket.s
3.ap-northeast-2.amazonaws.com/SOLO_AUTH_IMAGE/2_2_%EC%95%8
C%EA%B3%A0%EB%A6%AC%EC%A6%98%EC%9D%B8%EC%A6%9D1.png','COMPL
ETE', 'DONE'), (3,6,2, '2024-02-15 18:10:54.118750', 'https://s
gdc-test-bucket.s3.ap-northeast-2.amazonaws.com/SOLO_AUTH_I
MAGE/2 3 %EC%9A%B4%EB%8F%99%EC%9D%B8%EC%A6%9D.png', 'COMPLET
E', 'DONE'), (4,7,2, '2024-02-15 18:11:00.219694', 'https://sgd
c-test-bucket.s3.ap-northeast-2.amazonaws.com/SOLO_AUTH_IMA
GE/2 4 %EC%8A%A4%ED%84%B0%EB%94%94%EC%9D%B8%EC%A6%9D.pn
g', 'COMPLETE', 'DONE'), (2,8,4,'2024-02-15 18:21:33.14724
2', 'https://sqdc-test-bucket.s3.ap-northeast-2.amazonaws.co
m/SOLO AUTH IMAGE/4 2 121.PNG', 'COMPLETE', 'DONE'), (6,9,4,'2
024-02-15 18:21:40.552972', 'https://sgdc-test-bucket.s3.ap-
northeast-2.amazonaws.com/SOLO AUTH IMAGE/4 6 detail 76863
0_b1616cc8-3a25-41a7-a145-613b50eb75b4.jpg','COMPLETE','DON
E'), (5, 10, 4, '2024-02-15 18:21:50.691294', 'https://sgdc-test
-bucket.s3.ap-northeast-2.amazonaws.com/SOLO_AUTH_IMAGE/4_5
_1694679858306_0.png','COMPLETE','DONE'),(3,11,4,'2024-02-1
```

```
5 18:22:01.364392', 'https://sgdc-test-bucket.s3.ap-northeas
t-2.amazonaws.com/SOLO AUTH IMAGE/4 3 KakaoTalk 20240215 18
1117423.jpg','COMPLETE','DONE'),(2,12,1,'2024-02-15 18:22:5
9.959313', 'https://sgdc-test-bucket.s3.ap-northeast-2.amazo
naws.com/SOLO AUTH IMAGE/1 2 %EC%BA%A1%EC%B2%98.PNG', 'COMPL
ETE', 'DONE'), (1,13,4,'2024-02-15 23:06:36.431780', NULL, 'INC
OMPLETE', 'DONE'), (1,14,6, '2024-02-16 00:33:05.149892', NUL
L, 'INCOMPLETE', 'PROGRESS');
/*!40000 ALTER TABLE `solo` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table `user badge`
DROP TABLE IF EXISTS `user badge`;
/*!40101 SET @saved_cs_client = @@character_set_client
*/;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `user_badge` (
  `badge id` int DEFAULT NULL,
  `user_badge_id` int NOT NULL AUTO_INCREMENT,
  `user id` int DEFAULT NULL,
  PRIMARY KEY (`user_badge_id`),
  KEY `FKjqx9n26pk9mqf1qo8f7xvvoq9` (`badge_id`),
  KEY `FKa96xbjeyiemypugmi9g8x8fiu` (`user_id`),
  CONSTRAINT `FKa96xbjeyiemypugmi9g8x8fiu` FOREIGN KEY (`us
er_id`) REFERENCES `users` (`user_id`),
  CONSTRAINT `FKjqx9n26pk9mqf1qo8f7xvvoq9` FOREIGN KEY (`ba
dge_id`) REFERENCES `badge` (`badge_id`)
) ENGINE=InnoDB AUTO INCREMENT=26 DEFAULT CHARSET=utf8mb4 C
OLLATE=utf8mb4 0900 ai ci;
/*!40101 SET character_set_client = @saved_cs_client */;
-- Dumping data for table `user_badge`
```

```
LOCK TABLES `user_badge` WRITE;
/*!40000 ALTER TABLE `user badge` DISABLE KEYS */;
INSERT INTO `user_badge` VALUES (1,1,2),(1,2,3),(7,3,2),(7,
4,4),(8,5,4),(8,6,2),(16,7,3),(16,8,2),(12,9,4),(12,10,3),
(12,11,5), (12,12,2), (1,13,4), (1,14,5), (5,15,4), (5,16,5), (5,
17,1), (5,18,3), (1,19,1), (2,20,2), (17,21,3), (2,22,5), (5,23,1), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,5), (2,22,
2), (5, 24, 3), (6, 25, 3);
/*!40000 ALTER TABLE `user_badge` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table `user_category`
DROP TABLE IF EXISTS `user_category`;
/*!40101 SET @saved cs client = @@character set client
*/;
/*!50503 SET character set client = utf8mb4 */;
CREATE TABLE `user_category` (
     `category_fail_cnt` int DEFAULT NULL,
     `category id` int DEFAULT NULL,
     `category_win_cnt` int DEFAULT NULL,
     `user_category_id` int NOT NULL AUTO_INCREMENT,
     `user id` int DEFAULT NULL,
     `category_status` enum('NONE_STATUS','MATCH_STATUS','PLAY
STATUS') DEFAULT NULL,
    PRIMARY KEY (`user_category_id`),
    KEY `FKjchjxphkf5owj1i5bp95g5mfs` (`category_id`),
    KEY `FKh1fip9lpe4alrpurxqfmpftvl` (`user_id`),
    CONSTRAINT `FKh1fip9lpe4alrpurxqfmpftvl` FOREIGN KEY (`us
er id`) REFERENCES `users` (`user id`),
     CONSTRAINT `FKjchjxphkf5owj1i5bp95q5mfs` FOREIGN KEY (`ca
tegory_id`) REFERENCES `category` (`category_id`)
) ENGINE=InnoDB AUTO INCREMENT=55 DEFAULT CHARSET=utf8mb4 C
OLLATE=utf8mb4 0900 ai ci;
/*!40101 SET character set client = @saved cs client */;
```

```
-- Dumping data for table `user_category`
LOCK TABLES `user_category` WRITE;
/*!40000 ALTER TABLE `user_category` DISABLE KEYS */;
INSERT INTO `user_category` VALUES (0,1,1,1,1,'MATCH_STATU
S'), (0,2,1,2,1, 'NONE_STATUS'), (0,3,0,3,1, 'NONE_STATUS'), (0,
4, 0, 4, 1, 'NONE_STATUS'), (0, 5, 0, 5, 1, 'NONE_STATUS'), (0, 6, 0, 6,
1, 'MATCH_STATUS'), (0,1,3,7,2, 'MATCH_STATUS'), (0,2,1,8,2, 'NO
NE_STATUS'), (0,3,1,9,2,'NONE_STATUS'), (0,4,1,10,2,'NONE_STA
TUS'), (0, 5, 2, 11, 2, 'NONE_STATUS'), (0, 6, 1, 12, 2, 'MATCH_STATU
S'), (0, 1, 1, 13, 3, 'NONE_STATUS'), (1, 2, 1, 14, 3, 'NONE_STATUS'),
(0,3,1,15,3,'PLAY_STATUS'),(0,4,1,16,3,'NONE_STATUS'),(0,5,
0,17,3,'PLAY_STATUS'),(0,6,0,18,3,'PLAY_STATUS'),(0,1,1,19,
4, 'NONE_STATUS'), (0, 2, 1, 20, 4, 'NONE_STATUS'), (0, 3, 1, 21, 4, 'PL
AY_STATUS'), (0,4,0,22,4,'NONE_STATUS'), (0,5,2,23,4,'NONE_ST
ATUS'), (0,6,1,24,4,'NONE_STATUS'), (0,1,2,25,5,'NONE_STATU
S'), (0, 2, 1, 26, 5, 'NONE_STATUS'), (0, 3, 1, 27, 5, 'NONE_STATUS'),
(0, 4, 0, 28, 5, 'NONE_STATUS'), (0, 5, 0, 29, 5, 'PLAY_STATUS'), (0, 6,
0,30,5,'PLAY_STATUS'),(0,1,0,31,6,'NONE_STATUS'),(0,2,0,32,
6, 'NONE_STATUS'), (0, 3, 0, 33, 6, 'NONE_STATUS'), (0, 4, 0, 34, 6, 'NO
NE_STATUS'), (0,5,0,35,6,'NONE_STATUS'), (0,6,0,36,6,'NONE_ST
ATUS'), (0,1,0,37,7,'NONE_STATUS'), (0,2,0,38,7,'NONE_STATU
S'), (0,3,0,39,7,'NONE_STATUS'), (0,4,0,40,7,'NONE_STATUS'),
(0,5,0,41,7,'NONE_STATUS'),(0,6,0,42,7,'NONE_STATUS'),(0,1,
0,43,8,'NONE_STATUS'),(0,2,0,44,8,'NONE_STATUS'),(0,3,0,45,
8, 'NONE_STATUS'), (0, 4, 0, 46, 8, 'NONE_STATUS'), (0, 5, 0, 47, 8, 'NO
NE_STATUS'), (0,6,0,48,8,'NONE_STATUS'), (0,1,0,49,9,'NONE_ST
ATUS'), (0,2,0,50,9,'NONE_STATUS'), (0,3,0,51,9,'NONE_STATU
S'), (0, 4, 0, 52, 9, 'NONE_STATUS'), (0, 5, 0, 53, 9, 'NONE_STATUS'),
(0,6,0,54,9,'NONE_STATUS');
/*!40000 ALTER TABLE `user_category` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table `users`
```

```
DROP TABLE IF EXISTS `users`;
/*!40101 SET @saved cs client = @@character set client
*/;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `users` (
  `badge_id` int DEFAULT NULL,
  `challenge cnt` int DEFAULT NULL,
  `complain cnt` int DEFAULT NULL,
  `kakao_push` bit(1) DEFAULT NULL,
  `signout` bit(1) DEFAULT NULL,
  `user_id` int NOT NULL AUTO_INCREMENT,
  `user_ssafy_id` int DEFAULT NULL,
  `create_at` datetime(6) DEFAULT NULL,
  `update_at` datetime(6) DEFAULT NULL,
  `login_id` varchar(20) DEFAULT NULL,
  `user email` varchar(20) DEFAULT NULL,
  `user_name` varchar(20) DEFAULT NULL,
  `user_nickname` varchar(20) DEFAULT NULL,
  `user_phone` varchar(20) DEFAULT NULL,
  `user_img` varchar(200) DEFAULT NULL,
  `user password` varchar(250) DEFAULT NULL,
  `auth` varchar(255) DEFAULT NULL,
  `token` varchar(255) DEFAULT NULL,
  PRIMARY KEY (`user_id`),
  UNIQUE KEY `UK_i3xs7wmfu2i3jt079uuetycit` (`login_id`),
  KEY `FKbytj9yik4e35vetw9kngatfdx` (`badge id`),
  CONSTRAINT `FKbytj9yik4e35vetw9knqatfdx` FOREIGN KEY (`ba
dge_id`) REFERENCES `badge` (`badge_id`)
) ENGINE=InnoDB AUTO INCREMENT=10 DEFAULT CHARSET=utf8mb4 C
OLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;
-- Dumping data for table `users`
LOCK TABLES `users` WRITE;
/*!40000 ALTER TABLE `users` DISABLE KEYS */;
```

INSERT INTO `users` VALUES (NULL, 5, 0, _binary '', _binary '\0',1,1049963,'2024-02-15 17:36:20.489641','2024-02-15 17: 36:20.489665', 'hyunchun24', 'hyunchun24@naver.com', '박현 춘','춘식','01097739052','https://sgdc-test-bucket.s3.ap-nor theast-2.amazonaws.com/PROFILE IMAGE/hyunchun24 jitensya ku ma.png','\$2a\$10\$K6wkrsgPY2fKAvkvuXj6De87Z2G1oikLGxKngcg1519 n32MfqHhF2', 'ROLE_USER', NULL), (7,5,0,_binary '',_binary '\0',2,1044244,'2024-02-15 17:38:04.780721','2024-02-15 17: 38:04.780733', 'hhhjieun', 'hon1770@naver.com', '홍지은', '지 니','01029725070','https://sqdc-test-bucket.s3.ap-northeast -2.amazonaws.com/PROFILE_IMAGE/hhhjieun_%EA%B0%95%EC%95%84% EC%A7%80.png','\$2a\$10\$rgxtGX43ebXC/KQT9SyKH0oJA1tiQypD3zj9Y jFf4Cabf0f7yPiWe', 'ROLE USER', NULL), (16,6,0, binary '', bin ary '\0',3,1041970,'2024-02-15 17:50:44.578205','2024-02-15 17:50:44.578220', 'woori5030', 'woori50300@gmail.com', '저누 리','태범아발표잘해라','01072165030','https://sqdc-test-bucket. s3.ap-northeast-2.amazonaws.com/PROFILE IMAGE/woori5030 %E B%AA%A8%ED%86%A0%EB%9E%91%EB%82%98%28%EC%BA%90%EB%A6%AC%EC% BB%A4%EC%B3%90%29.webp','\$2a\$10\$zR7ZJpvM1K4UNrBywLK7Hu3ojqD 2vT0qXkEd.FBmXZGN1.ywHCx2u', 'ROLE_USER', NULL), (7,6,0,_binar y '', binary '\0',4,1040305,'2024-02-15 17:52:44.694431','2 024-02-15 17:52:44.694446', 'ktb5057', 'ktb5057@gmail.co m','김태범','통통한선인장','01033907917','https://sgdc-test-buc ket.s3.ap-northeast-2.amazonaws.com/PROFILE IMAGE/ktb5057 a i_search.png','\$2a\$10\$xznKab33XN/rEb1xoEDaousPA5TXQHIdnB0aj OHrm31CfEWsmBLsW', 'ROLE_USER', NULL), (NULL, 6, 0, _binary '', _b inary '\0',5,1042213,'2024-02-15 17:59:59.463105','2024-02-15 17:59:59.463110', 'hwasuk528', 'hwasuk528@naver.com', '오화 석','춘식이사생팬','01072706318','https://sqdc-test-bucket.s3. ap-northeast-2.amazonaws.com/PROFILE_IMAGE/hwasuk528_%EC%B 6%98.png','\$2a\$10\$22fRdGdGwniPVbVrVDt7GuE7/S2NF0WloMLEf.gd2 i7rGnrixIEbW', 'ROLE_USER', NULL), (NULL, 6, 0, _binary '', _binar y '\0',6,102345,'2024-02-16 00:29:45.460556','2024-02-16 0 0:29:45.460561', 'awetumnn', 'awetumnn@gmail.com', '유수안', '망 그러지다가만곰','01064255946','https://sgdc-test-bucket.s3.apnortheast-2.amazonaws.com/PROFILE IMAGE/awetumnn trip img1. jpg','\$2a\$10\$y5GWm3CGhp1Ty5LmXqlGFuNQjijRMK3Y0ZHJvls9M/p04w uITAuFW', 'ROLE_USER', NULL), (NULL, 6, 0, _binary '', _binary

```
'\0',7,101231,'2024-02-16 09:06:57.271257','2024-02-16 09:0
6:57.271264', 'ssafy1', 'zsa332@gmail.com', '공튀기기', '공튀기
기','01012341234','https://sgdc-test-bucket.s3.ap-northeast
-2.amazonaws.com/PROFILE IMAGE/ssafy1 %EB%AA%A8%ED%86%A0%E
B%9E%91%EB%82%98%28%EC%BA%90%EB%A6%AC%EC%BB%A4%EC%B3%90%29
2.webp', '$2a$10$cNMoeY0z7Jej2aeJfE1AGuTJs0c0krTpyb0h9j1dAMF
wwqcf1F92y', 'ROLE_USER', NULL), (NULL, 6, 0, _binary '', _binary
'\0',8,1044512,'2024-02-16 09:18:34.801156','2024-02-16 09:
18:34.801161', 'hhjieun', 'bjh4395@naver.com', '김싸피', '우리우리
언니','01045218569','https://sqdc-test-bucket.s3.ap-northeas
t-2.amazonaws.com/PROFILE_IMAGE/hhjieun_%EA%B0%95%EC%95%84%
EC%A7%80.png','$2a$10$s0m5L6PiQsQrZSnWLSrC30olXySNP/OlW.WPa
RU3D9DxbdwDW9SV0', 'ROLE_USER', NULL), (NULL, 6, 0, _binary '', _b
inary '\0',9,1044857,'2024-02-16 09:20:56.798910','2024-02-
16 09:20:56.798914', 'ssafy2', 'chh9450@naver.com', '이싸피', '우
리우리','01045217856','https://sqdc-test-bucket.s3.ap-northe
ast-2.amazonaws.com/PROFILE_IMAGE/ssafy2_%EA%B3%A0%EC%96%9
1%EC%9D%B4.png','$2a$10$.G4EiJrMr2Y0trRTeVuztuwSYGgRk7x/uCf
5ARXIfjej0Pp/SJ5m6', 'ROLE_USER', NULL);
/*!40000 ALTER TABLE `users` ENABLE KEYS */;
UNLOCK TABLES:
/*!40103 SET TIME ZONE=@OLD TIME ZONE */;
/*!40101 SET SQL MODE=@OLD SQL MODE */;
/*!40014 SET FOREIGN_KEY_CHECKS=@OLD_FOREIGN_KEY_CHECKS */;
/*!40014 SET UNIQUE CHECKS=@OLD UNIQUE CHECKS */;
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT
*/;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESUL
TS */;
/*!40101 SET COLLATION CONNECTION=@OLD COLLATION CONNECTION
*/;
/*!40111 SET SQL_NOTES=@OLD_SQL_NOTES */;
-- Dump completed on 2024-02-16 9:28:56
```

4. git ignore

```
*#
*.iml
*.ipr
*.iws
*.jar
*.SW?
*~
.#*
.*.md.html
.DS_Store
.attach_pid*
.classpath
.factorypath
.gradle
.idea
.metadata
.project
.recommenders
.settings
.springBeans
.vscode
/code
MANIFEST.MF
_site/
activemq-data
bin
build
!/**/src/**/bin
!/**/src/**/build
build.log
dependency-reduced-pom.xml
dump.rdb
interpolated*.xml
lib/
manifest.yml
out
overridedb.*
target
```

```
.flattened-pom.xml
secrets.yml
.gradletasknamecache
.sts4-cache
.sql
src/main/resources/application.yml
src/main/resources/generatorConfig.xml
```

5. 외부 서비스

```
project ssafy
https://project.ssafy.com/ssafy/api/auth/signin
```

```
const isssafy = function (ssafy)
   console.log('isssafy 되고있나');
   return new Promise((resolve, reject) => {
          .post(ssafyurl, ssafy)
          .then((response) => {
             console.log('싸피 인증 통과 메세지');
             console.log(response);
             console.log(response.response.data.message);
             resolve(response);
          .catch((e) => {
             console.log('싸피 인증 오류 메세지');
             console.log(e);
             console.log(e.response.data.message);
              if(e.response.data.message == '아이디가 존재하지 않습니다.'){
                 reject(e.response.data.message);
                 resolve(e.response.data.message);
```

6. 인프라 구조

