


JiJ Bot

Developer Deployment Guide

Step-by-step process for building, signing, and distributing updates to JiJ Bot for Android.



Prerequisites & Project Structure

Required tools

- Node.js 18+ (node --version to check)
- Android Studio (includes Java JDK and Gradle)
- ADB (Android Debug Bridge) — installed with Android Studio
- Git (for version control)

Key paths

```
Project root:      C:\Users\natha\JumpInJackBot\  
Android app:      apps\android\  
Android project:  apps\android\android\  
Release APK output: apps\android\android\app\build\outputs\apk\release\  
Signing keystore: apps\android\android\jijbot-release.jks  
Icon generator:   scripts\gen-icon.mjs  
PDF generator:    scripts\gen-pdfs.mjs
```

& Never commit jijbot-release.jks to git or share it publicly. Back it up offline.

Signing credentials — STORE THESE SAFELY

```
Keystore file:  jijbot-release.jks  
Key alias:      jijbot  
Password:      zsphWqrEsznn!Vnc
```

(Both storePassword and keyPassword use the same value above)

ADB location

```
C:\Users\natha\AppData\Local\Android\Sdk\platform-tools\adb.exe
```

Build Process — Step by Step

Step 1 — Make your code changes

All source files live under `packages/` and `apps/`. The main areas:

- `packages/core/src/` — bot logic, price feeds, swap execution
- `packages/ui/src/` — shared React UI components
- `apps/android/src/` — Android-specific platform code and `AuthGate`
- `apps/desktop/src/` — Browser-specific platform code

Step 2 — Bump the version number

Open `apps/android/android/app/build.gradle` and increment both values:

```
defaultConfig {  
    versionCode 2          // increment by 1 each release  
    versionName "1.1"     // human-readable version  
}
```

`versionCode` must always increase. `versionName` is what users see.

Step 3 — Build the JS bundle and sync to Android

Run from the project root in PowerShell:

```
cd C:\Users\natha\JumpInJackBot  
npm run build:android
```

This runs Vite (builds the React app) then `npx cap sync android` (copies the built files into the Android project and updates native plugins). Watch for any errors — if Vite fails, fix the TypeScript errors before proceeding.

Step 4 — Build the signed release APK

```
$env:JAVA_HOME = "C:\Program Files\Android\Android Studio\jbr"  
$env:KS_PASS    = "zsphWqrEsznn!Vnc"  
cd C:\Users\natha\JumpInJackBot\apps\android\android  
.\gradlew assembleRelease
```

Build takes 30–60 seconds. On success you will see `BUILD SUCCESSFUL`. The signed APK is at:

```
app\build\outputs\apk\release\app-release.apk
```

Step 5 — Test on your own phone first

Connect your phone via USB with USB Debugging enabled, then:

```
$adb = "C:\Users\natha\AppData\Local\Android\Sdk\platform-tools\adb.exe"
& $adb devices                # confirm phone is listed
& $adb install -r app-release.apk  # -r = replace existing install
```

The `-r` flag upgrades without uninstalling (preserves wallet data). Only omit it if you need a clean install. Run through the full flow on your phone before distributing.

Distribution & Maintenance

Hosting — GitHub Releases (recommended)

GitHub Releases is the best place to host the APK for community distribution. It is free, versioned, and gives a permanent direct download URL.

1. Create a GitHub account at github.com if you do not have one
2. Create a new repository: e.g. `jumpinjack-bot`
3. Run these commands to push the project (without secrets):

```
cd C:\Users\natha\JumpInJackBot
git init
echo "*.jks" >> .gitignore
echo "node_modules/" >> .gitignore
git add .
git commit -m "Initial release v1.0"
git remote add origin https://github.com/YOUR_USERNAME/jumpinjack-bot.git
git push -u origin main
```

1. On GitHub, go to your repo !' Releases !' Draft a new release
2. Tag: v1.0 | Title: JiJ Bot v1.0
3. Write release notes (what changed)
4. Drag and drop `app-release.apk` into the Assets section
5. Click Publish release
6. Copy the direct APK download URL — this goes into the community guide and the PDF

For each future update, repeat the release process with a new tag (v1.1, v1.2 etc.).

Updating the app icon

The icon is generated from the `setup-bg.png` source image. To regenerate all mipmap sizes after changing the crop or source image:

```
cd C:\Users\natha\JumpInJackBot
node scripts\gen-icon.mjs
```

Check the preview at `scripts/icon-preview.png`, adjust the CROP values in the script, then rebuild.

Regenerating these PDFs

```
cd C:\Users\natha\JumpInJackBot
node scripts\gen-pdfs.mjs
```

PDFs are saved to `scripts/JiJBot-User-Guide.pdf` and `scripts/JiJBot-Dev-`

Troubleshooting common build failures

INSTALL_FAILED_UPDATE_INCOMPATIBLE

The phone has a build with a different signature (e.g. a debug build). Uninstall the old version first:

```
& $adb uninstall com.jijbot.android
```

Keystore not found

Ensure jijbot-release.jks is at apps/android/android/jijbot-release.jks and KS_PASS is set in the PowerShell session.

Vite build fails with TypeScript errors

Fix the errors shown in the output. Do not proceed to Gradle until the JS build succeeds.

JAVA_HOME not set / Gradle fails immediately

You must set JAVA_HOME in the same PowerShell session before running Gradle:

```
$env:JAVA_HOME = "C:\Program Files\Android\Android Studio\jbr"
```