


EXTERNALCSS

EXERCISE:1

INPUT:




```
<!DOCTYPE HTML>
<HTML>
<HEAD>
<LINK REL="STYLESHEET" HREF="MYSTYLE.CSS">
</HEAD>
<BODY>
<H1>THIS IS A HEADING</H1>
<P>THIS IS A PARAGRAPH</P>
</BODY>
</HTML>
```

Activate Windows
Go to PC settings to activate Windows.

6:48 PM
6/26/2023


OUTPUT:



INTERNAL

EXERCISE:2


INPUT:



```
<!DOCTYPE HTML>
<HTML>
<HEAD>
<STYLE>
BODY{
    BACKGROUND-COLOR:LINEN;
}
H1{
    COLOR:MAROON;
    MARGIN-LEFT:40PX;
}
</STYLE>
</HEAD>
<BODY>
<H1>THIS IS A HEADING</H1>
<P>THIS IS A PARAGRAPH</P>
</BODY>
</HTML>
```

Activate Windows
Go to PC settings to activate Windows.


OUTPUT:



INLINE

EXERCISE:3

INPUT:




```
<!DOCTYPE HTML>
<HTML>
<BODY>
<H1 STYLE="COLOR:BLUE;TEXT-
ALIGN:CENTER;">THIS IS A
HEADING</H1>
<P STYLE="COLOR:RED;">THIS IS A
PARAGRAPH</P>
</BODY>
</HTML>
```

Activate Windows
Go to PC settings to activate Windows.

7:20 PM
6/26/2023


OUTPUT:



BACKGROUND-COLOR

EXERCISE:4

INPUT:




```
<!DOCTYPE HTML>
<HTML>
<HEAD>
  <META CHARSET="UTF-8">
  <TITLE></TITLE>
  <STYLE MEDIA="SCREEN">
    H1{
      BACKGROUND-COLOR:LIGHTGREEN;
    }
    DIV{
      BACKGROUND-COLOR:LIGHTBLUE;
    }
    P{
      BACKGROUND-COLOR:YELLOW;
    }
  </STYLE>
</HEAD>
<BODY>
  <H1>HELLO</H1>
  <DIV CLASS=" ">
    HOW ARE YOU???
  </DIV>
  <P>WELCOME!!</P>
</BODY>
</HTML>
```

Activate Windows
Go to PC settings to activate Windows.

11:20 AM
6/27/2023


OUTPUT:



BACKGROUND-IMAGE

EXERCISE:5

INPUT



```
<HTML>
<HEAD>
<STYLE>
BODY{
    BACKGROUND-COLOR:#FFFFFF;
    BACKGROUND-IMAGE:URL("cr7.JPG");
    BACKGROUND-REPEAT:NO-REPEAT;
    BACKGROUND-POSITION:RIGHT TOP;
}


/*
SHORT AND PROPERTY
BODY{
    BACKGROUND:#FFFFFF URL ("cr7.JPG") NO-REPEAT RIGHT TOP;
}
*/
</STYLE>
</HEAD>
<BODY>
    </H1>VIJAYARAGAVAN</H1>
</BODY>
```

The image shows a Notepad window titled "5 - Notepad" with a menu bar (File, Edit, Format, View, Help). The text area contains HTML and CSS code. The CSS code defines a style for the body with a white background, a background image of "cr7.JPG", no repeat, and right-top positioning. There is a comment block with a shorthand property. The HTML code includes a head section with the style tag and a body section with a heading. The Windows taskbar at the bottom shows various icons, a system tray with weather and time information, and an "Activate Windows" watermark.

•

•


OUTPUT:



BORDER

EXERCISE:6

INPUT:




```
<html>
<head>
<style>
p.dotted {border-style:dotted;}
p.dashed {border-style:dashed;}
p.solid { border-style:solid;}
p.double {border-style:double;}
p.groove {border-style:grooove;}
p.ridge {border-style:ridge;}
p.inset {border-style:inset;}
P.outset {border-style:outset;}
p.none {border-style:none;}
p.hidden {border-style:hidden;}
p.mix {border-style:dotted dashed solid double;}
</style>
</head>
<body>
<p class="dotted">this is dotted border </p>
<p class="dashed">this is dashed border </p>
<p class="solid">this is solid border </p>
<p class="double">this is double border </p>
<p class="groove">this is groove border </p>
<p class="ridge">this is ridge border </p>
<p class="inset">this is inset border </p>
<p class="outset">this is outset border </p>
<p class="none">this is none border </p>
<p class="hidden">this is hidden border </p>
<p class="mix">this is mix border </p>
</body>
</html>
```

Activate Windows
Go to PC settings to activate Windows.

12:09 PM
6/27/2023


OUTPUT:




Exercise7:

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <style>
5   ul.a{list-style-type:circle;}
6   ul.b{list-style-type:disc;}
7   ul.c{list-style-type:square;}
8   ol.d{list-style-type:armenian;}
9   ol.e{list-style-type:cjk-ideographic;}
10  ol.f{list-style-type:decimal;}
11  ol.g{list-style-type:decimal-leading-zero;}
12  ol.h{list-style-type:katakana-iroha;}
13  ol.i{list-style-type:lower-greek;}
14  ol.j{list-style-type:lower-roman;}
15 </style>
16 </head>
17 <body>
18 <h2> All list style types</h2>
19 <ul class="a">
20 <li>circle type</li>
21 <li>Tea </li>
22 <li>Coca Cola</li>
23 </ul>
24 <ul class="b">
25 <li>disc type</li>
```

Output:




Exercise8:



```
1  K:DOCTYPE html
2  <html>
3  <head>
4  <meta charset="UTF-8">
5  <title>A Fancy Table</title>
6  <link href="ex-8css.html" rel="stylesheet">
7  </head>
8  <body>
9  <table>
10     <tr>
11         <th>Company</th>
12         <th>Contact</th>
13         <th>Country</th>
14     </tr>
15     <tr>
16         <td>Alfreds Futterkiste</td>
17         <td>Maria Anders</td>
18         <td>Germany</td>
19     </tr>
20     <tr>
21         <td>Berglunds snabbköp</td>
22         <td>Christina Berglund</td>
23         <td>Sweden</td>
24     </tr>
25     <tr>
26         <td>Centro comercial Moctezuma</td>
27         <td>Francisco Chang</td>
28         <td>Mexico</td>
29     </tr>
30     <tr>
31         <td>Ernst Handel</td>
32         <td>Roland Mendel</td>
33         <td>Austria</td>
34     </tr>
35     <tr>
36         <td>Island Trading</td>
37         <td>Helen Bennett</td>
38         <td>UK</td>
39     </tr>
40     <tr>
41         <td>Königlich Essen</td>
42         <td>Philip Cramer</td>
43         <td>Germany</td>
44     </tr>
45     <tr>
46         <td>Laughing Bacchus Winecellars</td>
47         <td>Yoshi Tannamuri</td>
48         <td>Canada</td>
49     </tr>
50     <tr>
51         <td>Magazzini Alimentari Riuniti</td>
52         <td>Giovanni Rovelli</td>
53         <td>Italy</td>
54     </tr>
55     <tr>
56         <td>North/South</td>
57         <td>Simon Crowther</td>
58         <td>UK</td>
59     </tr>
60     <tr>
61         <td>Paris spécialités</td>
62         <td>Marie Bertrand</td>
63         <td>France</td>
64     </tr>
65 </table>
66 </body>
67 </html>
```

Output:



Company	Contact	Country	Company	Contact	Country
Alfreds Futterkiste	Maria Anders	Germany			
Berglunds snabbköp	Christina Berglund	Sweden			
Centro comercial Moctezuma	Francisco Chang	Mexico			
Ernst Handel	Roland Mendel	Austria			
Island Trading	Helen Bennett	UK			
Königlich Essen	Philip Cramer	Germany			
Laughing Bacchus Winecellars	Yoshi Tannamuri	Canada			
Magazzini Alimentari Riuniti	Giovanni Rovelli	Italy			
North/South	Simon Crowther	UK			
Paris spécialités	Marie Bertrand	France			

Exercise9:

```
css9 forms - Notepad
File Edit Format View Help
<!DOCTYPE html>
<html>
<head>
<style>
* {
  box-sizing: border-box;
}

input[type=text], select, textarea {
  width: 100%;
  padding: 12px;
  border: 1px solid #ccc;
  border-radius: 4px;
  resize: vertical;
}

label {
  padding: 12px 12px 12px 0;
  display: inline-block;
}
```

Output:

css9 forms - Notepad

File Edit Format View Help

css9 forms - chrome

T:/CSS%20day%203/css9%20forms.html

Responsive Form

Resize the browser window to see the effect. When the screen is less than 600px wide, make the two columns stack on top of each other instead of next to each other.


First Name	<input type="text" value="Your name.."/>
Last Name	<input type="text" value="Your last name.."/>
Country	<input type="text" value="Australia"/>
Subject	<div>Write something..</div>

Submit


Exercise10:

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <style>
5 #customers{
6 font-family:Arial,Helvetica,sans-serif;
7 border-collapse:collapse;
8 width:100%;
9 }
10 #customers td,#customers th{
11 border:1px solid #ddd;
12 padding:8px;
13 }
14 #customers
15 tr:nth-child(even){background-color:#a2a2a2;}
16 #customers tr:hover{background-color:#ddd;}
17 #customers th{
18 padding-top:12px;
19 padding-bottom:12px;
20 text-align:left;
21 background-color:#04AA6D;
22 color:white;
23 }
24 </style>
25 </head>
26 <body>
27 <h1> A Fancy Table</h1>
28 <div style="overflow-x:auto;">
29 <table id="customers">
30 <tr>
31 <th>company</th>
32 <th>contact</th>
33 <th>country</th>
34 <th>company</th>
35 <th>contact</th>
36 <th>country</th>
37 <th>company</th>
38 <th>contact</th>
39 <th>country</th>
```

Output:




Exercise11:




```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <style>
5 body{
6   font-size:28px;
7 }
8 ul{
9   list-style-type:none;
10  margin:0;
11  padding:0;
12  overflow:hidden;
13  background-color:#333;
14  position:-webkit-sticky;/*safari*/
15  position:sticky;
16  top:0;
17 }
18 li{
19   float:left;
20 }
21 li a{
22   display:block;
23   color:white;
24   text-align:center;
25   padding:14px 16px;
26   text-decoration:none;
27 }
28 li a:hover{
```

Output:



Exercise12.1:




```
<!DOCTYPE html>
<html>
<head>
<style>
body {
  background-color:white;
}
ul {
  list-style-type: none;
  margin: 0;
  padding: 0;
  overflow: hidden;
  background-color: #38444d;
}

li {
  float: left;
}

li a, .dropbtn {
  display: inline-block;
  color: white;
  text-align: center;
  padding: 14px 16px;
  text-decoration: none;
}

li a:hover, .dropdown:hover .dropbtn {
  background-color: red;
}
```

Output:



Exercise12.2:


```
css13 dropdowns2 - Notepad
File Edit Format View Help

<!DOCTYPE html>
<html>
<head>
<style>
.dropdown {
  position: relative;
  display: inline-block;
}

.dropdown-content {
  display: none;
  position: absolute;
  background-color: #f9f9f9;
  min-width: 160px;
  box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
  z-index: 1;
}

.dropdown:hover .dropdown-content {
  display: block;
}
```


Output:



Exercise13:

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <style>
5   div{
6     width:100px;
7     height:100px;
8     background:red;
9     transition:width 2s linear 1s;
10  }
11  div:hover{
12    width:300px;
13  }
14 </style>
15 </head>
16 <body>
17 <h1>Using the Transition shorthand Property</h1>
18 <p>Hover over the div element below,to see the transition effect:</p>
19 <div></div>
20 <p><b>Note:</b>The transition effect has a 1 second delay before starting.
  </p>
```

Output:



Exercise:14


```
css14 trans1 - Notepad
File Edit Format View Help
<!DOCTYPE html>
<html>
<head>
<style>
div {
width: 100px;
height: 100px;
background: red;
transition: width 2s linear 1s;
}

div:hover {
width: 300px;
}
</style>
</head>
<body>

<h1>Using The transition Shorthand Property</h1>

<p>Hover over the div element below, to see the transition effect:</p>
```

Output:



Exercise15:

```
css15 tans2 - Notepad
File Edit Format View Help

<!DOCTYPE html>
<html>
<head>
<p>Hover over the div element below:</p>
<style>
div {
width: 100px;
height: 100px;
background: red;
transition: width 2s, height 2s, transform 2s;
}


div:hover {
width: 300px;
height: 300px;
transform: rotate(180deg);
}
</style>
</head>
<body>

<h1>Transition + Transform</h1>

<div></div>

</body>
</html>
```

Output:



Exercise16:


```
css16 ani1 - Notepad
File Edit Format View Help
<!DOCTYPE html>
<html>
<head>
<style>
div {
width: 100px;
height: 100px;
background-color: red;
position: relative;
animation-name: example;
animation-duration: 1s ;
animation-iteration-count: infinite;
//animation-direction: reverse;
//animation-direction: alternate;
}

@keyframes example {
0% {background-color:red; left:0px; top:0px;}
25% {background-color:yellow; left:200px; top:0px;}
50% {background-color:blue; left:200px; top:200px;}
75% {background-color:green; left:0px; top:200px;}
100% {background-color:red; left:0px; top:0px;}
}
</style>
</head>
<body>

<h1>CSS Animation</h1>

<div></div>
```

Output:



Exercise17:

```
css17 ani2 - Notepad
File Edit Format View Help
<!DOCTYPE html>
<html>
<head>
<style>
div {
width: 100px;
height: 50px;
background-color: red;
font-weight: bold;
position: relative;
animation: mymove 5s infinite;
// Shorthand Eg = animation: myfirst 5s linear 2s infinite alternate;
}

#div1 {animation-timing-function: linear;}
#div2 {animation-timing-function: ease;}
#div3 {animation-timing-function: ease-in;}
#div4 {animation-timing-function: ease-out;}
#div5 {animation-timing-function: ease-in-out;}

@keyframes mymove {
from {left: 0px;}
to {left: 300px;}
}
</style>
</head>
<body>

<h1>CSS Animation</h1>
```

Output:

