



rebecca yates coley <rycoley@gmail.com>

R2JAGS on jhpce?

Hwanhee Hong <hhong@jhu.edu>
To: Yates Coley <ryc@jhu.edu>

Sat, Dec 6, 2014 at 2:31 AM

Hi Yates,

You need to download three files

`jags_3.4.0.orig.tar.gz`

`jags3-3.4.0-54.1.x86_64.rpm`

`jags3-devel-3.4.0-54.1.x86_64.rpm`

to your home directory (mine is `jhpce01 /home/other/hhong`). Then you can follow the commands in the attached txt file (`JAGS_install_linux.txt`). You can ignore the last few lines after "YOU SHOULD DO THIS BEFORE RUN THE PACKAGE".

Before you run `R2jags` or `rjags`, you always have to run these three commands.

```
cd /home/other/hhong/jags/usr/include/JAGS
```

```
export LD_LIBRARY_PATH=/home/other/hhong/jags/usr/lib64
```

```
echo $LD_LIBRARY_PATH
```

Please see my `qsub1.txt` what I do before I submit R batch jobs. Mark told me how to make these three commands be a default setting. But it was too advanced to me so I am just adding these three lines in my `qsub` script.

Hope you can follow all these instructions and successfully install JAGS. Let me know if you get stuck!

Best,


Hwanhee

From: yates coley [mailto:ryc@jhu.edu]
Sent: Friday, December 05, 2014 10:27 AM
To: Hwanhee Hong
Subject: R2JAGS on jhpce?

[Quoted text hidden]

2 attachments

 **JAGS_install_linux.txt**
9K

 **qsub1.txt**
1K