Algebraic geometry 1 Exercise sheet 5

Solutions by: Eric Rudolph and David Čadež

13. November 2023

Exercise 1.

1. Define

$$X := U_1 \cup U_2 / \sim$$
,

where $x \sim y$ if $x = \varphi(x_2)$ and for $i \in \{1, 2\}$

$$\pi_i: U_i \to x$$
 $x \mapsto \bar{x}.$

We can now give X the structure of a topological space by defining a subset $U \subset X$ to be open if $\pi^{-1}(U) \in \text{are open in } U_1$.

Notice, that π_i are homeomorphic onto open subsets of X. This will become important later. Next we want to define a structure sheaf on X that behaves well with restricting to U_i .

For $U \subset X$ open, let

$$\mathcal{O}_X(U) := \ker(\mathcal{O}_{U_1}(\pi^{-1}(U)) \oplus \mathcal{O}_{U_2}(\pi^{-1}(U)) \to \mathcal{O}_{U_1}(\pi^{-1}(U) \cup U_1)$$
$$(x,y) \mapsto x_{|\pi^{-1}(U) \cap V_1} - \varphi^{\sharp}(\pi_2^{-1}(U) \cap V_2)(y_{|\pi_2^{-1}(U) \cap V_2}),$$

where the substraction in the above term comes from the group structure of $\mathcal{O}_{U_1}(\pi^{-1}(U) \cap V_1)$. This is of course a group again, as the kernel of a ring map.

We conclude, that (X, \mathcal{O}_X) is a scheme, because $X = \pi_1(U_1) \cup \pi_2(U_2)$ can be covered by affine schemes using the cover from U_1 and U_2 and by construction of the structure sheaf $\mathcal{O}_{X|U_1} = \mathcal{O}_{x_i}$. Here we finally used, as promised, that π_i is a homeomorphism onto open subsets of X.