

Algebraic Geometry I

1. Exercise sheet

Let k be an algebraically closed field.

Exercise 1 (4 points):

- 1) Classify all closed subsets of $\mathbb{A}_k^1(k)$.
- 2) Show that the Zariski topology on $\mathbb{A}_k^2(k) = \mathbb{A}_k^1(k) \times \mathbb{A}_k^1(k)$ is not the product topology.

Exercise 2 (4 points):

Let $n \geq 0$. We identify $V := \mathbb{A}_k^{n^2}(k) \cong \text{Mat}_n(k)$ with the set of $n \times n$ -matrices with values in k , and we identify $W = \mathbb{A}_k^n(k)$ with the set of monic polynomials in the variable X , which are of degree n and coefficients in k .

- 1) Show that

$$V \rightarrow W, A \mapsto \chi_A(X) := \det(X \cdot \text{Id} - A)$$

is a morphism of affine algebraic sets.

- 2) Let $\text{Disc}(f)$ be the discriminant for $f \in W$. Show that

$$W \rightarrow \mathbb{A}_k^1(k), f(X) \mapsto \text{Disc}(f)$$

is a morphism of affine algebraic sets.

- 3) Show that the set of regular semisimple elements, i.e., the set of diagonalizable matrices with pairwise different eigenvalues, is open in V .

Exercise 3 (4 points):

Let $f(x, y) = a_1x^2 + a_2xy + a_3y^2 + a_4x + a_5y + a_6 \in k[x, y]$ be a non-zero polynomial of degree 2 with vanishing locus $V := \{f(x, y) = 0\}$. Show that V is isomorphic to

1. a parabola $\{y - x^2 = 0\}$,
2. the hyperbola $\{xy - 1 = 0\}$,
3. the union of the coordinate axis $\{xy = 0\}$,
4. the disjoint union of two lines $\{x(x - 1) = 0\}$,
5. or a single line $\{x = 0\} = \{x^2 = 0\}$.

Hint: Using suitable coordinate transformations of x, y show first that wlog $a_1x^2 + a_2xy + a_3y^2 \in \{x^2, xy\}$.

Exercise 4 (4 points):

Determine which of the 5 options in exercise 3 are isomorphic and which not.

Hint: Determine the respective coordinate rings.

To be handed in on: Thursday, 19.10.2023 (during the lecture, or via eCampus).