TP04

EX01

```html
exercise1.html > html > head > meta
1   <!DOCTYPE html>
2   <html lang="en">
3   <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Button Design</title>
7   <link rel="stylesheet" href="styles.css">
8   </head>
9   <body>
10
11      <h3>Basics Button</h3>
12      <dev class="button-container">
13
14      <button class="custom-button1">Primary Button</button>
15      <button class="custom-button2">Default Button</button>
16      <button class="custom-button3">Dashed Button</button>
17      <button class="custom-button4">Text Button</button>
18      <button class="custom-button5">Link Button</button>
19  </dev>
20  <h3>Round Button</h3>
21  <dev class="button-container1">
22      <a class="rounded-button" href="""./go-to-somewhere-else">
23          <ion-icon name="search-sharp"></ion-icon>
24      </a>
25          <script type="module" src="https://unpkg.com/ionicons@7.1.0/dist/ionicons/ionicons.esm.js"></script>
26          <script nomodule src="https://unpkg.com/ionicons@7.1.0/dist/ionicons/ionicons.js"></script>
27
28
29      <b class="rounded-button1" href="./go-to-another-page">
30          A
31      </b>
32
33      <button class="searching-button">
34          <ion-icon name="search-sharp"></ion-icon>
35      Search
36      </button>
37
```

```html
37
38    <a class="rounded-button-white" href="">./go-to-somewhere-else">
39      <ion-icon name="search-sharp"></ion-icon>
40    </a>
41        <script type="module" src="https://unpkg.com/ionicons@7.1.0/dist/ionicons/ionicons.esm.js"></script>
42        <script nomodule src="https://unpkg.com/ionicons@7.1.0/dist/ionicons/ionicons.js"></script>
43
44
45      <button class="searching-button-white">
46          <ion-icon name="search-sharp"></ion-icon>
47      Search
48      </button>
49
50      <a class="rounded-button-white" href="">./go-to-somewhere-else">
51        <ion-icon name="search-sharp"></ion-icon>
52      </a>
53
54
55      <button class="searching-button-white">
56          <ion-icon name="search-sharp"></ion-icon>
57          Search
58      </button>
59      <a class="rounded-button-white-dashed" href="">./go-to-somewhere-else">
60        <ion-icon name="search-sharp"></ion-icon>
61      </a>
62
63      <button class="searching-button-white-dashed">
64          <ion-icon name="search-sharp"></ion-icon>
65          Search
66      </button>
67  </dev>
68  <h3>Block Button</h3>
69  <dev class="button-container2">
70    <button class="block-button1">Primary</button>
```

```html
69    <dev class="button-container2">
70      <button class="block-button1">Primary</button>
71      <button class="block-button2">Default</button>
72      <button class="block-button3">Bashed</button>
73      <button class="block-button4">Disable</button>
74      <button class="block-button5">Text</button>
75      <button class="block-button6">Link</button>
76
77    </dev>
78
79
80    </body>
81    </html>
```

```css
.button-container {
    display: flex;
    border: 2px solid ☐black;
    padding: 8px;
    gap:10px
    margin-bottom 10px;
    margin-top: 10px;

}
.button-container1{
    display: flex;
    border: 2px solid ☐black;
    padding: 16px;
    gap:10px



}
.button-container2{
    display:flex;
    border: 2px solid ☐black;
    flex-direction: column;
    padding:10px;
    gap:1px;
}


.custom-button1 {
    padding: 8px 12px;
    font-size: 13px;
    font-weight: bold; /* Use bold for better visibility */
    color: ☐#ffff;
    background-color: ■#2d4bd1;
    border: none;
    border-radius: 5px;
    cursor: pointer;

    margin-right: 10px;
```

```css
    margin-right: 10px;
  }

  .custom-button:hover {
    background-color: #0056b3;
  }

  .custom-button:active {
    background-color: #003d80;
  }

  .custom-button2 {
    padding: 8px 8px;
    font-size: 13px;
    font-weight: normal; /* Use normal weight */
    color: #080808;
    background-color: #ffff;
    border: 1px solid; /* Specify border style */
    border-radius: 5px;
    margin-right: 10px;
  }

  .custom-button3 {
    padding: 10px 10px;
    font-size: 13px;
    font-weight: normal;
    color: #080808;
    background-color: #ffff;
    border: 1px dashed;
    border-radius: 2px;
    margin-right: 10px;
  }

  .custom-button4 {
    padding: 10px 10px;
    font-size: 13px;
```

```css
70    .custom-button4 {
71      padding: 10px 10px;
72      font-size: 13px;
73      font-weight: normal;
74      color: #080808;
75      background-color: #ffff;
76      border: none;
77      border-radius: 5px;
78    }
79
80    .custom-button5 {
81      padding: 10px 10px;
82      font-size: 13px;
83      font-weight: normal;
84      color: #1c0ccd;
85      background-color: #ffff;
86      border: none;
87      border-radius: 5px;
88      margin-right: 10px;
89    }
90
91
92
93
94  .rounded-button{
95    width: 40px;
96    height: 40px;
97    background: blue;
98    color: white;
99    display: inline-flex;
100   align-items: center;
101   line-height: 40px;
102   justify-content:center ;
103   cursor:pointer ;
104   border-radius: 50%;
105
```

```css
106    }
107    .round-button span {
108      display: inline-block;
109      font-size: 15px; /* Adjust font size as needed */
110    }
111    .rounded-button1{
112      display: inline-block;
113      width: 40px;
114      height: 40px;
115      border-radius: 50%;
116      background-color:■blue;
117      color: ■#ffffff;
118      text-align: center;
119      line-height: 41px;
120      text-decoration: none; /* Remove underline on hover */
121      margin-right: 1px; /* Add spacing between buttons */
122    }
123    .rounded-button:hover {
124      background-color: ■#0056b3;
125    }
126    .searching-button{
127      width: 130px;
128      height: 40px;
129      background:■blue;
130      color:■white;
131      text-align: right;
132      display: inline-flex;
133      align-items: center;
134      line-height: 15px;
135      justify-content:center ;
136      cursor:pointer ;
137      border-radius: 10%;
138
```

Basics Button

Primary Button   Default Button   Dashed Button   Text Button   Link Button

Round Button

Search   Search   Search   Search   Search

Block Button

Primary
Default
Bashed
Disable
Text
Link

Ex02

```html
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Button Design</title>
<link rel="stylesheet" href="ex2styles.css">
</head>
<body>
    <h3>Horizontal-1-</h3>
    <dev class="button-container" >
        <button class="custom-button1">Primary Button</button>
        <button class="custom-button2">Default Button</button>
        <button class="custom-button3">Dashed Button</button>
    </dev>
    <h3>Horizontal-2-</h3>
    <dev class="button-container1">
        <button class="box1">1</button>
        <button class="box2">2</button>
        <button class="box3">3</button>
        <button class="box4">4</button>

    </dev>
    <h3>Vertical</h3>
    <dev class="button-container2">
        <button class="column-button1">Button</button>
        <button class="column-button2">Button</button>
        <button class="column-button3">Button</button>
        <button class="column-button4">Button</button>
        <button class="column-button5">Button</button>
        <button class="column-button6">Button</button>

    </dev>

    </body>

</html>
```

```css
# ex2styles.css > 🔧 .custom-button1
 1    .button-container {
 2        display: flex;
 3        border: 2px solid ☐black;
 4        padding: 8px;
 5        gap:10px
 6        margin-bottom 10px;
 7
 8        <element class="custom-button1">
 9
10        Selector Specificity: (0, 1, 0)
11    .custom-button1 {
12      padding: 8px 8px;
13      font-size: 13px;
14      font-weight: bold; /* Use bold for better visibility */
15      color: ☐#ffff;
16      background-color: ☐#2d4bd1;
17      border: 10px;
18      border-left: 10px;
19      cursor: pointer;
20      border-top-left-radius: 5px;
21      border-bottom-left-radius: 5px;
22
23
24    }
25    .custom-button2 {
26      padding: 8px 8px;
27      font-size: 13px;
28      font-weight: bold; /* Use bold for better visibility */
29      color: ☐#ffff;
30      background-color: ☐#2d4bd1;
31      border: none;
32      cursor: pointer;
33
34
35    }
```

```css
.custom-button3 {
  padding: 8px 8px;
  font-size: 13px;
  font-weight: bold; /* Use bold for better visibility */
  color: #ffff;
  background-color: #2d4bd1;
  border: 1px;
  cursor: pointer;
  border-bottom-right-radius: 5px;
  border-top-right-radius: 5px;


}
.button-container1{
  display:flex;
  border:2px solid black;
  padding:8px;


}
.box1{
 padding: 8px 8px;
  font-size: 13px;
  font-weight: bold; /* Use bold for better visibility */
  color: grey;
  background-color: whitesmoke;
  border: 1px solid grey;
  cursor: pointer;
  border-top-left-radius: 5px;
  border-bottom-left-radius: 5px;

}
.box2{
 padding: 8px 8px;
```

```css
        font-size: 13px;
        font-weight: bold; /* Use bold for better visibility */
        color: ▢grey;
        background-color: ▢whitesmoke;
        border: 1px solid ▢grey;
        cursor: pointer;

    }
    .box3{
     padding: 8px 8px;
        font-size: 13px;
        font-weight: bold; /* Use bold for better visibility */
        color: ▢grey;
        background-color: ▢whitesmoke;
        border: 1px solid ▢grey;
        cursor: pointer;

    }
    .box4{
     padding: 8px 8px;
        font-size: 13px;
        font-weight: bold; /* Use bold for better visibility */
        color: ▢#ffff;
        background-color: ▢dimgray;
        border: 1px solid ▢grey;
        cursor: pointer;
        border-bottom-right-radius: 5px;
        border-top-right-radius: px;
    }
    .button-container2{
     display:inline-flex;
        border:2px solid ▢black;
        padding:8px;
```

```css
103        flex-direction: column;
104    }
105    .column-button1{
106     padding: 8px 8px;
107        font-size: 13px;
108        font-weight: bold; /* Use bold for better visibility */
109        color: #ffff;
110        background-color: #2d4bd1;
111        border: 10px;
112        border-left: 10px;
113        cursor: pointer;
114        border-top-left-radius: 5px;
115        border-top-right-radius: 5px;
116    }
117    .column-button2{
118     padding: 8px 8px;
119        font-size: 13px;
120        font-weight: bold; /* Use bold for better visibility */
121        color: #ffff;
122        background-color: #2d4bd1;
123        border: none;
124        cursor: pointer
125
126    }
127    .column-button3{
128     padding: 8px 8px;
129        font-size: 13px;
130        font-weight: bold; /* Use bold for better visibility */
131        color: #ffff;
132        background-color: #2d4bd1;
133        border: none;
134        cursor: pointer
135    }
136    .column-button4{
```

```css
135    }
136    .column-button4{
137     padding: 8px 8px;
138        font-size: 13px;
139        font-weight: bold; /* Use bold for better visibility */
140        color: ■#ffff;
141        background-color: ■#2d4bd1;
142        border: none;
143        cursor: pointer
144    }
145    .column-button5{
146     padding: 8px 8px;
147        font-size: 13px;
148        font-weight: bold; /* Use bold for better visibility */
149        color: ■#ffff;
150        background-color: ■#2d4bd1;
151        border: none;
152        cursor: pointer
153    }
154    .column-button6{
155     padding: 8px 8px;
156        font-size: 13px;
157        font-weight: bold; /* Use bold for better visibility */
158        color: ■#ffff;
159        background-color: ■#2d4bd1;
160        border: 1px;
161        cursor: pointer;
162        border-bottom-right-radius: 5px;
163        border-bottom-left-radius: 5px;
164    }
```

Horizontal-1-

Primary Button **Default Button** **Dashed Button**

Horizontal-2-

| 1 | 2 | 3 | **4** |

Vertical

Button

Button

Button

Button

Button

Button

Ex03

```html
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4  <meta charset="UTF-8">
5  <meta name="viewport" content="width=device-width, initial-scale=1.0">
6  <title>Button Design</title>
7  <link rel="stylesheet" href="ex3styles.css">
8  </head>
9  <body>
10     <h4>Basic input</h4>
11
12     <div class="input-container1">
13
14             <input type="text"  placeholder="  Basic input">
15     </div>
16
17     <h4>icon input</h4>
18     <div class="input-container1">
19
20         <div class="input-container2">
21             <input type="text1" placeholder="&#x1F464; Large size">
22             <input type="text2" placeholder="&#x1F464; Default size">
23             <input type="text3" placeholder="&#x1F464; Small size">
24
25         </div>
26     </div>
27     <h4>styled input</h4>
28
29     <div class="input-container" >
30       <div class="input-conatainer1">
31         <input type="text1-c1" class="styled-input" placeholder="Enter number">
32         <input type="text2-c1" class="styled-input" placeholder="0678">
33         <input type="text3-c1" class="styled-input" placeholder="Enter numbers">
34         <input type="text2-c1" class="styled-input" placeholder="https://">
35         <input type="text4-c1" class="styled-input" placeholder="input search text">
```

```html
31         <input type="text1-c1" class="styled-input" placeholder="Enter number">
32         <input type="text2-c1" class="styled-input" placeholder="0678">
33         <input type="text3-c1" class="styled-input" placeholder="Enter numbers">
34         <input type="text2-c1" class="styled-input" placeholder="https://">
35         <input type="text4-c1" class="styled-input" placeholder="input search text">
36
37             <a class="button1" href="">./go-to-somewhere-else">
38                 <ion-icon name="search-sharp"></ion-icon>
39             </a>
40                 <script type="module" src="https://unpkg.com/ionicons@7.1.0/dist/ionicons/ionicons.esm.js"></script>
41                 <script nomodule src="https://unpkg.com/ionicons@7.1.0/dist/ionicons/ionicons.js"></script>
42
43             <input type="text5-c1" class="input-field" placeholder="Combine input and button">
44             <button type="submit" class="btn-submit">Submit</button>
45
46         </div>
47
48
49       </div>
50
51    </div>
52
53
54  </body>
55  </html>
```

```css
# ex3styles.css > ...
1    .input-container{
2        display: flex;
3        border: 2px solid ☐black;
4
5        padding: 8px;
6    }
7    .input-container1 {
8        display: flex;
9
10       border: 2px solid ☐black;
11       padding: 8px;
12
13
14      }
15
16   input[type="text"]{
17       padding: 5px;
18       border: 2px solid ☐#ab9d9dc4;
19       border-radius: 2px;
20       width: 100%;
21       height: 35px;
22       box-sizing: border-box;
23
24
25   }
26
27
28   input[type="text1"] {
29
30       padding: 2px;
31       border: 2px solid ☐#ab9d9dc4;
32       border-radius: 5px;
33       width: 130%;
34       height: 35px;
35       box-sizing: border-box;
```

```css
        box-sizing: border-box;
        margin-bottom: 10px;


    }
    input[type="text2"] {
        padding: 2px;
        border:  2px solid  #ab9d9dc4;
        border-radius: 5px;
        width: 130%;
        height: 35px;
        box-sizing: border-box;
        margin-bottom: 10px;
    }
input[type="text3"] {
        padding: 2px;
        border:  2px solid  #ab9d9dc4;
        border-radius: 5px;
        width: 130%;
        height: 35px;
        box-sizing: border-box;
        margin-bottom: 10px;
}
/* Styled input*/
input[type="text1-c1"]{
        padding: 2px;
        border:  2px solid  #ab9d9dc4;
        border-radius: 5px;
        width: 100%;
        height: 35px;
        box-sizing: border-box;
        margin-bottom: 10px;
```

```css
67
68     }
69     input[type="text2-c1"]{
70         padding: 2px;
71         border:  2px solid  ■#ab9d9dc4;
72         border-radius: 5px;
73         width: 10%;
74         height: 35px;
75         box-sizing: border-box;
76
77
78
79     }
80     input[type="text3-c1"]{
81         padding: 2px;
82         border:  2px solid  ■#ab9d9dc4;
83         border-radius: 5px;
84         width: 89%;
85         height: 35px;
86         box-sizing: border-box;
87         margin-bottom: 10px;
88
89     }
90     input[type="text4-c1"]{
91         padding: 2px;
92         border:  2px solid  ■#ab9d9dc4;
93         border-radius: 5px;
94         width: 50%;
95         height: 35px;
96         box-sizing: border-box;
97         margin-bottom: 10px;
98
99     }
100
```

```css
.button1 {
    padding: 8px 12px;
    font-size: 13px;
    font-weight: bold; /* Use bold for better visibility */
    color: #ffff;
    background-color: #2d4bd1;
    border: none;
    border-radius: 5px;
    cursor: pointer;

    margin-right: 10px;
  }
  input[type="text5-c1"]{
    padding: 2px;
    border:  2px solid #ab9d9dc4;
    border-radius: 5px;
    width: 50%;
    height: 35px;
    box-sizing: border-box;
    margin-bottom: 10px;

}
.btn-submit{
    padding: 8px 12px;
    font-size: 13px;
    font-weight: bold; /* Use bold for better visibility */
    color: #ffff;
    background-color: #2d4bd1;
    border: none;
    border-radius: 5px;
    cursor: pointer;

    margin-right: 10px;
}
```

```css
}
.btn-submit{
    padding: 8px 12px;
    font-size: 13px;
    font-weight: bold; /* Use bold for better visibility */
    color: #ffff;
    background-color: #2d4bd1;
    border: none;
    border-radius: 5px;
    cursor: pointer;

    margin-right: 10px;
}
```

Basic input

Basic input

icon input

👤 Large size

👤 Default size

👤 Small size

styled input

Enter number

0678	Enter numbers

https://	input search text	🔍

Combine input and button	**Submit**

Ex04

Layout1

```html
<> exercise4-1.html > ⬡ html > ⬡ body > ⬡ div.aside-section
1    <!DOCTYPE html>
2    <html lang="en">
3    <head>
4        <meta charset="UTF-8">
5        <meta name="viewport" content="width=device-width, initial-scale=1.0">
6        <title>Layout</title>
7        <link rel="stylesheet" href="ex4-1styles.css">
8    </head>
9    <body>
10
11       <div class="PHead">Page Header</div>
12       <div class="Nav">Nav</div>
13       <!-- <div name="container"> -->
14
15       <div class="aside-section">
16
17           <div class="container">
18               <div class="Article">Article
19                   <div class="ArticleHead">Article Head</div>
20                   <div class="Main">Main</div>
21               </div>
22               <div class="Section">Section</div>
23           </div>
24
25           <div class="Aside">Aside</div> <!-- Move this Aside inside the aside-section -->
26       </div>
27       </div>
28
29
30
31   <div class="Footer">Footer</div>
32
33   </body>
34   </html>
```

```css
body {
    background-color: 🟩 darkgreen;
}

.Nav,

.Footer,
.PHead {
  background-color: ⬜ hwb(77 71% 7% / 0.744);
  padding: 20px;
  margin: 8px;

}
.Section{
  display: flex;
  background-color: ⬜ hwb(77 71% 7% / 0.744);
  padding: 20px;
  margin: 8px;

}


.ArticleHead {
  background-color: ⬜ hwb(76 81% 10% / 0.744);
  padding: 20px;
  height: 20px;

  margin: 10px;
}
.Main{
  background-color: ⬜ hwb(76 81% 10% / 0.744);
  padding: 20px;
  height: 70px;

  margin: 10px
```

```css
    margin: 10px
}

.Aside {
  display: flex;
  background-color: hwb(77 71% 7% / 0.744);
  padding: 20px;
  margin: 8px;
}

.container {
  display: flex;
  flex-direction: column;
  margin:10px;
  padding: 10px;
}

.Article {
  background-color: hwb(77 71% 7% / 0.744);
  padding: 20px;
  margin: 8px;
}
```

Page Header

Nav

Article

Article Head

Main

Section

Aside

Footer

Layout2

```html
<> exercise4-2.html > ⬡ html > ⬡ body
 1   <!DOCTYPE html>
 2   <html lang="en">
 3   <head>
 4       <meta charset="UTF-8">
 5       <meta name="viewport" content="width=device-width, initial-scale=1.0">
 6       <title>Layout</title>
 7       <link rel="stylesheet" href="ex4-2styles.css">
 8   </head>
 9   <body>
10
11      <div class="PHead">Page Header</div>
12      <div class="Nav">Nav</div>
13      <!-- <div name="container"> -->
14
15      <div class="aside-section">
16
17          <div class="container">
18              <div class="Article">Article
19                  <div class="ArticleHead">Article Head</div>
20                  <div class="Main">Main</div>
21              </div>
22              <div class="Section">Section</div>
23          </div>
24
25          <div class="Aside">Aside</div> <!-- Move this Aside inside the aside-section -->
26      </div>
27      </div>
28
29
30
31  <div class="Footer">Footer</div>
32
33  </body>
34  </html>
```

```css
# ex4-2styles.css > ✂ .Main
1    body {
2        background-color: ■darkgreen;
3      }
4
5      .Nav,
6      .Section,
7      .Footer,
8      .PHead {
9        background-color: ■hwb(77 71% 7% / 0.744);
10       padding: 25px;
11       margin: 10px;
12     }
13
14     .Main,
15     .ArticleHead {
16       background-color: ■hwb(77 71% 7% / 0.744);
17       padding: 23px;
18       height: 30px;
19       width: 100;
20       margin: 10px;
21     }
22
23     .Aside {
24       display: flex;
25       background-color: ■hwb(77 71% 7% / 0.744);
26       padding: 62px;
27       margin: 10px;
28     }
29
30     .container {
31       display: flex;
32       flex-direction: column;
33       padding: 10px;
34     }
```

```css
35
36    .Article {
37      background-color: ■hwb(77 71% 7% / 0.744);
38      padding: 20px;
39      margin: 5px;
40    }
41
42    .aside-section {
43      display: flex;
44      flex-direction: row;
45    }
46
47
```

Page Header

Nav

Article

Article
Head

Main

Aside

Section

Footer

Layout3

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Layout</title>
    <link rel="stylesheet" href="ex4-3styles.css">
</head>
<body>

    <div class="PHead">Page Header</div>
    <div class="Nav">Nav</div>
    <!-- <div name="container"> -->

    <div class="aside-section">

        <div class="container">
            <div class="Article">Article
                <div class="ArticleHead">Article Head</div>
                <div class="Main">Main</div>
            </div>
            <div class="Section">Section</div>
        </div>
    <div>
            <div class="Taside">
            <div class="Aside">Aside</div>
            <div class="Aside">Aside</div>
        </div>
        <div class="Aside">Aside</div> <!-- Move this Aside inside the aside-section -->
    </div>
    </div>



<div class="Footer">Footer</div>

</body>
```

```css
# ex4-3styles.css > ...
 1
 2    body {
 3      background-color: ◼darkgreen;
 4    }
 5
 6    .Nav,
 7    .Section,
 8    .Footer,
 9    .PHead {
10      background-color: ◼hwb(77 71% 7% / 0.744);
11      padding: 25px;
12      margin: 10px;
13    }
14
15    .Main,
16    .ArticleHead {
17      background-color: ◼hwb(77 71% 7% / 0.744);
18      padding: 23px;
19      margin: 10px;
20    }
21
22    .Aside {
23      display: flex;
24      background-color: ◼hwb(77 71% 7% / 0.744);
25      padding: 62px;
26      margin: 10px;
27    }
28    |
29    .container {
30      display: flex;
31      flex-direction: column;
32      padding: 10px;
33    }
34
```

```css
.Article {
    background-color: ■hwb(77 71% 7% / 0.744);
    padding: 20px;
    margin: 5px;
}

.aside-section {
  display: flex;
  flex-direction: row;
}

/* .aside3 {
  display: flex;
  flex-direction: row-reverse;
} */
.Taside{
  display: flex;
  flex-direction: row-reverse;
}
```

Page Header

Nav

Article

Article
Head

Main

Section

Aside

Aside

Aside

Footer

Ex05

```html
1    <!DOCTYPE html>
2    <html lang="en">
3        <head>
4            <meta charset="UTF-8">
5            <meta name="viewport" content="width=device-width, initial-scale=1.0">
6
7            <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.3/font/bootstrap-icons.min.css"
8            <link rel="stylesheet" href="ex5styles.css">
9        </head>
10       <body>
11           <main>
12               <section id="left">
13                   <section class="header">
14                       <img src="icon.jpg" alt="logo" class="logo">
15                       <h1>UI-Design</h1>
16                   </section>
17
18                   <div class="mainLeft">
19                       <h2>Welcome Back!</h2>
20                       <p>Please enter your credentials to access your account</p>
21                       <button class="button1"><i class="bi bi-google"></i> Sign in with Google</button>
22
23                       <span><h3> or </h3></span>
24
25                       <div class="email">
26                           <label for="email">Email</label>
27                           <input type="text" name="email" id="email" placeholder="mail@example.com">
28                       </div>
29
30                       <div class="pass">
31                           <label for="pass">Password</label>
32                           <input type="text" name="pass" id="pass" placeholder="Min 8 Characters">
33                           <i><i class="bi bi-eye"></i></i>
34                       </div>
35
36                       <div class="remember">
```

```html
                        <input type="text" name="pass" id="pass" placeholder="Min 8 Characters">
                        <i><i class="bi bi-eye"></i></i>
                    </div>

                    <div class="remember">
                        <input type="checkbox" name="remember" id="remember">
                        <span>Remember me</span>
                        <span><a href="">Forgot Password?</a></span>
                    </div>

                    <button class="button2">Sign In</button>
                    <span>Not Registered?</span>
                    <a href="">Create an Account</a>
                </div>
            </section>

            <section id="right">
                <img src="frey.jpg" alt="brand ambassador">
            </section>
        </main>
    </body>
</html>
```

```css
body main{
    border: 10px solid ☐black;
}

body main .logo{
    width: 4rem;
    height: 4rem;
    border: 1px solid ☐black;
    border-radius: 15px;
}

body main .header h1{
    margin-left: .5rem;
    font-size: 2rem;
    font-weight: bold;
    font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
    margin-top: .58rem;
}

body main .header{
    display: flex;
    padding: 1rem;
}

#left{
    width: 50%;
    height: auto;
}

#right img{
    margin-top: 0.15rem;
    margin-left: 12rem;
    width: 80%;
    height: auto;
}
```

```css
#right img{
    margin-top: 0.15rem;
    margin-left: 12rem;
    width: 80%;
    height: auto;
}

body main{
    display: flex;
    height: auto;
}

body main .mainLeft{
    padding: 4rem;
    margin-bottom: 3rem;
}

.mainleft button{
    padding-left: 5rem;
}


h2{
    font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
    color: #FF0800;
    margin-bottom: 0;
}

p{
    color: grey;
    margin-top: 0.3rem;
    margin-bottom: 2rem;
}

.button1{
    padding: 1rem;
```

```css
62    }
63
64    .button1{
65        padding: 1rem;
66        padding-left: 2rem;
67        padding-right: 2rem;
68        width: 25rem;
69        font-weight: bold;
70    }
```

 logo

UI-Design

 brand ambassador

Welcome Back!

Please enter your credentials to access your account

G Sign in with Google

or

Email

mail@example.com

Password

Min 8 Characters

👁

☐ Remember me Forgot Password?

Sign In Not Registered?

Create an Account