Ex1

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Facebook</title>
             position: relative;
             margin-top: 10px;
             margin-bottom: 30px;
             position: absolute;
             top: -30px; /* Adjust as needed */
             padding-right: 80px;
             width: 220px;
             height: 90px;
             margin-top: 3px;
             transition: filter 0.3s ease;
<body class="bg-blue-800">
         <div class="bg-white rounded-lg shadow-xl p-4">
                 <img src="Profile.jpg" alt="Profile Picture" class="w-12 h-12 rounded-full">
                  <div class="ml-4">
                      <div class="font-bold text-blue-800">SOR Sonit</div>
<div class="text-gray-500 text-sm">Today at 8:00 am</div>
```

```
| div class="text-gray-500 text-sm">Today at 8:00 am</div>
| div>
| div>
| div>
| div| class="mt-4">
| div class="mt-4">
| div class="text-blue-600">See translation
| div class="text-blue-600">See translation
| div class="text-blue-600">See translation
| div class="text-blue-600">See translation
| div class="mt-4">
| div class="mt-4">
| div class="mt-4">
| div class="mt-4">
| div class="flex justify-between items-center mt-4">
| div class="flex justify-between items-center text-gray-500">
| div class="flex justify-between items-center text-gray-500">
| div class="flex justify-between items-center mt-4">
| div class="flex justify-between items-center text-gray-500">
| div class="flex justify-between items-center mt-4">
| div class="justify-between items-c
```

```
cing size indiffering are from the class with the founded full flex-
comment type="text" class="border border-gray-300 text-gray-500 text-sm rounded-full flex-
comment type="text" class="border border-gray-300 text-gray-500 text-gray-500 text-sm rounded-full flex-
comment type="text" class="border border-gray-300 text-gray-500 text-gray-500 text-sm rounded-full flex-
comment type="text" class="border border-gray-300 text-gray-500 text-gray-700 px-4 py-2 rounded-full">class="text-gray-500 text-gray-700 px-4 py-2 rounded-full">class="text-gray-700 px-4 py-2 rounded-fu
```



```
<!DOCTYPE html>
     <html lang="en">
         <meta charset="UTF-8">
         <meta name="viewport" content="width=device-width, initial-scale=1.0">
         <title>Document</title>
         <script src="https://cdn.tailwindcss.com"></script>
     <body class="bg-gray-100">
         <div class="h-screen justify-center align-middle">
             <div class="max-w-lg m-auto">
                 <div class=" flex flex-col text-center mt-20">
                     <h1 class="text-2xl font-bold font-sans tracking-widest text-slate-600">About</h1>
                      This will be describe how my personality look like after 3 years. 
                 <div class=" flex justify-center mt-10">
                     <img class="rounded-lg size-fit h-350 " src="sea.jpg" alt="">
                 <div class="flex text-center justify-evenly text-xl font-semibold font-sans tracking-wide</pre>
                     <div id="history-section" class="rounded-tl-lg flex-grow p-4 cursor-pointer">History
                     <div id="vision-section" class="flex-grow p-4 cursor-pointer">Vision</div>
                     <div id="goals-section" class="rounded-tr-lg flex-grow p-4 cursor-pointer">Goals</div</pre>
28
                 <div id="history-content" class=" bg-white p-3 rounded-b-lg hidden">
                      I was very humble and happy sometime kind, being an extrovert girl who is very po
                 <div id="vision-content" class=" bg-white p-3 rounded-b-lg hidden">
                     <ALl of my dream is about to make more money and make my mon prond of having me a</p>
                 <div id="goals-content" class=" bg-white p-3 rounded-b-lg hidden">
                     MAking and building a small family is my dream on the futer if i could. i wish i
```

```
<script>
    let historyBtn = document.getElementById("history-section");
    let visionBtn = document.getElementById("vision-section");
    let goalsBtn = document.getElementById("goals-section");
    let historyContent = document.getElementById("history-content");
    let visionContent = document.getElementById("vision-content");
    let goalsContent = document.getElementById("goals-content");
   let focus = "";
   historyBtn.onclick = () => {
       resetBtnColor();
       hideAllContent();
        if (focus == historyBtn.id) {
           focus = "";
           return;
       focus = historyBtn.id;
       historyBtn.style.backgroundColor = "white";
       historyContent.style.display = "block";
    visionBtn.onclick = () => {
       resetBtnColor();
       hideAllContent();
       if (focus == visionBtn.id) {
```

```
if (focus == visionBtn.id) {
69
                     focus = "";
70
                     return;
                 focus = visionBtn.id;
                 visionBtn.style.backgroundColor = "white";
                 visionContent.style.display = "block";
             goalsBtn.onclick = () => {
78
                 resetBtnColor();
                 hideAllContent();
80
                 if (focus == goalsBtn.id) {
                     focus = "";
82
                 focus = goalsBtn.id;
                 goalsBtn.style.backgroundColor = "white";
86
                 goalsContent.style.display = "block";
87
88
89
             function btnAction(button, content) {
90
                 resetBtnColor();
                 hideAllContent();
                 if (focus == button.id) {
                     focus = "";
94
                     return;
                 focus = goalsBtn.id;
96
                 button.style.backgroundColor = "white";
98
                 content.style.display = "block";
```

```
99
              }
100
101
              function hideAllContent() {
102
                  historyContent.style.display = "none";
103
                  visionContent.style.display = "none"
104
                  goalsContent.style.display = "none"
105
106
107
              function resetBtnColor() {
108
                  historyBtn.style.backgroundColor = "rgb(229 231 235)";
109
                  visionBtn.style.backgroundColor = "rgb(229 231 235)";
110
                  goalsBtn.style.backgroundColor = "rgb(229 231 235)";
111
112
113
114
115
          </script>
116
117
      </body>
118
119
      </html>
```

About

This will be describe how my personality look like after 3 years.



History Vision Goals

```
<!DOCTYPE html>
<html lang="en">
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <script src="https://cdn.tailwindcss.com"></script>
   <title>Responsive Menu</title>
           box-sizing: border-box;
       body {
            font-family: Arial, sans-serif;
            margin: 0;
           padding: 0;
           background-color: ■#f7f7f7;
        .container {
           max-width: 1200px;
           margin: 0 auto;
            padding: 20px;
        .menu-title {
            text-align: center;
            font-size: 24px;
           font-weight: bold;
           margin-bottom: 20px;
        .menu-buttons {
            display: flex;
            justify-content: center;
            gap: 10px;
           margin-bottom: 20px;
```


```
margin-bottom: 20px;
.menu-button {
   padding: 8px 16px;
   border: 1px solid ■#ccc;
   border-radius: 4px;
   background-color: ■#fff;
   color: □#333;
   text-decoration: none;
   font-size: 16px;
   font-weight: bold;
   transition: background-color 0.3s ease;
.menu-button:hover {
   background-color: ■#e2e2e2;
.menu-items {
   display: grid;
   grid-template-columns: repeat(auto-fit, minmax(250px, 1fr));
   gap: 20px;
.menu-item {
   background-color: ■#fff;
   border-radius: 8px;
   overflow: hidden;
   box-shadow: 0 2px 4px □rgba(0, 0, 0, 0.1);
.menu-item img {
```

```
.menu-item img {
    width: 100%;
        height: 200px;
        object-fit: cover;
    .menu-item-content {
        padding: 16px;
    .menu-item-name {
        font-size: 18px;
        font-weight: bold;
        margin-bottom: 8px;
    .menu-item-price {
        font-size: 16px;
        color: □#555;
    @media (max-width: 768px) {
        .menu-items {
             grid-template-columns: repeat(auto-fit, minmax(200px, 1fr));
<div class="container">
    <h1 class="menu-title">OUR Menu</h1>
        <a href="#" class="menu-button">All</a>
<a href="#" class="menu-button">Breakfast</a>
```

```
<a href="#" class="menu-button">Breakfast</a>
   <a href="#" class="menu-button">Lunch</a>
   <a href="#" class="menu-button">Shakes</a>
   <a href="#" class="menu-button">Dinner</a>
<div class="menu-items">
   <div class="menu-item">
        <img src="eggs benedict.jpg" alt="Breakfast" />
       <div class="menu-item-content">
           <div class="menu-item-name">Eggs Benedict</div>
           <div class="menu-item-description">never say no to break fast </div>
           <div class="menu-item-price"><h3>$10.99</h3></div>
   <div class="menu-item">
       <img src="caesar salade.jpg" alt="Lunch" />
       <div class="menu-item-content">
           <div class="menu-item-name">Caesar Salad</div>
           <div class="menu-item-description">It's contain a very heigh protein</div>
           <div class="menu-item-price"><h3>$8.99</h3></div>
   <div class="menu-item">
       <img src="chocolate shake.jpg" alt="Shakes" />
       <div class="menu-item-content">
           <div class="menu-item-name">Chocolate Shake</div>
           <div class="menu-item-description">The taste is so natural and fresh. it's a signate
           <div class="menu-item-price"><h3>$5.99</h3></div>
   <div class="menu-item">
        <img src="grilled salmon.jpg" alt="Dinner"</pre>
```

```
| div class="menu-item" | | div class="menu-item" | div class="menu-item-content" | div class="menu-item-name" | div class="menu-item-name" | div class="menu-item-description" | div class="menu-item-description" | div class="menu-item-price" | div class="menu-item-description" | div class="menu-item-price" | div class="menu-item-price
```

Output



OUR Menu

II Breakfast

Lunch

Shakes

Dinn



Eggs Benedict


never say no to break fast \$10.99




```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
<body class="p-10">
    <div class="bg-red-200 border-4 border-black h-[700px] p-1 sm:h-[550px] sm:w-[800px]">
        <div class="bg-white drop-shadow-sm shadow-black h-12 p-3 flow-root sm:flex sm:flex-row</pre>
            <h1 class="font-bold text-lg float-left">NAV-BAR</h1>
            <div class="p-0.5 text-gray-500 hidden sm:flex space-x-4 ml-4">
                <button>Home</button>
                <button>About</button>
                <button>Projects</button>
                <button>Contact</button>
            <div class="p-0.5 gap-2 hidden sm:flex space-x-4 ml-4">
                <button class="w-5">
                    <?xml version="1.0" ?><!DOCTYPE svg PUBLIC '-//W3C//DTD SVG 1.1//EN' 'htt</pre>
                <button class="mt-[-37px]">
                     <svg xmlns="http://www.w3.org/2000/svg" x="0px" y="0px" width="25" height="</pre>
                         <path fill="#03A9F4" d="M42,12.429c-1.323,0.586-2.746,0.977-4.247,1.162</pre>
                 <button class="mt-[-px]">
                     <?xml version="1.0" ?><svg data-name="Layer " height="25" id="Layer_45" views.</pre>
                 <button class="mt-[-37px]">
                     <svg xmlns="http://www.w3.org/2000/svg" x="0px" y="0px" width="24" height="</pre>
                         <path fill="#0288D1" d="M42,37c0,2.762-2.238,5-5,5H11c-2.761,0-5-2.238-</pre>
```

```
34
             <path fill="#0288D1" d="M42,37c0,2.762-2.238,5-5,5H11c-2.761,0-5-2.238-5-5V11c0-2.762</pre>
         <svg xmlns="http://www.w3.org/2000/svg" width="" height="25" viewBox="0 0 24 24"><path fi</pre>
     :ton id="menuBtn" class="float-right sm:hidden transform transition duration-300 ease-in-out";
     <svg xmlns="http://www.w3.org/2000/svg" fill="none" viewBox="0 0 24 24" stroke-width="1.5" st</pre>
         <path stroke-linecap="round" stroke-linejoin="round" d="M3.75 6.75h16.5M3.75 12h16.5m-16.</pre>
     / id="navBar" class="flex flex-col bg-white mt-9 mx-[-12px] sm:hidden">
     <button class="text-gray-500 text-left p-4 hover:bg-gray-100">Home</button>
     <button class="text-gray-500 text-left p-4 hover:bg-gray-100">About</button>
     <button class="text-gray-500 text-left p-4 hover:bg-gray-100">Projects</button>
     <button class="text-gray-500 text-left p-4 hover:bg-gray-100">Contact</button>
     - document.getElementById('menuBtn');
     document.getElementById('navBar');
     .ist.add('hidden');
     rentListener('click', () => {
     %List.toggle('rotate-90');
     .ist.toggle('hidden');
     <script>
              let menuBtnEle = document.getElementById('menuBtn');
              let navBarEle = document.getElementById('navBar');
              navBarEle.classList.add('hidden');
```

Output





```
<!DOCTYPE html>
     <html lang="en">
         <meta charset="UTF-8">
         <meta name="viewport" content="width=device-width, initial-scale=1.0">
         <title>Document</title>
         <script src="https://cdn.tailwindcss.com"></script>
     <body class="p-10">
         <div class="bg-red-200 border-8 border-black h-[600px] w-[700px] flow-root p-1">
              <button id="menuBtn" class="float-right p-5 transform transition duration-300 ease-i</pre>
                  <svg xmlns="http://www.w3.org/2000/svg" fill="none" viewBox="0 0 24 24" stroke-v</pre>
                      <path stroke-linecap="round" stroke-linejoin="round" d="M3.75 6.75h16.5M3.75</pre>
              <div id="sideBar" class="bg-white h-[565px] w-[350px] p-3 flow-root ">
                  <h1 class="font-bold text-2xl">SIDE-BAR</h1>
                  <button class="float-right mt-[-30px] text-red-700"><svg xmlns="http://www.w3.or</pre>
                      <path stroke-linecap="round" stroke-linejoin="round" d="M6 18 18 6M6 6l12 12</pre>
                  <div id="navBar" class="flex flex-col bg-white mt-5 mx-[-12px]">
22
                      <button class="text-gray-500 text-left p-4 hover:bg-gray-100">Home</button>
                      <button class="text-gray-500 text-left p-4 hover:bg-gray-100">About</button>
                      <button class="text-gray-500 text-left p-4 hover:bg-gray-100">Projects</butt</pre>
                      <button class="text-gray-500 text-left p-4 hover:bg-gray-100">Contact</button</pre>
                  <div class="mx-10">
                      <div class="p-0.5 gap-0.5 space-x-4 ml-4 relative bottom-[-150px]">
                              <?xml version="1.0" ?><!DOCTYPE svg PUBLIC '-//W3C//DTD SVG 1.1//EN</pre>
                          <button class="relative bottom-[-40px]">
                              <svg xmlns="http://www.w3.org/2000/svg" x="0px" y="0px" width="25" | </pre>
                                  <path fill="#03A9F4" d="M42,12.429c-1.323,0.586-2.746,0.977-4.24</pre>
```

```
//div>
//div
/
```

Output

