

NIM : 245410034

Nama : Irvan Cahya Nugraha

Kelas : IF-1

LISTING PRAKTIKUM PEMROGRAMAN SISI BACK END

MODUL 9

PRAKTIK

Praktik 1

```
MariaDB [(none)]> CREATE DATABASE IF NOT EXISTS storedb;  
Query OK, 0 rows affected, 1 warning (0.001 sec)  
  
MariaDB [(none)]> CREATE USER 'store'@'localhost' IDENTIFIED BY 'store';  
Query OK, 0 rows affected (0.007 sec)  
  
MariaDB [(none)]> GRANT ALL PRIVILEGES ON storedb.* TO 'store'@'localhost';  
Query OK, 0 rows affected (0.001 sec)  
  
MariaDB [(none)]> FLUSH PRIVILEGES;  
Query OK, 0 rows affected (0.001 sec)  
  
MariaDB [(none)]>
```

Praktik 2

```

MariaDB [(none)]> CREATE DATABASE IF NOT EXISTS storedb;
Query OK, 1 row affected (0.007 sec)

MariaDB [(none)]> CREATE USER 'store'@'localhost' IDENTIFIED BY 'store';
ERROR 1396 (HY000): Operation CREATE USER failed for 'store'@'localhost'
MariaDB [(none)]> GRANT ALL PRIVILEGES ON storedb.* TO 'store'@'localhost';
Query OK, 0 rows affected (0.002 sec)

MariaDB [(none)]> FLUSH PRIVILEGES;
Query OK, 0 rows affected (0.001 sec)

MariaDB [(none)]>

```

```

MariaDB [storedb]> SELECT * FROM products;
+-----+-----+-----+-----+-----+-----+-----+
| code | name       | description      | price  | discount | status_code | category_code |
+-----+-----+-----+-----+-----+-----+-----+
| 1    | Pensil 2B  | Pensil berkualitas | 5000   | 10       | 1           | 1             |
| 2    | Laptop ASUS | Laptop gaming     | 8000000 | 5        | 1           | 2             |
| 3    | Kaos Polos  | Kaos cotton       | 50000  | 15       | 1           | 3             |
+-----+-----+-----+-----+-----+-----+-----+
3 rows in set (0.007 sec)

MariaDB [storedb]>

```

```

MariaDB [(none)]> CREATE DATABASE IF NOT EXISTS storedb;
Query OK, 1 row affected (0.007 sec)

MariaDB [(none)]> CREATE USER 'store'@'localhost' IDENTIFIED BY 'store';
ERROR 1396 (HY000): Operation CREATE USER failed for 'store'@'localhost'
MariaDB [(none)]> GRANT ALL PRIVILEGES ON storedb.* TO 'store'@'localhost';
Query OK, 0 rows affected (0.002 sec)

MariaDB [(none)]> FLUSH PRIVILEGES;
Query OK, 0 rows affected (0.001 sec)

```

```

MariaDB [(none)]> USE storedb;
Database changed
MariaDB [storedb]>
MariaDB [storedb]> CREATE TABLE IF NOT EXISTS category (
    ->     code INT(5) NOT NULL AUTO_INCREMENT,
    ->     category VARCHAR(25),
    ->     PRIMARY KEY (code)
    -> );
Query OK, 0 rows affected (0.040 sec)

MariaDB [storedb]>
MariaDB [storedb]> CREATE TABLE IF NOT EXISTS products (
    ->     code INT(5) NOT NULL AUTO_INCREMENT,
    ->     name VARCHAR(35),
    ->     description VARCHAR(35),
    ->     price INT(8),
    ->     discount INT(2),
    ->     status_code INT(1),
    ->     category_code INT(1),
    ->     PRIMARY KEY (code)
    -> );
Query OK, 0 rows affected (0.011 sec)

```

```

MariaDB [storedb]>
MariaDB [storedb]> INSERT INTO category (category) VALUES ('Alat Tulis');
Query OK, 1 row affected (0.003 sec)

MariaDB [storedb]> INSERT INTO category (category) VALUES ('Elektronik');
Query OK, 1 row affected (0.002 sec)

MariaDB [storedb]> INSERT INTO category (category) VALUES ('Pakaian');
Query OK, 1 row affected (0.002 sec)

MariaDB [storedb]>
MariaDB [storedb]> INSERT INTO products (name, description, price, discount, status_code, category_code) VALUES ('Pensil 2B', 'Pensil berkualitas', 5000, 10, 1, 1);
Query OK, 1 row affected (0.003 sec)

MariaDB [storedb]> INSERT INTO products (name, description, price, discount, status_code, category_code) VALUES ('Laptop ASUS', 'Laptop gaming', 8000000, 5, 1, 2);
Query OK, 1 row affected (0.002 sec)

MariaDB [storedb]> INSERT INTO products (name, description, price, discount, status_code, category_code) VALUES ('Kaos Polos', 'Kaos cotton', 50000, 15, 1, 3);
Query OK, 1 row affected (0.016 sec)

MariaDB [storedb]> SHOW TABLES;
+-----+
| Tables_in_storedb |
+-----+
| category           |
| products           |
+-----+
2 rows in set (0.001 sec)

MariaDB [storedb]> SELECT * FROM products;
+----+-----+-----+-----+-----+-----+
| code | name      | description      | price | discount | status_code | category_code |
+----+-----+-----+-----+-----+-----+
| 1    | Pensil 2B | Pensil berkualitas | 5000  | 10       | 1           | 1             |
| 2    | Laptop ASUS | Laptop gaming    | 8000000 | 5       | 1           | 2             |
| 3    | Kaos Polos | Kaos cotton      | 50000  | 15       | 1           | 3             |
+----+-----+-----+-----+-----+-----+
3 rows in set (0.001 sec)

```

```

MariaDB [storedb]> SELECT code, category FROM category;

```

```

+-----+-----+
| code | category |
+-----+-----+
| 1    | Alat Tulis |
| 2    | Elektronik |
| 3    | Pakaian   |
+-----+-----+

```

```

3 rows in set (0.001 sec)

```

```

MariaDB [storedb]>

```

Praktik 3

← → ↻ ⓘ localhost/prakbackend/9/input

INPUT CATEGORY

Category

← ↻ ⓘ localhost/prakbackend/9/inputcategory.php


insert into category values ('baju')successful

← ↻ ⓘ localhost/prakbackend/9/readcategory.php

select code,category from categorysuccessful

- 1|Alat Tulis
- 2|Elektronik
- 3|Pakaian
- 4|baju


Praktik 4



```
connect.php X inputcategory.php X
inputcategory.php
1 <html>
2 <head>
3 <title>input category</title>
4 </head><body bgcolor="#FFFFFF">
5 <?php
6 include 'connect.php';
7 if(isset($_POST['save_button']))
8 { $StrSQL="insert into category values ('', '' . $_POST['category'] . ' ')" ;
9 echo $StrSQL;
10 $result=mysqli_query($id, $StrSQL);
11 if($result)
12 printf("successfull<br>");
13 else
14 printf("error");
15 }
16 else
17 {
18 ?>
19 <br>
20 <b>INPUT CATEGORY</b>
21 <form method="POST" name="forminputcategory">
22 <table border="0">
23 <tr><td>Category</td>
24 <td><input type="text" size="20" name="category"></td></tr>
25 </table>
26 <input type="submit" name="save_button" value="SAVE">
27 <input type="reset" value="CLEAR">
28 </form>
29 <?php
30 }
31 mysqli_close($id)
32 ?>
33 </body>
34 </html>
```

```
connect.php X
connect.php
1 <?php
2 $id = mysqli_connect("localhost", "root", "");
3 mysqli_select_db($id, "storedb");
4 ?>
...
```

Praktik 5



connect.php

readcategory.php X


readcategory.php

```
1 <html>
2 <head>
3 <title>input category</title>
4 </head>
5 <body bgcolor="#FFFFFF">
6 <?php
7 include 'connect.php';
8 $StrSQL = "select code,category from category";
9 echo $StrSQL;
10 $result = mysqli_query($id, $StrSQL);
11 if ($result)
12 |     printf("successfull<br>");
13 else
14 |     printf("error");
15 while ($row = mysqli_fetch_row($result)) {
16 |     echo $row[0] . "|" . $row[1] . "<br>";
17 }
18 mysqli_close($id);
19 ?>
20 </body>
21 </html>
```



LATIHAN

Latihan 1

```
connect.php inputcategory.php X
inputcategory.php
1 <html>
2 <head>
3 <title>input category</title>
4 </head>
5 <body bgcolor="#FFFFFF">
6 <?php
7 include 'connect.php';
8 if (isset($_GET['save_button'])) {
9     $StrSQL = "insert into category (category) values ('" . $_GET['category'] . "')";
10    echo $StrSQL . "<br>";
11    $result = mysqli_query($id, $StrSQL);
12    if ($result)
13        printf("successfull<br>");
14    else
15        printf("error");
16 } else {
17     ?>
18     <br>
19     <b>INPUT CATEGORY</b>
20     <form method="GET" name="forminputcategory">
21         <table border="0">
22             <tr><td>Category</td>
23             <td><input type="text" size="20" name="category"></td></tr>
24         </table>
25         <input type="submit" name="save_button" value="SAVE">
26         <input type="reset" value="CLEAR">
27     </form>
28     <?php
29     }
30     mysqli_close($id);
31     ?>
32 </body>
33 </html>
```



Latihan 2



The image shows two browser windows. The top window is at `localhost/prakbackend/9/latihan_2_form.php` and displays a form titled "INPUT CATEGORY". The form has a label "Category" followed by a text input field containing the word "baja". Below the input field are two buttons: "SAVE" and "CLEAR". The bottom window is at `localhost/prakbackend/9/latihan_2_action.php` and displays the output of the form submission: "insert into category (category) values ('baja') successfull".

← → ↻ ⓘ localhost/prakbackend/9/latihan_2_form.php

INPUT CATEGORY

Category

← ↻ ⓘ localhost/prakbackend/9/latihan_2_action.php

insert into category (category) values ('baja')
successfull

```
connect.php X inputcategory.php inputcategoryGET.php latihan_2_action.php X
latihan_2_action.php
1 <html>
2 <body>
3 <?php
4 include 'connect.php';
5 $StrSQL = "insert into category (category) values ('" . $_POST['category'] . "')";
6 echo $StrSQL . "<br>";
7 $result = mysqli_query($id, $StrSQL);
8 if ($result)
9     printf("successfull<br>");
10 else
11     printf("error");
12 mysqli_close($id);
13 ?>
14 </body>
15 </html>
16
```

```
connect.php inputcategory.php inputcategoryGET.php latihan_2_form.php X
latihan_2_form.php
1 <html>
2 <head>
3 <title>input category</title>
4 </head>
5 <body bgcolor="#FFFFFF">
6 <br>
7 <b>INPUT CATEGORY</b>
8 <form method="POST" action="latihan_2_action.php" name="forminputcategory">
9     <table border="0">
10         <tr><td>Category</td>
11         <td><input type="text" size="20" name="category"></td></tr>
12     </table>
13     <input type="submit" name="save_button" value="SAVE">
14     <input type="reset" value="CLEAR">
15 </form>
16 </body>
17 </html>
18
```

Latihan 3



The image shows two screenshots of a web browser. The top screenshot displays a form titled "INPUT CATEGORY" with a text input field containing "emas" and two buttons labeled "SAVE" and "CLEAR". The bottom screenshot shows the result of the form submission, displaying the SQL query "insert into category (category) values ('emas');" and the status "successfull".

localhost/prakbackend/9/latihan_3_form.php

INPUT CATEGORY

Category

localhost/prakbackend/9/latihan_3_action.php?category=emas&save_button=SAVE

insert into category (category) values ('emas')
successfull

connect.phpinputcategory.phpinputcategoryGET.phplatihan_3_action.php X

latihan_3_action.php

```
1 <html>
2 <body>
3 <?php
4 include 'connect.php';
5 $strSQL = "insert into category (category) values ('" . $_GET['category'] . "')";
6 echo $strSQL . "<br>";
7 $result = mysqli_query($id, $strSQL);
8 if ($result)
9     printf("successfull<br>");
10 else
11     printf("error");
12 mysqli_close($id);
13 ?>
14 </body>
15 </html>
16
```

connect.php Xinputcategory.phpinputcategoryGET.phplatihan_3_form.php X

latihan_3_form.php

```
1 <html>
2 <head>
3 <title>input category</title>
4 </head>
5 <body bgcolor="#FFFFFF">
6 <br>
7 <b>INPUT CATEGORY</b>
8 <form method="GET" action="latihan_3_action.php" name="forminputcategory">
9     <table border="0">
10         <tr><td>Category</td>
11         <td><input type="text" size="20" name="category"></td></tr>
12     </table>
13     <input type="submit" name="save_button" value="SAVE">
14     <input type="reset" value="CLEAR">
15 </form>
16 </body>
17 </html>
18
```

Latihan 4

```
connect.php  inputcategory.php  inputcategoryGET.php  latihan_4.php X
latihan_4.php
1  <html>
2  <head>
3  <title>read category</title>
4  </head>
5  <body bgcolor="#FFFFFF">
6  <?php
7  include 'connect.php';
8  $StrSQL = "select code,category from category";
9  echo $StrSQL . "<br>";
10 $result = mysqli_query($id, $StrSQL);
11 if ($result)
12 |   printf("successfull<br>");
13 else
14 |   printf("error");
15 ?>
16 <table border="1" cellpadding="8" cellspacing="0">
17 |   <tr>
18 |     <th>Code</th>
19 |     <th>Category</th>
20 |   </tr>
21 |   <?php
22 |   while ($row = mysqli_fetch_row($result)) {
23 |     echo "<tr>";
24 |     echo "<td>" . $row[0] . "</td>";
25 |     echo "<td>" . $row[1] . "</td>";
26 |     echo "</tr>";
27 |   }
28 |   ?>
29 </table>
30 <?php
31 mysqli_close($id);
32 ?>
33 </body>
34 </html>
35
```

-

TUGAS

Tugas 1

-