

NIM : 245410034

Nama : Irvan Cahya Nugraha

Kelas : IF-1


LISTING PRAKTIKUM ALGORITMA DAN PEMROGRAMAN LANJUT

MODUL 6

PERULANGAN DALAM SELEKSI

PRAKTIK


Praktik 1



The screenshot shows an IDE with a file named `Praktik6_1.java`. The code implements a program that asks the user to choose between odd and even numbers. If the user chooses odd, it prints odd numbers from 1 to 10. If the user chooses even, it prints even numbers from 1 to 10. The code uses a `Scanner` for input and `System.out` for output.


```
import java.util.Scanner;
public class Praktik6_1 {
    public static void main(String args[]) {
        Scanner masuk = new Scanner(System.in);
        int nilai, i;
        System.out.println(" Masukan pilihan");
        System.out.println(" 1. bil ganjil");
        System.out.println(" 2. bil genap");
        System.out.print(" pilihan : ");
        nilai=masuk.nextInt();
        if (nilai == 1) {
            for (i=1; i<=10; i+=2) {
                System.out.println(i);
            }
        }
        else {
            for (i=0; i<=10; i+=2) {
                System.out.println(1);
            }
        }
    }
}
```

The execution output shows the user entering '1' as their choice, resulting in the program printing the odd numbers 1, 3, 5, 7, and 9.




This screenshot shows the command prompt output for the same program, but with the user entering '2' as their choice. The program prints the number 1 five times, which appears to be a bug in the code where it prints the value 1 instead of the even numbers 2 through 10.

Praktik 2



```
import java.util.Scanner;
public class Praktik6_2 {
    public static void main(String args[]) {
        Scanner masuk = new Scanner(System.in);
        int pil, total, i;
        System.out.println(" Masukan pinjaman");
        System.out.println(" 1. Pembelian kredit");
        System.out.println(" 2. Pembelian tunai");
        System.out.print(" pilihan : ");
        pil=masuk.nextInt();
        System.out.print("total pembelian : ");
        total=masuk.nextInt();
        if (pil == 1) {
            if (total >=1000000){
                for (i=1; i<=10; i++) {
                    System.out.println("Angsuran ke =" +i+" sebesar " + (total/10));
                }
            }
            else{
                for (i=1; i<=5; i++) {
                    System.out.println("Angsuran ke =" +i+" sebesar " + (total/5));
                }
            }
        }
        else if (pil==2){
            System.out.println("Anda melakukan pembelian tunai");
        }
    }
}
```

```
Masukan pinjaman
1. Pembelian kredit
2. Pembelian tunai
pilihan : 1
total pembelian : 100000
Angsuran ke =1sebesar 20000
Angsuran ke =2sebesar 20000
Angsuran ke =3sebesar 20000
Angsuran ke =4sebesar 20000
Angsuran ke =5sebesar 20000
Press any key to continue . . . |
```



```
Masukan pinjaman
1. Pembelian kredit
2. Pembelian tunai
pilihan : 2
total pembelian : 1500000
Anda melakukan pembelian tunai
Press any key to continue . . . |
```

```
Masukan pinjaman
1. Pembelian kredit
2. Pembelian tunai
pilihan : 1
total pembelian : 1500000
Angsuran ke =1sebesar 150000
Angsuran ke =2sebesar 150000
Angsuran ke =3sebesar 150000
Angsuran ke =4sebesar 150000
Angsuran ke =5sebesar 150000
Angsuran ke =6sebesar 150000
Angsuran ke =7sebesar 150000
Angsuran ke =8sebesar 150000
Angsuran ke =9sebesar 150000
Angsuran ke =10sebesar 150000
Press any key to continue . . .
```

Praktik 3

```
Document ... x
Praktik6_2.java x
Praktik6_3.java x
Praktik6_2.java
Praktik6_3.java

public static void main(String args[]) {
    Scanner masuk = new Scanner(System.in);
    int pil, total, i;
    System.out.println("Masukan pinjaman");
    System.out.println("1. Pembelian kredit");
    System.out.println("2. Pembelian tunai");
    System.out.print("pilihan : ");
    pil=masuk.nextInt();
    System.out.print("total pembelian : ");
    total=masuk.nextInt();

    if (pil == 1) {
        if (total >= 1000000) {
            for (i=1; i<=10; i++) {
                System.out.println("Angsuran ke = " +i+ " sebesar " +(total/10));
            }
        }
        else {
            for (i=1; i<=5; i++) {
                System.out.println("Angsuran ke = " +i+ " sebesar " +(total/5));
            }
        }
    }
    else if (pil==2) {
        if (total >= 1000000) {
            System.out.println("Anda melakukan pembelian tunai");
            double bayar = total - (0.05*total);
            System.out.println("total bayar = "+bayar);
        }
        else {
            System.out.println("Anda melakukan pembelian tunai dan tidak mendapatkan diskon");
            System.out.println("Total yang harus dibayar "+total);
        }
    }
}
```

C:\WINDOWS\system32\cmd. x + v

Masukan pinjaman
1. Pembelian kredit
2. Pembelian tunai
pilihan : 2
total pembelian : 2000000
Anda melakukan pembelian tunai
total bayar = 1900000.0
Press any key to continue . . . |

C:\WINDOWS\system32\cmd. x + v


Masukan pinjaman
1. Pembelian kredit
2. Pembelian tunai
pilihan : 1
total pembelian : 900000
Angsuran ke =1sebesar 180000
Angsuran ke =2sebesar 180000
Angsuran ke =3sebesar 180000
Angsuran ke =4sebesar 180000
Angsuran ke =5sebesar 180000
Press any key to continue . . .

C:\WINDOWS\system32\cmd. x + v

Masukan pinjaman
1. Pembelian kredit
2. Pembelian tunai
pilihan : 1
total pembelian : 1500000
Angsuran ke =1sebesar 150000
Angsuran ke =2sebesar 150000
Angsuran ke =3sebesar 150000
Angsuran ke =4sebesar 150000
Angsuran ke =5sebesar 150000
Angsuran ke =6sebesar 150000
Angsuran ke =7sebesar 150000
Angsuran ke =8sebesar 150000
Angsuran ke =9sebesar 150000
Angsuran ke =10sebesar 150000
Press any key to continue . . .

LATIHAN


Latihan 1



The screenshot shows an IDE with a file named `lat6_1.java`. The code is a Java program that prompts the user to choose between odd and even numbers. It uses a `Scanner` to read input and a `while` loop to print numbers based on the choice. The output window shows the program running, with the user entering '1' for odd numbers, resulting in a sequence of odd numbers from 1 to 9.

```
import java.util.Scanner;
public class lat6_1 {
    public static void main(String args[]) {
        Scanner masuk = new Scanner(System.in);
        int nilai, i = 1;
        System.out.println(" Masukan pilihan");
        System.out.println(" 1. bil ganjil");
        System.out.println(" 2. bil genap");
        System.out.print(" pilihan : ");
        nilai=masuk.nextInt();
        if (nilai == 1) {
            while (i<=10) {
                System.out.println(i); i+=2;
            }
        }
        else {
            i=0;
            while ( i<=10) {
                System.out.println(1) ; i+=2 ;
            }
        }
    }
}
```


Masukan pilihan
1. bil ganjil
2. bil genap
pilihan : 1
1
3
5
7
9
Press any key to continue . . . |



This screenshot shows a command prompt window where the Java program is being executed. The user has entered '2' for even numbers, and the program has printed a sequence of even numbers from 1 to 10. The prompt 'Press any key to continue . . .' is visible at the bottom.

Masukan pilihan
1. bil ganjil
2. bil genap
pilihan : 2
1
1
1
1
1
1
1
Press any key to continue . . .

Latihan 2



The image shows a Java IDE with a file named `lat6_1.java` and a terminal window. The Java code is as follows:

```
import java.util.Scanner;

public class nilai {
    public static void main(String[] args) {
        Scanner in = new Scanner(System.in);
        int nilai;

        while (true) { // perulangan tak hingga, bisa dihentikan dengan kondisi
            System.out.print("Masukkan angka bulat (0 - 100) ");
            nilai = in.nextInt();

            if (nilai >= 0 && nilai <= 100) {
                if (nilai >= 60) {
                    if (nilai >= 80)
                        System.out.println("Nilaimu bagus sekali");
                    else
                        System.out.println("Nilaimu bagus");
                } else {
                    if (nilai >= 30)
                        System.out.println("Nilaimu kurang");
                    else
                        System.out.println("Nilaimu jelek");
                }
            } else {
                System.out.println("Nilai di luar jangkauan (0 - 100).");
            }

            System.out.println("-----");
        }
    }
}
```

The terminal window shows the execution of the program with the following input and output:

```
C:\WINDOWS\system32\cmd.
Masukkan angka bulat (0 - 100) 100
Nilaimu bagus sekali
-----
Masukkan angka bulat (0 - 100) 60
Nilaimu bagus
-----
Masukkan angka bulat (0 - 100) 40
Nilaimu kurang
-----
Masukkan angka bulat (0 - 100) 20
Nilaimu jelek
-----
Masukkan angka bulat (0 - 100) 999
Nilai di luar jangkauan (0 - 100).
-----
Masukkan angka bulat (0 - 100) |
```

Latihan 3

TUGAS

Tugas 1

-