

LAPORAN MODUL PRAKTIKUM PEMROGRAMAN SISI BACK END



Disusun oleh :

Nama : Irvan Cahya Nugraha
NIM : 245410034
Kelas : Informatika 1

**PROGRAM STUDI INFORMATIKA
PROGRAM SARJANA
FAKULTAS TEKNOLOGI INFORMASI
UNIVERSITAS TEKNOLOGI DIGITAL INDONESIA
YOGYAKARTA
2026 / 2027**

MODUL 12


PHP DATABASE (Update Isi Tabel)

A. TUJUAN PRAKTIKUM


1. Update Data Suatu Tabel

B. PEMBAHASAN LISTING PRAKTIK

Praktik 1



```
12 > connect.php
1  <?php
2  $id = mysqli_connect("localhost", "store", "store");
3  mysqli_select_db($id, "storedb");
4  ?>
```



localhost/prakbackend/12/praktik_1_variasi1.php

update category

1|Alat Tulis

1|Alat Tulis
2|Elektronik
3|Pakaian
4|batu bara
5|sawit
6|Minyak
26|
27|baja
28|
29|emas


localhost/prakbackend/12/praktik_1_variasi1.php?co...

update category

select code,category from category where code='1'

code: 1

category:



```
index.php create.php praktik_1_variasi1.php X praktik_1_variasi2.php kategori.php
12 > praktik_1_variasi1.php
1 <html>
2 <head>
3 <title>update Category</title>
4 </head>
5 <body bgcolor="#FFFFFF">
6 <?php
7 include 'connect.php';
8 if (isset($_GET['update_button'])) {
9     $strSQL = "update category set category='" . $_GET['category'] . "' where code='" . $_GET['code'] . "'";
10    echo $strSQL . "<br>";
11    $result = mysqli_query($id, $strSQL);
12    if ($result)
13        printf("successfull<br>");
14    else
15        printf("error");
16 } else if (isset($_GET['show_button'])) {
17 >
18 <br>
19 <b>update category</b>
20 <form method="GET" name="formupdatecategory">
21 <?php
22     $strSQL = "select code,category from category where code='" . $_GET['code'] . "'";
23     echo $strSQL . "<br>";
24     $result = mysqli_query($id, $strSQL);
25     $row = mysqli_fetch_row($result);
26 >
27     code: <?php echo $row[0]; >
28     <input type="hidden" name="code" value="<?php echo $row[0]; >"><br>
29     category:<input type="text" name="category" value="<?php echo $row[1]; >"><br>
30     <input type="submit" name="update_button" value="UPDATE">
31 </form>
32 <?php
33 } else {
34 >
35 <br>
36 <b>update category</b>
37 <form method="GET" name="formupdatecategory">
38 <?php
39     $strSQL = "select code,category from category";
40     $result = mysqli_query($id, $strSQL);
```

```
38 <?php
39     $strSQL = "select code,category from category";
40     $result = mysqli_query($id, $strSQL);
41 >
42 <select name='code'>
43 <?php
44 while ($row = mysqli_fetch_row($result)) {
45     echo "<option value='" . $row[0] . "'>" . $row[0] . "|" . $row[1];
46 }
47 >
48 </select>
49 <input type="submit" name="show_button" value="SHOW">
50 </form>
51 <?php
52 }
53 mysqli_close($id);
54 >
55 </body>
56 </html>
57
```

Pembahasan : Program diatas adalah program PHP untuk mengupdate data tabel category menggunakan metode GET dengan tiga tahap. Tahap pertama menampilkan form dropdown yang diisi dari query `SELECT code, category FROM category` dengan tombol SHOW, saat SHOW ditekan `isset($_GET['show_button'])` bernilai TRUE dan program masuk ke tahap kedua yaitu menampilkan form edit yang diisi data dari query `SELECT code, category FROM category WHERE code='$_GET['code']'` sehingga nilai lama sudah terisi di input, kode disimpan menggunakan `<input type='hidden' name='code'>` agar ikut terkirim saat UPDATE ditekan. Tahap ketiga saat UPDATE ditekan `isset($_GET['update_button'])` bernilai TRUE dan variabel `$StrSQL` diisi query `UPDATE category SET category=` menggunakan nilai `$_GET['category']` dan `$_GET['code']` lalu dieksekusi dengan `mysqli_query($id, $StrSQL)`.

Praktik 2

localhost/prakbackend/12/praktik_1_variasi2.php

delete product

1 :	MBG	UPDATE
2 :	Elektronik	UPDATE
3 :	Pakaian	UPDATE
4 :	batu bara	UPDATE
5 :	sawit	UPDATE
6 :	Minyak	UPDATE
26 :		UPDATE
27 :	baja	UPDATE
28 :		UPDATE
29 :	emas	UPDATE

localhost/prakbackend/12/praktik_1_variasi2.p...

delete product

1 :	Pensil	UPDATE
2 :	Elektronik	UPDATE
3 :	Pakaian	UPDATE
4 :	batu bara	UPDATE
5 :	sawit	UPDATE
6 :	Minyak	UPDATE
26 :		UPDATE
27 :	baja	UPDATE
28 :		UPDATE
29 :	emas	UPDATE

localhost/prakbackend/12/praktik_1_variasi2.php?ca...

update category set category='Pensil' where code='1'
successfull

```

12 > praktik_1_variasi2.php
1  <html>
2  <head>
3  <title>update Category</title>
4  </head>
5  <body bgcolor="#FFFFFF">
6  <?php
7  include 'connect.php';
8  if (isset($_GET['update_button'])) {
9      $StrSQL = "update category set category='" . $_GET['category'] . "' where code='" . $_GET['code'] . "'";
10     echo $StrSQL . "<br>";
11     $result = mysqli_query($id, $StrSQL);
12     if ($result)
13         printf("successfull<br>");
14     else
15         printf("error");
16 } else {
17     ?>
18     <br>
19     <b>delete product</b>
20     <?php
21     $StrSQL = "select code,category from category";
22     $result = mysqli_query($id, $StrSQL);
23     while ($row = mysqli_fetch_row($result)) {
24         echo "<form method='GET' name='formupdatecategory'>";
25         echo $row[0] . " : <input type='text' name='category' value='" . $row[1] . "'>";
26         echo "<input type='hidden' name='code' value='" . $row[0] . "'>";
27         echo "<input type='submit' name='update_button' value='UPDATE'>";
28         echo "</form>";
29     }
30     ?>
31     <?php
32     }
33     mysqli_close($id);
34     ?>
35 </body>
36 </html>
37

```

Pembahasan : Program diatas adalah program PHP untuk mengupdate data tabel category menggunakan metode GET dengan tampilan input langsung per baris. Berbeda dengan variasi 1 yang memerlukan tiga tahap, variasi 2 hanya dua tahap. Saat pertama dibuka query SELECT code, category FROM category diiterasi menggunakan while (\$row = mysqli_fetch_row(\$result)) dan setiap baris langsung dicetak bersama form yang berisi <input type='text' name='category'> yang sudah terisi nilai lama \$row[1] dan <input type='hidden' name='code'> yang menyimpan kode baris tersebut. Saat tombol UPDATE ditekan isset(\$_GET['update_button']) bernilai TRUE dan query UPDATE category SET category= dieksekusi langsung tanpa perlu tahap SHOW terlebih dahulu.

LATIHAN

1. Latihan 1

localhost/prakbackend/12/latihan_1_get.php

update product

4|

2|Laptop ASUS

3|Kaos Polos

4|

localhost/prakbackend/12/latihan_1_get.php?code=...

update product

select code,name,description,price,discount,status_code,category_code from products where code='4'

code: 4

name: steel coil

description: pertama

price: 1000000

discount: 0

status_code: ready

category_code: baja

localhost/prakbackend/12/latihan_1_get.php?code=...

update products set name='steel
coil',description='pertama',price='1000000',discount='0',status_code='1',category_code='27' where code='4'
successfull

```

index.php X create.php praktik_1_variasi1.php praktik_1_variasi2.php latihan_3_action.php latihan_1_get.php X kategori.php
12 C:\xampp\htdocs\praktikbackend\snack\index.php
1 <html>
2 <head>
3 <title>update product</title>
4 </head>
5 <body bgcolor="#FFFFFF">
6 <?php
7 include 'connect.php';
8 if (isset($_GET['update_button'])) {
9     $StrSQL = "update products set name='" . $_GET['name'] . "'
10         . ",description='" . $_GET['description'] . "'
11         . ",price='" . $_GET['price'] . "'
12         . ",discount='" . $_GET['discount'] . "'
13         . ",status_code='" . $_GET['status_code'] . "'
14         . ",category_code='" . $_GET['category_code'] . "'
15         . " where code='" . $_GET['code'] . "'";
16     echo $StrSQL . "<br>";
17     $result = mysqli_query($id, $StrSQL);
18     if ($result)
19         printf("successfull<br>");
20     else
21         printf("error");
22 } else if (isset($_GET['show_button'])) {
23     ?>
24 <br>
25 <b>update product</b>
26 <form method="GET" name="formupdateproduct">
27 <?php
28     $StrSQL = "select code,name,description,price,discount,status_code,category_code from products where code='" . $_GET['code'] . "'";
29     echo $StrSQL . "<br>";
30     $result = mysqli_query($id, $StrSQL);
31     $row = mysqli_fetch_row($result);
32     ?>
33     code: <?php echo $row[0]; ?>
34     <input type="hidden" name="code" value="<?php echo $row[0]; ?>"><br>
35     name:<input type="text" name="name" value="<?php echo $row[1]; ?>"><br>
36     description:<input type="text" name="description" value="<?php echo $row[2]; ?>"><br>
37     price:<input type="text" name="price" value="<?php echo $row[3]; ?>"><br>
38     discount:<input type="text" name="discount" value="<?php echo $row[4]; ?>"><br>
39     status_code:
40     <select name="status_code">
41         <option value="1" <?php if ($row[5] == 1) echo 'selected'; ?>>ready</option>
42         <option value="2" <?php if ($row[5] == 2) echo 'selected'; ?>>order</option>
43         <option value="3" <?php if ($row[5] == 3) echo 'selected'; ?>>sold out</option>
44     </select><br>
45     category_code:
46     <select name="category_code">
47     <?php
48     $StrCat = "select code,category from category";
49     $resultCat = mysqli_query($id, $StrCat);

```

12 >  latihan_1_get.php

```

32     ?>
40     <select name="status_code">
44     </select><br>
45     category_code:
46     <select name="category_code">
47     <?php
48     $StrCat = "select code,category from category";
49     $resCat = mysqli_query($id, $StrCat);
50     while ($cat = mysqli_fetch_row($resCat)) {
51         $sel = ($cat[0] == $row[6]) ? 'selected' : '';
52         echo "<option value='" . $cat[0] . "' $sel>" . $cat[1] . "</option>";
53     }
54     ?>
55     </select><br>
56     <input type="submit" name="update_button" value="UPDATE">
57 </form>
58 <?php
59 } else {
60     ?>
61     <br>
62     <b>update product</b>
63     <form method="GET" name="formupdateproduct">
64     <?php
65         $StrSQL = "select code,name from products";
66         $result = mysqli_query($id, $StrSQL);
67     ?>
68     <select name='code'>
69     <?php
70     while ($row = mysqli_fetch_row($result)) {
71         echo "<option value='" . $row[0] . "'>" . $row[0] . "|" . $row[1];
72     }
73     ?>
74     </select>
75     <input type="submit" name="show_button" value="SHOW">
76 </form>
77 <?php
78 }
79 mysqli_close($id);
80 ?>
81 </body>
82 </html>
83
    
```

Pembahasan : Program latihan 1 adalah program update product menggunakan metode GET dengan pola tiga tahap seperti praktik 1 variasi 1. Tahap pertama menampilkan dropdown berisi data dari query SELECT code, name FROM products dengan tombol SHOW. Saat SHOW ditekan program menampilkan form edit berisi semua kolom product yaitu name, description, price, discount, status_code sebagai dropdown, dan category_code sebagai dropdown yang diisi dinamis dari tabel category. Saat UPDATE ditekan query UPDATE products SET dieksekusi menggunakan seluruh nilai \$_GET yang dikirim form.

2. Latihan 2

The screenshot shows a web browser at the URL `localhost/prakbackend/12/latihan_2_post.php`. The page displays a form titled "update product" with three entries. Each entry has fields for name, description, price, discount, status, and category, followed by an "UPDATE" button. The second entry, with name "Bolpoin" and description "tinta merah", is highlighted with a red box. Below the form, the browser shows the SQL query executed: `update products set name='Bolpoin',description='tinta merah',price='50000',discount='15',status_code='1',category_code='3' where code='3'`, followed by the text "successfull".

update product					
2 name:	Laptop ASUS	description:	Laptop gaming	price:	8000000
discount:	5	status:	1	category:	2
UPDATE					
3 name:	Bolpoin	description:	tinta merah	price:	50000
discount:	15	status:	1	category:	3
UPDATE					
4 name:	steel coil	description:	pertama	price:	1000000
discount:	0	status:	1	category:	27
UPDATE					

```
update products set name='Bolpoin',description='tinta
merah',price='50000',discount='15',status_code='1',category_code='3' where code='3'
successfull
```

```

12 > latihan_2_post.php
1 <html>
2 <head>
3 <title>update product</title>
4 </head>
5 <body bgcolor="#FFFFFF">
6 <?php
7 include 'connect.php';
8 if (isset($_POST['update_button'])) {
9     $StrSQL = "update products set name='" . $_POST['name'] . "'
10         . ",description='" . $_POST['description'] . "'
11         . ",price='" . $_POST['price'] . "'
12         . ",discount='" . $_POST['discount'] . "'
13         . ",status_code='" . $_POST['status_code'] . "'
14         . ",category_code='" . $_POST['category_code'] . "'
15         . " where code='" . $_POST['code'] . "'";
16     echo $StrSQL . "<br>";
17     $result = mysqli_query($id, $StrSQL);
18     if ($result)
19         printf("successfull<br>");
20     else
21         printf("error");
22 } else {
23 >>
24 <br>
25 <b>update product</b>
26 <?php
27 $StrSQL = "select code,name,description,price,discount,status_code,category_code from products";
28 $result = mysqli_query($id, $StrSQL);
29 while ($row = mysqli_fetch_row($result)) {
30     echo "<form method='POST' name='formupdateproduct'>";
31     echo "<input type='hidden' name='code' value='" . $row[0] . "'>";
32     echo $row[0] . " | name:<input type='text' name='name' value='" . $row[1] . "'>";
33     echo " description:<input type='text' name='description' value='" . $row[2] . "'>";
34     echo " price:<input type='text' name='price' value='" . $row[3] . "'>";
35     echo " discount:<input type='text' name='discount' value='" . $row[4] . "'>";
36     echo " status:<input type='text' name='status_code' value='" . $row[5] . "'>";
37     echo " category:<input type='text' name='category_code' value='" . $row[6] . "'>";
38     echo "<input type='submit' name='update_button' value='UPDATE'>";
39     echo "</form>";
40 }
41 >>
42 <?php
43 }
44 mysqli_close($id);
45 >>
46 </body>
47 </html>
48

```

Pembahasan : Program latihan 2 adalah program update product menggunakan metode POST dengan pola input langsung per baris seperti praktik 1 variasi 2. Query SELECT mengambil semua kolom product kemudian diiterasi menggunakan while (\$row = mysqli_fetch_row(\$result)) dan setiap baris dicetak bersama form method='POST' yang berisi input text untuk setiap kolom dengan nilai lama sudah terisi, serta <input type='hidden' name='code'> untuk menyimpan kode. Saat UPDATE ditekan isset(\$_POST['update_button']) bernilai TRUE dan query UPDATE products SET dieksekusi menggunakan nilai \$_POST.

3. Latihan 3

← ↻ ⓘ localhost/prakbackend/12/latihan_3_form.php ☆ ⚙️ ⌵ 👤 ... 🌐 Summarize ▾

update product
2 | name: description: price:
discount: status: category:

3 | name: description: price:
discount: status: category:

4 | name: description: price:
discount: status: category:

← ↻ ⓘ localhost/prakbackend/12/latihan_3_action.php ☆ ⚙️ ⌵ 👤 ... 🌐 Summarize ▾

update products set name='Spidol',description='tinta merah',price='50000',discount='15',status_code='1',category_code='3' where code='3'
successfull

```
index.php create.php praktik_1_variasi1.php praktik_1_variasi2.php latihan_2_post.php latihan_3_action.php X kategori.php
12 > latihan_3_action.php
1 <html>
2 <body>
3 <?php
4 include 'connect.php';
5 $StrSQL = "update products set name='" . $_POST['name'] . "'
6 . ",description='" . $_POST['description'] . "'
7 . ",price='" . $_POST['price'] . "'
8 . ",discount='" . $_POST['discount'] . "'
9 . ",status_code='" . $_POST['status_code'] . "'
10 . ",category_code='" . $_POST['category_code'] . "'
11 . " where code='" . $_POST['code'] . "'";
12 echo $StrSQL . "<br>";
13 $result = mysqli_query($id, $StrSQL);
14 if ($result)
15     printf("successfull<br>");
16 else
17     printf("error");
18 mysqli_close($id);
19 ?>
20 </body>
21 </html>
22
```

```
index.php X create.php praktik_1_variasi1.php praktik_1_variasi2.php latihan_3_action.php latihan_3_form.php X
12 > latihan_3_form.php nd\snack\index.php
1 <html>
2 <head>
3 <title>update product</title>
4 </head>
5 <body bgcolor="#FFFFFF">
6 <?php
7 include 'connect.php';
8 ?>
9 <br>
10 <b>update product</b>
11 <?php
12 $StrSQL = "select code,name,description,price,discount,status_code,category_code from products";
13 $result = mysqli_query($id, $StrSQL);
14 while ($row = mysqli_fetch_row($result)) {
15     echo "<form method='POST' action='latihan_3_action.php'>";
16     echo "<input type='hidden' name='code' value='" . $row[0] . "'>";
17     echo $row[0] . " | name:<input type='text' name='name' value='" . $row[1] . "'>";
18     echo " description:<input type='text' name='description' value='" . $row[2] . "'>";
19     echo " price:<input type='text' name='price' value='" . $row[3] . "'>";
20     echo " discount:<input type='text' name='discount' value='" . $row[4] . "'>";
21     echo " status:<input type='text' name='status_code' value='" . $row[5] . "'>";
22     echo " category:<input type='text' name='category_code' value='" . $row[6] . "'>";
23     echo "<input type='submit' name='update_button' value='UPDATE'>";
24     echo "</form>";
25 }
26 mysqli_close($id);
27 ?>
28 </body>
29 </html>
30
```

Pembahasan : Program latihan 3 memisahkan program update product metode POST menjadi dua file terpisah. File latihan_3_form.php menampilkan seluruh data product dalam form per

baris dengan method='POST' dan action='latihan_3_action.php', setiap kolom sudah terisi nilai lama dari database. File latihan_3_action.php menerima data dari \$_POST kemudian langsung membangun dan mengeksekusi query UPDATE products SET tanpa perlu memeriksa isset karena file ini hanya diakses dari form.

Latihan 4

The image shows two browser windows. The top window displays a form titled 'update product' with three rows of input fields. Each row contains fields for 'name', 'description', 'price', 'discount', 'status', and 'category', followed by an 'UPDATE' button. The bottom window shows the SQL query generated by the form and a success message.

update product

ID	name	description	price	discount	status	category
2	Laptop Acer	Laptop gaming	8000000	5	1	2
3	Bolpoin	tinta merah	50000	15	1	3
4	steel coil	pertama	1000000	0	1	27

update products set name='Laptop Acer',description='Laptop gaming',price='8000000',discount='5',status_code='1',category_code='2' where code='2'
successfull

index.php create.php praktik_1_variasi1.php praktik_1_variasi2.php latihan_3_action.php latihan_4_action.php

12 > latihan_4_action.php

```
1 <html>
2 <body>
3 <?php
4 include 'connect.php';
5 $StrSQL = "update products set name='" . $_GET['name'] . "'"
6         . ",description='" . $_GET['description'] . "'"
7         . ",price='" . $_GET['price'] . "'"
8         . ",discount='" . $_GET['discount'] . "'"
9         . ",status_code='" . $_GET['status_code'] . "'"
10        . ",category_code='" . $_GET['category_code'] . "'"
11        . " where code='" . $_GET['code'] . "'";
12 echo $StrSQL . "<br>";
13 $result = mysqli_query($id, $StrSQL);
14 if ($result)
15     printf("successfull<br>");
16 else
17     printf("error");
18 mysqli_close($id);
19 ?>
20 </body>
21 </html>
22
```

index.php create.php praktik_1_variasi1.php praktik_1_variasi2.php latihan_3_action.php latihan_4_form.php

12 > latihan_4_form.php

```
1 <html>
2 <head>
3 <title>update product</title>
4 </head>
5 <body bgcolor="#FFFFFF">
6 <?php
7 include 'connect.php';
8 ?>
9 <br>
10 <b>update product</b>
11 <?php
12 $StrSQL = "select code,name,description,price,discount,status_code,category_code from products";
13 $result = mysqli_query($id, $StrSQL);
14 while ($row = mysqli_fetch_row($result)) {
15     echo "<form method='GET' action='latihan_4_action.php'>";
16     echo "<input type='hidden' name='code' value='" . $row[0] . "'>";
17     echo $row[0] . " | name:<input type='text' name='name' value='" . $row[1] . "'>";
18     echo " description:<input type='text' name='description' value='" . $row[2] . "'>";
19     echo " price:<input type='text' name='price' value='" . $row[3] . "'>";
20     echo " discount:<input type='text' name='discount' value='" . $row[4] . "'>";
21     echo " status:<input type='text' name='status_code' value='" . $row[5] . "'>";
22     echo " category:<input type='text' name='category_code' value='" . $row[6] . "'>";
23     echo "<input type='submit' name='update_button' value='UPDATE'>";
24     echo "</form>";
25 }
26 mysqli_close($id);
27 ?>
28 </body>
29 </html>
30
```

Pembahasa : Program latihan 4 memisahkan program update product metode GET menjadi dua file terpisah. Strukturnya identik dengan latihan 3 namun menggunakan method='GET' pada form dan action='latihan_4_action.php', sedangkan file latihan_4_action.php menggunakan \$_GET untuk mengambil seluruh nilai yang dikirim dan mengeksekusi query UPDATE products SET ke database.

C. PEMBAHASAN TUGAS

Tugas 1

```
index.php X create.php tugas_1_post.php X praktik_1_variasi1.php praktik_1_variasi2.php latihan_3_action.php
12 > tugas_1_post.php
1 <html>
2 <head>
3 <title>update consumer</title>
4 </head>
5 <body bgcolor="#FFFFFF">
6 <?php
7 include 'connect.php';
8 if (isset($_POST['update_button'])) {
9     $strSQL = "update consumer set name='" . $_POST['name'] . "'
10         . ",address='" . $_POST['address'] . "'
11         . ",phone='" . $_POST['phone'] . "'
12         . " where code='" . $_POST['code'] . "'";
13     echo $strSQL . "<br>";
14     $result = mysqli_query($id, $strSQL);
15     if ($result)
16         printf("successfull<br>");
17     else
18         printf("error");
19 } else {
20 >>
21 <br>
22 <b>update consumer</b>
23 <?php
24 $strSQL = "select code,name,address,phone from consumer";
25 $result = mysqli_query($id, $strSQL);
26 while ($row = mysqli_fetch_row($result)) {
27     echo "<form method='POST' name='formupdateconsumer'>";
28     echo "<input type='hidden' name='code' value='" . $row[0] . "'>";
29     echo $row[0] . " | name:<input type='text' name='name' value='" . $row[1] . "'>";
30     echo " address:<input type='text' name='address' value='" . $row[2] . "'>";
31     echo " phone:<input type='text' name='phone' value='" . $row[3] . "'>";
32     echo "<input type='submit' name='update_button' value='UPDATE'>";
33     echo "</form>";
34 }
35 >>
36 <?php
37 }
38 mysqli_close($id);
39 >>
40 </body>
41 </html>
42
```

localhost/prakbackend/12/tugas_1_post.php

update consumer

1	name:	Budi setiyani	address:	Jl. Merdeka No.1	phone:	081234567890	UPDATE
2	name:	Siti Rahayu	address:	Jl. Sudirman No.5	phone:	082345678901	UPDATE

update consumer set name='Budi setiyani',address='Jl. Merdeka No.1',phone='081234567890' where code='1'
successfull

Pembahasa : Program tugas pertama adalah program update consumer menggunakan metode POST. Query SELECT code, name, address, phone FROM consumer diiterasi dan setiap baris dicetak bersama form method='POST' yang berisi input text untuk kolom name, address, dan phone dengan nilai lama sudah terisi, serta `<input type='hidden' name='code'>` untuk menyimpan kode consumer. Saat UPDATE ditekan isset(\$_POST['update_button']) bernilai TRUE dan query UPDATE consumer SET name, address, phone WHERE code dieksekusi menggunakan nilai \$_POST.

Tugas 2

localhost/prakbackend/12/tugas_2_get.php

update consumer

1	name:	Budi setiyani	address:	Jl. Merdeka No.1	phone:	081234567890	UPDATE
2	name:	aMINAH	address:	Jl. Sudirman No.5	phone:	082345678901	UPDATE

localhost/prakbackend/12/tugas_2_get.php?code=2...

update consumer set name='aMINAH',address='Jl. Sudirman No.5',phone='082345678901' where code='2'
successfull

```
index.php create.php tugas_2_get.php praktik_1_variasi1.php praktik_1_variasi2.php latihan_3_action.php
12 > tugas_2_get.php
1 <html>
2 <head>
3 <title>update consumer</title>
4 </head>
5 <body bgcolor="#FFFFFF">
6 <?php
7 include 'connect.php';
8 if (isset($_GET['update_button'])) {
9     $StrSQL = "update consumer set name='" . $_GET['name'] . "'
10         . ",address='" . $_GET['address'] . "'
11         . ",phone='" . $_GET['phone'] . "'
12         . " where code='" . $_GET['code'] . "'";
13     echo $StrSQL . "<br>";
14     $result = mysqli_query($id, $StrSQL);
15     if ($result)
16         printf("successfull<br>");
17     else
18         printf("error");
19 } else {
20 >>
21 <br>
22 <b>update consumer</b>
23 <?php
24 $StrSQL = "select code,name,address,phone from consumer";
25 $result = mysqli_query($id, $StrSQL);
26 while ($row = mysqli_fetch_row($result)) {
27     echo "<form method='GET' name='formupdateconsumer'>";
28     echo "<input type='hidden' name='code' value='" . $row[0] . "'>";
29     echo $row[0] . " | name:<input type='text' name='name' value='" . $row[1] . "'>";
30     echo " address:<input type='text' name='address' value='" . $row[2] . "'>";
31     echo " phone:<input type='text' name='phone' value='" . $row[3] . "'>";
32     echo "<input type='submit' name='update_button' value='UPDATE'>";
33     echo "</form>";
34 }
35 >>
36 <?php
37 }
38 mysqli_close($id);
39 >>
40 </body>
41 </html>
42
```

Pembahasa : Program tugas kedua adalah program update consumer menggunakan metode GET. Strukturnya identik dengan tugas pertama namun form menggunakan method='GET' dan seluruh pengambilan nilai menggunakan \$_GET, sehingga data yang dikirim saat UPDATE ditekan terlihat pada URL browser.

D. KESIMPULAN

Dari praktikum ini dapat disimpulkan bahwa proses update data menggunakan PHP memerlukan dua langkah utama yaitu menampilkan data lama ke form agar pengguna bisa melihat dan mengubah nilainya, kemudian mengeksekusi query UPDATE dengan nilai baru yang dikirim dari form. Penggunaan <input type='hidden'> sangat penting dalam proses update karena digunakan untuk menyimpan dan mengirimkan nilai kode atau primary key yang tidak perlu diubah pengguna namun diperlukan oleh klausa WHERE pada query UPDATE.

Terdapat dua variasi tampilan yaitu dengan dropdown SHOW terlebih dahulu untuk memilih data yang akan diedit, atau langsung menampilkan semua data dengan input yang sudah terisi sehingga pengguna bisa langsung mengubah nilai tanpa tahap pemilihan.

E. LAMPIRAN