

NIM : 245410034

Nama : Irvan Cahya Nugraha

Kelas : IF-1


LISTING PRAKTIKUM ALGORITMA DAN PEMROGRAMAN LANJUT

MODUL 9

METHOD

PRAKTIK

Praktik 1




The screenshot shows an IDE with several tabs: StringComparisonExample.java, ModifikasiMahasiswa_Latihan1.java, Mahasiswa.java, Fungsi2.java, Fungsi1.java (active), and DemoOverload.java. The active tab displays the following Java code:

```
public class Fungsi1{
    public static int jumlah(int a){
        return a;
    }
    public static void main(String args[]){
        System.out.println("Hasil pemanggilan method");
        System.out.println(jumlah(5));
    } }
}
```

To the right of the code editor is a terminal window titled "C:\WINDOWS\system32\cmd." showing the output of the program:

```
Hasil pemanggilan method
5
Press any key to continue . . . |
```

Praktik 2




The screenshot shows an IDE with several tabs: StringComparisonExample.java, ModifikasiMahasiswa_Latihan1.java, Mahasiswa.java, Fungsi2.java (active), Fungsi1.java, and DemoOverload.java. The active tab displays the following Java code:

```
public class Fungsi2{
    public static int jumlah(int a){
        return (a + a);
    }
    public static void main (String args[]){
        System.out.println("Panggil method jumlah dengan parameter 5");
        System.out.println(jumlah(5));
        System.out.println("Panggil method jumlah dengan parameter 15");
        System.out.println(jumlah(15));
    } }
}
```

To the right of the code editor is a terminal window titled "C:\WINDOWS\system32\cmd." showing the output of the program:

```
Panggil method jumlah dengan parameter 5
10
Panggil method jumlah dengan parameter 15
30
Press any key to continue . . . |
```

Praktik 3




The screenshot shows an IDE with several tabs: StringComparisonExample.java, ModifikasiMahasiswa_Latihan1.java, Mahasiswa.java (selected), Fungsi2.java, Fungsi1.java, and DemoOverload.java. The Mahasiswa.java file contains the following code:

```
class Mahasiswa
{
    String nim;
    String nama;
    String prodi;
    public void setMhs(String nim,String nama,String prodi)
    {
        this.nim=nim;
        this.nama=nama;
        this.prodi=prodi;
    }
    public void tampil()
    {
        System.out.println("Judulbuku :"+nim);
        System.out.println("Harga buku : "+nama);
        System.out.println("Jumlah halaman : "+prodi);
    }
    public static void main(String[] args)
    {
        Mahasiswa mhs = new Mahasiswa();
        mhs.setMhs("145410012", "Nisa", "Informatika");
        mhs.tampil();
    }
}
```

The output window on the right shows the command prompt with the following output:

```
Judulbuku :145410012
Harga buku : Nisa
Jumlah halaman : Informatika
Press any key to continue . . . |
```

Praktik 4




The screenshot shows an IDE with several tabs: StringComparisonExample.java, ModifikasiMahasiswa_Latihan1.java, Mahasiswa.java, Fungsi2.java, Fungsi1.java, and DemoOverload.java (selected). The DemoOverload.java file contains the following code:

```
class DemoOverload {
    void sum(int a, int b){
        System.out.println(a + b);
    }
    void sum(int a, int b, int c){
        System.out.println(a + b + c);
    }
    public static void main(String[] args) {
        DemoOverload demo = new DemoOverload();
        demo.sum(1, 6);
        demo.sum(4, 2, 3);
    }
}
```

The output window on the right shows the command prompt with the following output:

```
7
9
Press any key to continue . . . |
```

Praktik 5



```
StringComparisonExample.java x ModifikasiMahasiswa_Latihan1.java Mahasiswa.java Fungsi2.java Fungsi1.java DemoOverload.java

public class StringComparisonExample {
    public static void main(String args[]) {
        String tv = "Bravia";
        String television = "Bravia";
        // menggunakan equals
        if (tv.equals(television)) {
            System.out.println("Both tv and television contains same letters and equal by equals method of String");
        }


        // menggunakan compareTo
        if (tv.compareTo(television) == 0) {
            System.out.println("Both tv and television are equal using compareTo method of String");
        }
        television = "BRAVIA";
        // menggunakan equalsIgnoreCase
        if (tv.equalsIgnoreCase(television)) {
            System.out.println("tv and television are equal by equalsIgnoreCase method of String");
        }
        // menggunakan compareToIgnoreCase
        if (tv.compareToIgnoreCase(television) == 0) {
            System.out.println("tv and television are same by compareToIgnoreCase of String");
        }
        String sony = "Sony";
        String samsung = "Samsung";
        // menggunakan compareTo
        if (sony.compareTo(samsung) > 0) {
            System.out.println("Sony comes after Samsung in lexicographical order");
        } else if (sony.compareTo(samsung) < 0) {
            System.out.println("Sony comes before Samsung in lexicographical order");
        }
    }
}
```

```
C:\WINDOWS\system32\cmd. x + v

Both tv and television contains same letters and equal by equals method of String
Both tv and television are equal using compareTo method of String
tv and television are equal by equalsIgnoreCase method of String
tv and television are same by compareToIgnoreCase of String
Sony comes after Samsung in lexicographical order
Press any key to continue . . . |
```

LATIHAN

Latihan 1



```
Document ... x Tugasjava x Lat1.java x StringComparisonExample.java ModifikasiMahasiswa_Latihan1.java Mahasiswa.java Fungsi2.java Fungsi1.java DemoOverload.java

class Lat1 {
    String nim;
    String nama;
    String prodi;
    double ipk;

    public void setMhs(String nim, String nama, String prodi, double ipk) {
        this.nim = nim;
        this.nama = nama;
        this.prodi = prodi;
        this.ipk = ipk;
    }

    public void tampil() {
        System.out.println("NIM : " + nim);
        System.out.println("Nama : " + nama);
        System.out.println("Prodi : " + prodi);
        System.out.println("IPK : " + ipk);
    }

    public static void main(String[] args) {
        Mahasiswa mhs = new Mahasiswa();
        mhs.setMhs("145410012", "Nisa", "Informatika", 3.75);
        mhs.tampil();
    }
}
```

```
C:\WINDOWS\system32\cmd. x + v

NIM : 145410012
Nama : Nisa
Prodi : Informatika
IPK : 3.75
Press any key to continue . . . |
```

TUGAS

Tugas 1

-