```
UNF
deliveries(delivery id, delivery order id, driver id, delivery distance meters, delivery status)
deliveries(delivery id, delivery order id, delivery distance_meters, delivery_status)
PK(delivery id, delivery order id)
CK(delivery distance meters, delivery status)
2NF
deliveries(delivery id, delivery order id, delivery distance meters, delivery status)
Advisorfor(delivery id, delivery order id, driver id)
3NF
deliveries(delivery id, delivery order id, delivery distance meters, delivery status)
Advisorfor(delivery id, delivery order id, driver id)
UNF
drivers(driver id, driver modal, driver type)
1NF
drivers(driver id, driver modal, driver type)
PK(driver id)
CK(driver modal, driver type)
2NF
drivers(driver id, driver modal, driver type)
Advidorfor(driver id)
3NF
drivers(driver id, driver modal, driver type)
Advidorfor(driver id)
UNF
hubs(hub id, hub name, hub city, hub state, hub latitude, hub longitude)
1NF
hubs(hub id, hub name, hub city, hub state, hub latitude, hub longitude)
PK(hub id)
CK(hub name, hub city, hub state, hub latitude, hub longitude)
2NF
hubs(hub id, hub name, hub city, hub state, hub latitude, hub longitude)
Advidorfor(hub id)
3NF
hubs(hub id, hub name, hub city, hub state, hub latitude, hub longitude)
Advidorfor(hub id)
UNF
```

payments(payment id,

payment order id,

payment amount,

pay fee,

payment method,

payment status)

1NF

payments(payment_id, payment_order_id, payment_amount, pay_fee, payment_method, payment_status)

PK(payment_id, payment_order_id)

CK(payment_amount, pay_fee, payment_method, payment_status)

2NF

payments(payment_id, payment_order_id, payment_amount, pay_fee, payment_method, payment_status)

Advidorfor(payment_id,payment_order_id)

3NF

payment_id, payment_order_id, payment_amount, pay_fee, payment_method, payment_status)

Advidorfor(payment id,payment order id)

UNF

orders(order id, store id, hub id, store name, store segment, store plan price, store latitude, store longitude, channel id, channel name, channel type, payment order id, delivery order id, order status, order amount, order delivery fee, order delivery cost, order created hour, order created minute, order created day, order created month, order created year, order moment created, order moment accepted, order moment ready, order moment collected, order moment in expedition, order moment delivering, order moment delivered, order moment finished. order metric collected time, order metric paused time, order metric production time, order metric walking time, order metric expediton speed time, order metric transit time, order metric cycle time)

1NF

orders(order id, store id, store name, store segment, store plan price, store latitude, store longitude, channel id, channel name, channel type, order status, order amount, order delivery fee, order delivery cost, order created hour, order created minute, order created day, order created month, order created year, order moment created, order moment accepted, order moment ready, order moment collected, order moment delivered, order moment in expedition, order moment delivering, finished, metric collected time, order moment order order metric paused time, order metric production time, order metric walking time, order metric expediton speed time, order metric transit time, order metric cycle time)

PK(order id, store id, channel id.)

CK

orders(store name, store segment, store plan price, store latitude, store longitude, channel name, channel type, order status, order amount, order delivery fee, order delivery cost, order created hour, order created minute, order created day, order created month, order created year, order moment created, order moment accepted, order moment ready, order moment collected, order moment in expedition, order moment delivering, finished, order moment delivered. order moment order metric collected time,

order_metric_paused_time, order_metric_production_time, order_metric_walking_time, order_metric_expediton_speed_time, order_metric_transit_time, order_metric_cycle_time)

PK(order id, store id, channel id,)

2NF

orders(order id, store id, store plan price, store latitude, store name, store segment, store longitude, channel id, channel name, channel type, order status, order amount, order delivery fee, order delivery cost, order created hour, order created minute, order created day, order created month, order created year, order moment created, order moment accepted, order moment ready, order moment collected, order moment in expedition, order moment delivering, order moment delivered, order moment finished. order metric collected time, order metric paused time, order metric production time, order metric walking time, order metric expediton speed time, order metric transit time, order metric cycle time)

PK(order id, store id, channel id,)

Advidorfor(order_id, store_id, hub_id, channel_id, payment_order_id, delivery_order_id) 3NF

store id, orders(order id, store name, store segment, store plan price, store latitude, store longitude, channel id, channel name, channel type, order status, order amount, order created hour, order delivery fee, order delivery cost, order created minute, order created day, order created month, order created year, order moment created, order moment accepted, order moment ready, order moment collected, order moment in expedition, order moment delivering, order moment delivered, order moment finished, order metric collected time, order metric paused time, order metric production time, order metric walking time, order metric expediton speed time, order metric transit time, order metric_cycle_time)

PK(order id, store id, channel id,)

Advidorfor(order id, store id, hub id, channel id, payment order id, delivery order id)