```
CREATE TABLE deliveries (
delivery id int identity,
delivery distance meters varchar not null,
delivery status varchar not null,
constraint FK(delivery order id) reference orders,
constraint FK (driver id) reference drivers
CREATE TABLE drivers (
driver id int identity,
driver modal varchar not null,
driver type varchar not null
)
CREATE TABLE hubs (
hub id int identity,
hub name varchar not null,
hub city varchar not null,
hub state varchar not null,
hub latitude varchar not null,
hub longitude varchar not null
)
CREATE TABLE payments (
payment id int idenity,
payment amount varchar not null,
pay fee varchar not null,
payment method varchar not null,
payment status varchar not null,
constraint FK (payment order id) reference orders
CREATE TABLE orders (
order id int identity,
store id int identity,
hub id int identity,
store name varchar not null,
store segment varchar not null,
store plan price varchar not null,
store latitude varchar not null,
store longitude varchar not null,
channel id int identity,
channel name varchar not null,
channel type varchar not null,
```

```
constraint FK (payment order id) reference orders,
constraint FK (delivery order id) reference orders,
order status varchar not null,
order amount varchar not null,
order delivery fee varchar not null,
order delivery cost varchar not null,
order created hour varchar not null,
order created minute varchar not null,
order created day varchar not null,
order created month varchar not null,
order created year varchar not null,
order moment created varchar not null,
order moment accepted varchar not null,
order moment ready varchar not null,
order moment collected varchar not null,
order moment in expeditio/n varchar not null,
order moment delivering varchar not null,
order moment delivered varchar not null,
order moment finished varchar not null,
order metric collected time varchar not null,
order metric paused time varchar not null,
order metric production timevarchar not null,
order metric walking time varchar not null,
order metric expediton speed times varchar not null,
order metric transit times varchar not null,
order metric cycle time varchar not null,
)
```

```
deliveries(delivery id, delivery order id, driver id, delivery distance meters, delivery status)
PK(deliver id)
FK
(driver id)->drivers(driver id)
drivers(driver id, driver modal, driver type)
PK(dirver id)
hubs(hub id, hub name, hub city, hub state, hub latitude, hub longitude, delivery id, driver id)
PK(hub id)
FK
(delivery id)->deliveries(delivery id)
(driver id)->drivers(driver id)
payments(payment id,
                        payment order id,
                                             payment amount,
                                                                            payment method,
                                                                 pay fee,
payment status)
PK(payment id)
FK
(payment order id)->orders(order id)
orders(order id, store id, hub id, store name, store segment, store plan price, store latitude,
store longitude, channel id, channel name, channel type, payment order id, delivery order id,
order status,
              order amount,
                               order delivery fee, order delivery cost,
                                                                          order created hour,
order created minute,
                          order created day,
                                                 order created month,
                                                                          order created_year,
order moment created, order moment accepted, order moment ready, order moment collected,
order moment in expedition,
                                    order moment delivering,
                                                                    order moment delivered,
order moment finished,
                             order
                                      metric collected time,
                                                                   order metric paused time,
order metric production time, order metric walking time, order metric expediton speed time,
order metric transit time, order metric cycle time)
PK(order id)
FK
(store id)->store(store id)
(channel id)->channel(channel id)
```

```
deliveries
```

insert into deliveries (delivery_id, delivery_order_id, driver_id, delivery_distance_meters, delivery_status) values (2174658,68413340,8378,5199,DELIVERED)

insert into deliveries (delivery_id, delivery_order_id, driver_id, delivery_distance_meters, delivery_status) values (2174660,61414309,2473,410,DELIVERED)

insert into deliveries (delivery_id, delivery_order_id, driver_id, delivery_distance_meters, delivery status) values (2174661,68416230,7615,3784,DELIVERED)

insert into deliveries (delivery_id, delivery_order_id, driver_id, delivery_distance_meters, delivery_status) values (2174663,68412721,8378.5714,DELIVERED)

insert into deliveries (delivery_id, delivery_order_id, driver_id, delivery_distance_meters, delivery_status) values (2174675,68414018,10463,3746,DELIVERED) drivers

insert into drivers(driver_id, driver_modal, driver_type) values (133,MOTOBOY,LOGISTIC OPERATOR)

insert into drivers(driver_id, driver_modal, driver_type) values (138,MOTOBOY,FREELANCE)

insert into drivers(driver_id, driver_modal, driver_type) values (140,MOTOBOY,FREELANCE)

insert into drivers(driver id, driver modal, driver type) values (143,BIKER,FREELANCE)

insert into drivers(driver_id, driver_modal, driver_type) values (148,MOTOBOY, FREELANCE) hu

insert into hubs(hub_id, hub_name, hub_city, hub_state, hub_latitude, hub_longitude)values(2,BLUE SHOPPING,PORTO ALEGRE,RS,-30.0474148,-51.21351)

insert into hubs(hub_id, hub_name, hub_city, hub_state, hub_latitude, hub_longitude)values(3,GREEN SHOPPING,PORTO ALEGRE,RS,-30.0374149,-51.20352)

insert into hubs(hub_id, hub_name, hub_city, hub_state, hub_latitude, hub_longitude)values(4,RED_SHOPPING,PORTO_ALEGRE,RS,-30.0219481,-51.2083816)

insert into hubs(hub_id, hub_name, hub_city, hub_state, hub_latitude, hub_longitude)values(5,FUNK SHOPPING,RIO DE JANEIRO,RJ,-23.0007498,-43.318282)

insert into hubs(hub_id, hub_name, hub_city, hub_state, hub_latitude, hub_longitude)values(8,GOLDEN SHOPPING,RIO DE JANEIRO,RJ,-22.921475,-43.234774) payments

insert into payments(payment_id, payment_order_id, payment_amount, pay_fee, payment_method, payment status)values(4427917,68410055,118.44,VOUCHER,PAID)

insert into payments(payment_id, payment_order_id, payment_amount, pay_fee, payment_method, payment_status)values(4427918,68410055,39481,ONLINE,PAID)

insert into payments(payment_id, payment_order_id, payment_amount, pay_fee, payment_method, payment status)values(4427941,68412721,206.95,ONLINE,PAID)

insert into payments(payment_id, payment_order_id, payment_amount, pay_fee, payment_method, payment_status)values(4227948,68413340,58.8,ONLINE,PAID)

insert into payments(payment_id, payment_order_id, payment_amount, pay_fee, payment_method, payment_status)values(4427955,68414018,45.8,ONLINE,PAID) orders

insert into orders(order_id, store_id, hub_id, store_name, store_segment, store_plan_price, store_latitude, store_longitude, channel_id, channel_name, channel_type, payment_order_id, delivery order id, order status, order amount, order delivery fee, order delivery cost,

order created hour, order created minute, order created day, order created month, order created year, order moment created, order moment accepted, order moment ready, order moment collected, order moment in expedition, order moment delivering, order moment delivered, metric collected time, order moment finished, order order metric paused time, order metric production time, order metric walking time, order metric expediton speed time, order metric transit time, order metric cycle time)values(68405119,3512,2,CUMIURIFOOD,0,null,null,5,FOOD PLACE,MARKETPLACE,68405119,68405119,CANCELED,62,7,0,null,0,1,1,1,2021,2021/1/1 0:01) insert into orders(order id, store id, hub id, store name, store segment, store plan price, store latitude, store longitude, channel id, channel name, channel type, payment order id, delivery order id, order status, order amount, order delivery fee, order delivery cost, order created day, order created hour, order created minute, order created month, order created year, order moment created, order moment accepted, order moment ready, order moment collected, order moment in expedition, order moment delivering, order moment delivered, order moment finished, metric collected time, order order metric paused time, order metric production time, order metric walking time, order metric expediton speed time, order metric transit time, order metric cycle time)values(68405123,3512,3,PIMGUCIS DA VIVA,0,-30.0374149,-51.20352,5,FOOD

PLACE, MARKETPLACE, 68405123, 68405123, CANCELED, 62.7, 0, null, 0, 4, 1, 1, 2021, 2021/1/1 0:04) insert into orders(order id, store id, hub id, store name, store segment, store plan price, store latitude, store longitude, channel id, channel name, channel type, payment order id, delivery order id, order status, order amount, order delivery fee, order delivery cost, order created hour, order created minute, order created day, order created month, order created year, order moment created, order moment accepted, order moment ready, order moment collected, order moment in expedition, order moment delivering, order moment delivered, order moment finished, metric collected time, order order metric paused time, order metric production time, order metric walking time, order metric expediton speed time, order metric transit time, order metric cycle time)values(68405206,3512,3,RASMUR S,0,-30.0374149,-51.20352,5,FOOD PLACE,MARKETPLACE,68405206,68405206,CANCELED,115.5,0,null,0,13,1,1,2021,2021/1/1 0:013)

insert into orders(order id, store id, hub id, store name, store segment, store plan price, store latitude, store longitude, channel id, channel name, channel type, payment order id, delivery order id, order status, order amount, order delivery fee, order delivery cost, order created hour, order created minute, order created day, order created month, order created year, order moment created, order moment accepted, order moment ready, order moment collected, order moment in expedition, order moment delivering, order moment delivered, order moment finished, order metric collected time, order metric paused time, order metric production time, order metric walking time, order metric expediton speed time, order metric transit time, order metric cycle time)values(68405465,3401,8,PAPA SUCIS,0,-22.921475,-43.234822,5,FOOD PLACE,MARKETPLACE,68405465,68405465,CANCELED,55.9,0,null,0,19,1,1,2021,2021/1/1 0:019)

insert into orders(order id, store id, hub id, store name, store segment, store plan price, store latitude, store longitude, channel id, channel name, channel type, payment order id, delivery order id, order status, order amount, order delivery fee, order delivery cost, order created hour, order created minute, order created day, order created month, order created year, order moment created, order moment accepted, order moment ready, order moment collected, order moment in expedition, order moment delivering, order moment delivered, finished, metric collected time, order moment order order metric paused time, order metric production time, order metric walking time, order metric expediton speed time, order metric transit time, order metric cycle time)values(68406064,3401,8,VUZPI PAZZIS,0,-22.921475,-43.234822,5,FOOD PLACE,MARKETPLACE,68406064,68406064,CANCELED,37.9,0,null,0,26,1,1,2021,2021/1/1 0:026)