

# Api Documentation

## API and SDK Documentation

Version: 1.0

---

Api Documentation

---

## BasicErrorController

### errorHtmlUsingDELETE

errorHtml

**DELETE**

/error

#### Usage and SDK Samples

Curl   Java   Android   Obj-C   JavaScript   C#   PHP   Perl   Python

```
curl -X DELETE\  
-H "Accept: text/html\  
"http://localhost:8081/error"
```

#### Parameters

# Responses

Status: 200 - OK

Schema

▼ **ModelAndView { }**

```
empty:      boolean
model:      ▼ { }
            }
modelMap:   ▼ { }
            }
reference:   boolean
status:     string
            Enum:  ACCEPTED , ALREADY_REPORTED , BAD_GATEWAY , BAD_REQUEST , BANDWIDTH_LIMIT_EXCEEDED , CHECKPOINT , CONFLICT , CONTINUE ,
                   CREATED , DESTINATION_LOCKED , EXPECTATION_FAILED , FAILED_DEPENDENCY , FORBIDDEN , FOUND , GATEWAY_TIMEOUT , GONE ,
                   HTTP_VERSION_NOT_SUPPORTED , IM_USED , INSUFFICIENT_SPACE_ON_RESOURCE , INSUFFICIENT_STORAGE , INTERNAL_SERVER_ERROR ,
                   I_AM_A_TEAPOT , LENGTH_REQUIRED , LOCKED , LOOP_DETECTED , METHOD_FAILURE , METHOD_NOT_ALLOWED , MOVED_PERMANENTLY ,
                   MOVED_TEMPORARILY , MULTIPLE_CHOICES , MULTI_STATUS , NETWORK_AUTHENTICATION_REQUIRED , NON_AUTHORITATIVE_INFORMATION ,
                   NOT_ACCEPTABLE , NOT_EXTENDED , NOT_FOUND , NOT_IMPLEMENTED , NOT_MODIFIED , NO_CONTENT , OK , PARTIAL_CONTENT , PAYLOAD_TOO_LARGE ,
                   PAYMENT_REQUIRED , PERMANENT_REDIRECT , PRECONDITION_FAILED , PRECONDITION_REQUIRED , PROCESSING , PROXY_AUTHENTICATION_REQUIRED ,
                   REQUESTED_RANGE_NOT_SATISFIABLE , REQUEST_ENTITY_TOO_LARGE , REQUEST_HEADER_FIELDS_TOO_LARGE , REQUEST_TIMEOUT ,
                   REQUEST_URI_TOO_LONG , RESET_CONTENT , SEE_OTHER , SERVICE_UNAVAILABLE , SWITCHING_PROTOCOLS , TEMPORARY_REDIRECT , TOO_EARLY ,
                   TOO_MANY_REQUESTS , UNAUTHORIZED , UNAVAILABLE_FOR_LEGAL_REASONS , UNPROCESSABLE_ENTITY , UNSUPPORTED_MEDIA_TYPE ,
                   UPGRADE_REQUIRED , URI_TOO_LONG , USE_PROXY , VARIANT_ALSO_NEGOTIATES
view:       ▼ View { }
            contentType: string
            }
viewName:   string
}
```

Status: 204 - No Content

Status: 401 - Unauthorized

Status: 403 - Forbidden

# errorHtmlUsingGET

errorHtml

GET

/error

## Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X GET\  
-H "Accept: text/html\  
"http://localhost:8081/error"
```

## Parameters

## Responses

Status: 200 - OK

Schema

▼ ModelAndView { []

```

empty:    boolean
model:    ▼ { []
}

modelMap: ▼ { []
}

reference: boolean
status:   string

      Enum:  ACCEPTED , ALREADY_REPORTED , BAD_GATEWAY , BAD_REQUEST , BANDWIDTH_LIMIT_EXCEEDED , CHECKPOINT , CONFLICT , CONTINUE ,
      CREATED , DESTINATION_LOCKED , EXPECTATION_FAILED , FAILED_DEPENDENCY , FORBIDDEN , FOUND , GATEWAY_TIMEOUT , GONE ,
      HTTP_VERSION_NOT_SUPPORTED , IM_USED , INSUFFICIENT_SPACE_ON_RESOURCE , INSUFFICIENT_STORAGE , INTERNAL_SERVER_ERROR ,
      I_AM_A_TEAPOT , LENGTH_REQUIRED , LOCKED , LOOP_DETECTED , METHOD_FAILURE , METHOD_NOT_ALLOWED , MOVED_PERMANENTLY ,
      MOVED_TEMPORARILY , MULTIPLE_CHOICES , MULTI_STATUS , NETWORK_AUTHENTICATION_REQUIRED , NON_AUTHORITATIVE_INFORMATION ,
      NOT_ACCEPTABLE , NOT_EXTENDED , NOT_FOUND , NOT_IMPLEMENTED , NOT_MODIFIED , NO_CONTENT , OK , PARTIAL_CONTENT , PAYLOAD_TOO_LARGE ,
      PAYMENT_REQUIRED , PERMANENT_REDIRECT , PRECONDITION_FAILED , PRECONDITION_REQUIRED , PROCESSING , PROXY_AUTHENTICATION_REQUIRED ,
      REQUESTED_RANGE_NOT_SATISFIABLE , REQUEST_ENTITY_TOO_LARGE , REQUEST_HEADER_FIELDS_TOO_LARGE , REQUEST_TIMEOUT ,
      REQUEST_URI_TOO_LONG , RESET_CONTENT , SEE_OTHER , SERVICE_UNAVAILABLE , SWITCHING_PROTOCOLS , TEMPORARY_REDIRECT , TOO_EARLY ,
      TOO_MANY_REQUESTS , UNAUTHORIZED , UNAVAILABLE_FOR_LEGAL_REASONS , UNPROCESSABLE_ENTITY , UNSUPPORTED_MEDIA_TYPE ,
      UPGRADE_REQUIRED , URI_TOO_LONG , USE_PROXY , VARIANT_ALSO_NEGOTIATES

view:    ▼ View { []
      contentType: string
}

viewName: string
}

```

### Status: 401 - Unauthorized

### Status: 403 - Forbidden

### Status: 404 - Not Found

# errorHtmlUsingHEAD

errorHtml

## HEAD

/error

## Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X HEAD\  
-H "Accept: text/html\  
"http://localhost:8081/error"
```

## Parameters

## Responses

Status: 200 - OK

### Schema

▼ **ModelAndView { []**

- empty: boolean
- model: ▼ { []
  -
- modelMap: ▼ { []
  -
- reference: boolean
- status: string

**Enum:** ACCEPTED , ALREADY\_REPORTED , BAD\_GATEWAY , BAD\_REQUEST , BANDWIDTH\_LIMIT\_EXCEEDED , CHECKPOINT , CONFLICT , CONTINUE , CREATED , DESTINATION\_LOCKED , EXPECTATION\_FAILED , FAILED\_DEPENDENCY , FORBIDDEN , FOUND , GATEWAY\_TIMEOUT , GONE , HTTP\_VERSION\_NOT\_SUPPORTED , IM\_USED , INSUFFICIENT\_SPACE\_ON\_RESOURCE , INSUFFICIENT\_STORAGE , INTERNAL\_SERVER\_ERROR , I\_AM\_A\_TEAPOT , LENGTH\_REQUIRED , LOCKED , LOOP\_DETECTED , METHOD\_FAILURE , METHOD\_NOT\_ALLOWED , MOVED\_PERMANENTLY , MOVED\_TEMPORARILY , MULTIPLE\_CHOICES , MULTI\_STATUS , NETWORK\_AUTHENTICATION\_REQUIRED , NON\_AUTHORITATIVE\_INFORMATION , NOT\_ACCEPTABLE , NOT\_EXTENDED , NOT\_FOUND , NOT\_IMPLEMENTED , NOT\_MODIFIED , NO\_CONTENT , OK , PARTIAL\_CONTENT , PAYLOAD\_TOO\_LARGE , PAYMENT\_REQUIRED , PERMANENT\_REDIRECT , PRECONDITION\_FAILED , PRECONDITION\_REQUIRED , PROCESSING , PROXY\_AUTHENTICATION\_REQUIRED , REQUESTED\_RANGE\_NOT\_SATISFIABLE , REQUEST\_ENTITY\_TOO\_LARGE , REQUEST\_HEADER\_FIELDS\_TOO\_LARGE , REQUEST\_TIMEOUT , REQUEST\_URI\_TOO\_LONG , RESET\_CONTENT , SEE\_OTHER , SERVICE\_UNAVAILABLE , SWITCHING\_PROTOCOLS , TEMPORARY\_REDIRECT , TOO\_EARLY , TOO\_MANY\_REQUESTS , UNAUTHORIZED , UNAVAILABLE\_FOR\_LEGAL\_REASONS , UNPROCESSABLE\_ENTITY , UNSUPPORTED\_MEDIA\_TYPE , UPGRADE\_REQUIRED , URI\_TOO\_LONG , USE\_PROXY , VARIANT\_ALSO\_NEGOTIATES

```
view:      ▼ View { []
            contentType: string
        }
viewName: string
}
```

Status: 204 - No Content

Status: 401 - Unauthorized

Status: 403 - Forbidden

# errorHtmlUsingOPTIONS

errorHtml

/error

Usage and SDK Samples

Curl    Java    Android    Obj-C    JavaScript    C#    PHP    Perl    Python

```
curl -X OPTIONS\  
-H "Accept: text/html"\  
"http://localhost:8081/error"
```

Parameters

Responses

Status: 200 - OK

Schema

▼ **ModelAndView { []**

empty: boolean

model: ▼ { []  
}

modelMap: ▼ { []  
}

reference: boolean

status: string

**Enum:**

ACCEPTED

, 

ALREADY\_REPORTED

, 

BAD\_GATEWAY

, 

BAD\_REQUEST

, 

BANDWIDTH\_LIMIT\_EXCEEDED

, 

CHECKPOINT

, 

CONFLICT

, 

CONTINUE

, 

CREATED

, 

DESTINATION\_LOCKED

, 

EXPECTATION\_FAILED

, 

FAILED\_DEPENDENCY

, 

FORBIDDEN

, 

FOUND

, 

GATEWAY\_TIMEOUT

, 

GONE

, 

HTTP\_VERSION\_NOT\_SUPPORTED

, 

IM\_USED

, 

INSUFFICIENT\_SPACE\_ON\_RESOURCE

, 

INSUFFICIENT\_STORAGE

, 

INTERNAL\_SERVER\_ERROR

, 

I\_AM\_A\_TEAPOT

, 

LENGTH\_REQUIRED

, 

LOCKED

, 

LOOP\_DETECTED

, 

METHOD\_FAILURE

, 

METHOD\_NOT\_ALLOWED

, 

MOVED\_PERMANENTLY

, 

MOVED\_TEMPORARILY

, 

MULTIPLE\_CHOICES

, 

MULTI\_STATUS

, 

NETWORK\_AUTHENTICATION\_REQUIRED

, 

NON\_AUTHORITATIVE\_INFORMATION

, 

NOT\_ACCEPTABLE

, 

NOT\_EXTENDED

, 

NOT\_FOUND

, 

NOT\_IMPLEMENTED

, 

NOT\_MODIFIED

, 

NO\_CONTENT

, 

OK

, 

PARTIAL\_CONTENT

, 

PAYLOAD\_TOO\_LARGE

, 

PAYMENT\_REQUIRED

, 

PERMANENT\_REDIRECT

, 

PRECONDITION\_FAILED

, 

PRECONDITION\_REQUIRED

, 

PROCESSING

, 

PROXY\_AUTHENTICATION\_REQUIRED

REQUESTED\_RANGE\_NOT\_SATISFIABLE , REQUEST\_ENTITY\_TOO\_LARGE , REQUEST\_HEADER\_FIELDS\_TOO\_LARGE , REQUEST\_TIMEOUT ,  
REQUEST\_URI\_TOO\_LONG , RESET\_CONTENT , SEE\_OTHER , SERVICE\_UNAVAILABLE , SWITCHING\_PROTOCOLS , TEMPORARY\_REDIRECT , TOO\_EARLY ,  
TOO\_MANY\_REQUESTS , UNAUTHORIZED , UNAVAILABLE\_FOR\_LEGAL\_REASONS , UNPROCESSABLE\_ENTITY , UNSUPPORTED\_MEDIA\_TYPE ,  
UPGRADE\_REQUIRED , URI\_TOO\_LONG , USE\_PROXY , VARIANT\_ALSO\_NEGOTIATES

```
view:      ▼ View { []
            contentType: string
        }
viewName: string
}
```

**Status: 204 - No Content**

**Status: 401 - Unauthorized**

**Status: 403 - Forbidden**

## errorHtmlUsingPATCH

errorHtml

PATCH

/error

**Usage and SDK Samples**

Curl   Java   Android   Obj-C   JavaScript   C#   PHP   Perl   Python



```
curl -X PATCH\  
-H "Accept: text/html\  
"http://localhost:8081/error"
```

Parameters

Responses

Status: 200 - OK

Schema

▼ ModelAndView { []

empty: boolean

model: ▼ { []  
}

modelMap: ▼ { []  
}

reference: boolean

status: string

- Enum:** ACCEPTED, ALREADY\_REPORTED, BAD\_GATEWAY, BAD\_REQUEST, BANDWIDTH\_LIMIT\_EXCEEDED, CHECKPOINT, CONFLICT, CONTINUE, CREATED, DESTINATION\_LOCKED, EXPECTATION\_FAILED, FAILED\_DEPENDENCY, FORBIDDEN, FOUND, GATEWAY\_TIMEOUT, GONE, HTTP\_VERSION\_NOT\_SUPPORTED, IM\_USED, INSUFFICIENT\_SPACE\_ON\_RESOURCE, INSUFFICIENT\_STORAGE, INTERNAL\_SERVER\_ERROR, I\_AM\_A\_TEAPOT, LENGTH\_REQUIRED, LOCKED, LOOP\_DETECTED, METHOD\_FAILURE, METHOD\_NOT\_ALLOWED, MOVED\_PERMANENTLY, MOVED\_TEMPORARILY, MULTIPLE\_CHOICES, MULTI\_STATUS, NETWORK\_AUTHENTICATION\_REQUIRED, NON\_AUTHORITATIVE\_INFORMATION, NOT\_ACCEPTABLE, NOT\_EXTENDED, NOT\_FOUND, NOT\_IMPLEMENTED, NOT\_MODIFIED, NO\_CONTENT, OK, PARTIAL\_CONTENT, PAYLOAD\_TOO\_LARGE, PAYMENT\_REQUIRED, PERMANENT\_REDIRECT, PRECONDITION\_FAILED, PRECONDITION\_REQUIRED, PROCESSING, PROXY\_AUTHENTICATION\_REQUIRED, REQUESTED\_RANGE\_NOT\_SATISFIABLE, REQUEST\_ENTITY\_TOO\_LARGE, REQUEST\_HEADER\_FIELDS\_TOO\_LARGE, REQUEST\_TIMEOUT, REQUEST\_URI\_TOO\_LONG, RESET\_CONTENT, SEE\_OTHER, SERVICE\_UNAVAILABLE, SWITCHING\_PROTOCOLS, TEMPORARY\_REDIRECT, TOO\_EARLY, TOO\_MANY\_REQUESTS, UNAUTHORIZED, UNAVAILABLE\_FOR\_LEGAL\_REASONS, UNPROCESSABLE\_ENTITY, UNSUPPORTED\_MEDIA\_TYPE, UPGRADE\_REQUIRED, URI\_TOO\_LONG, USE\_PROXY, VARIANT\_ALSO\_NEGOTIATES

view: ▼ View { []

contentType: string

}

```
viewName: string
}
```

Status: 204 - No Content

Status: 401 - Unauthorized

Status: 403 - Forbidden

# errorHtmlUsingPOST

errorHtml

POST

```
/error
```

## Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X POST\  
-H "Accept: text/html\  
"http://localhost:8081/error"
```

## Parameters

## Responses

Status: 200 - OK

Schema

```
▼ ModelAndView { []
  empty:      boolean
  model:      ▼ { []
              }
  modelMap:   ▼ { []
              }
  reference:  boolean
  status:     string
              Enum:  ACCEPTED , ALREADY_REPORTED , BAD_GATEWAY , BAD_REQUEST , BANDWIDTH_LIMIT_EXCEEDED , CHECKPOINT , CONFLICT , CONTINUE ,
                     CREATED , DESTINATION_LOCKED , EXPECTATION_FAILED , FAILED_DEPENDENCY , FORBIDDEN , FOUND , GATEWAY_TIMEOUT , GONE ,
                     HTTP_VERSION_NOT_SUPPORTED , IM_USED , INSUFFICIENT_SPACE_ON_RESOURCE , INSUFFICIENT_STORAGE , INTERNAL_SERVER_ERROR ,
                     I_AM_A_TEAPOT , LENGTH_REQUIRED , LOCKED , LOOP_DETECTED , METHOD_FAILURE , METHOD_NOT_ALLOWED , MOVED_PERMANENTLY ,
                     MOVED_TEMPORARILY , MULTIPLE_CHOICES , MULTI_STATUS , NETWORK_AUTHENTICATION_REQUIRED , NON_AUTHORITATIVE_INFORMATION ,
                     NOT_ACCEPTABLE , NOT_EXTENDED , NOT_FOUND , NOT_IMPLEMENTED , NOT_MODIFIED , NO_CONTENT , OK , PARTIAL_CONTENT , PAYLOAD_TOO_LARGE ,
                     PAYMENT_REQUIRED , PERMANENT_REDIRECT , PRECONDITION_FAILED , PRECONDITION_REQUIRED , PROCESSING , PROXY_AUTHENTICATION_REQUIRED ,
                     REQUESTED_RANGE_NOT_SATISFIABLE , REQUEST_ENTITY_TOO_LARGE , REQUEST_HEADER_FIELDS_TOO_LARGE , REQUEST_TIMEOUT ,
                     REQUEST_URI_TOO_LONG , RESET_CONTENT , SEE_OTHER , SERVICE_UNAVAILABLE , SWITCHING_PROTOCOLS , TEMPORARY_REDIRECT , TOO_EARLY ,
                     TOO_MANY_REQUESTS , UNAUTHORIZED , UNAVAILABLE_FOR_LEGAL_REASONS , UNPROCESSABLE_ENTITY , UNSUPPORTED_MEDIA_TYPE ,
                     UPGRADE_REQUIRED , URI_TOO_LONG , USE_PROXY , VARIANT_ALSO_NEGOTIATES
  view:      ▼ View { []
              contentType: string
              }
  viewName:  string
}
```

Status: 201 - Created

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

# errorHtmlUsingPUT

errorHtml

PUT

/error

## Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X PUT\  
-H "Accept: text/html\  
"http://localhost:8081/error"
```

## Parameters

## Responses

Status: 200 - OK

Schema

▼ ModelAndView { []

```

empty:    boolean
model:    ▼ { []
}

modelMap: ▼ { []
}

reference: boolean
status:   string

      Enum:  ACCEPTED , ALREADY_REPORTED , BAD_GATEWAY , BAD_REQUEST , BANDWIDTH_LIMIT_EXCEEDED , CHECKPOINT , CONFLICT , CONTINUE ,
      CREATED , DESTINATION_LOCKED , EXPECTATION_FAILED , FAILED_DEPENDENCY , FORBIDDEN , FOUND , GATEWAY_TIMEOUT , GONE ,
      HTTP_VERSION_NOT_SUPPORTED , IM_USED , INSUFFICIENT_SPACE_ON_RESOURCE , INSUFFICIENT_STORAGE , INTERNAL_SERVER_ERROR ,
      I_AM_A_TEAPOT , LENGTH_REQUIRED , LOCKED , LOOP_DETECTED , METHOD_FAILURE , METHOD_NOT_ALLOWED , MOVED_PERMANENTLY ,
      MOVED_TEMPORARILY , MULTIPLE_CHOICES , MULTI_STATUS , NETWORK_AUTHENTICATION_REQUIRED , NON_AUTHORITATIVE_INFORMATION ,
      NOT_ACCEPTABLE , NOT_EXTENDED , NOT_FOUND , NOT_IMPLEMENTED , NOT_MODIFIED , NO_CONTENT , OK , PARTIAL_CONTENT , PAYLOAD_TOO_LARGE ,
      PAYMENT_REQUIRED , PERMANENT_REDIRECT , PRECONDITION_FAILED , PRECONDITION_REQUIRED , PROCESSING , PROXY_AUTHENTICATION_REQUIRED ,
      REQUESTED_RANGE_NOT_SATISFIABLE , REQUEST_ENTITY_TOO_LARGE , REQUEST_HEADER_FIELDS_TOO_LARGE , REQUEST_TIMEOUT ,
      REQUEST_URI_TOO_LONG , RESET_CONTENT , SEE_OTHER , SERVICE_UNAVAILABLE , SWITCHING_PROTOCOLS , TEMPORARY_REDIRECT , TOO_EARLY ,
      TOO_MANY_REQUESTS , UNAUTHORIZED , UNAVAILABLE_FOR_LEGAL_REASONS , UNPROCESSABLE_ENTITY , UNSUPPORTED_MEDIA_TYPE ,
      UPGRADE_REQUIRED , URI_TOO_LONG , USE_PROXY , VARIANT_ALSO_NEGOTIATES

view:    ▼ View { []
      contentType: string
}

viewName: string
}

```

**Status: 201 - Created**

---

**Status: 401 - Unauthorized**

---

**Status: 403 - Forbidden**

---

**Status: 404 - Not Found**

---

# ControladorDePostagem

## createUsingPOST

create

POST

/postagens

### Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X POST\  
-H "Accept: */*\  
-H "Content-Type: application/json\  
"http://localhost:8081/postagens"
```

### Parameters

Body parameters

Name	Description
------	-------------

body

```
▼ Postagem { []
  Required: titulo,txt
  data:      string
           example: dd/MM/yyyy HH:mm

  id:        integer (int64)

  tema:      ▼ Tema { []
             Required: tema
             idTema:    integer
             postagens: ► [] []
             tema:      string
           }

  titulo:    string minLength:5 maxLength:100
  txt:       string minLength:15 maxLength:400

  usuario:   ▼ Usuario { []
             Required: email,nome,senha,usuario
             email:      string
             idUsuario:  integer
             minhasPostagens: ► [] []
             nome:       string
             senha:      string
             usuario:    string
           }
}
```

## Responses

Status: 200 - OK

Schema

Status: 201 - Created

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

# deleteUsingDELETE

Delete

DELETE

/postagens/{id}

## Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X DELETE\  
"http://localhost:8081/postagens/{id}"
```

## Parameters

Path parameters

Name	Description
id*	Long (int64) <i>id</i> Required



## Responses

Status: 200 - OK

Status: 204 - No Content

Status: 401 - Unauthorized

Status: 403 - Forbidden

## findAllUsingGET

findAll

GET

/postagens

### Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X GET\  
-H "Accept: */*"\  
"http://localhost:8081/postagens"
```

### Parameters

## Responses

Status: 200 - OK

Schema

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

## findByIdUsingGET

findById

GET

/postagens/{id}

### Usage and SDK Samples

Curl

Java

Android

Obj-C

JavaScript

C#

PHP

Perl

Python

```
curl -X GET\  
-H "Accept: */*"\  
"http://localhost:8081/postagens/{id}"
```

### Parameters

Path parameters

Name	Description
id*	Long (int64) <i>id</i> Required

Responses

Status: 200 - OK

Schema

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

findByTituloUsingGET

findByTitulo

GET

/postagens/titulo/{titulo}

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X GET\  
-H "Accept: */*"\  
"http://localhost:8081/postagens/titulo/{titulo}"
```

## Parameters

Path parameters

Name	Description
titulo*	String <i>titulo</i> Required

## Responses

Status: 200 - OK

Schema	

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

## putUsingPUT

Put

PUT

/postagens

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X PUT\  
-H "Accept: */*"\  
-H "Content-Type: application/json"\  
"http://localhost:8081/postagens"
```

Parameters

Body parameters

Name	Description
------	-------------

body

```
▼ Postagem { []
  Required: titulo,txt
  data:      string
           example: dd/MM/yyyy HH:mm

  id:        integer (int64)

  tema:      ▼ Tema { []
             Required: tema
             idTema:      integer
             postagens:   ► [] []
             tema:         string
           }

  titulo:    string minLength:5 maxLength:100
  txt:       string minLength:15 maxLength:400

  usuario:   ▼ Usuario { []
             Required: email,nome,senha,usuario
             email:           string
             idUsuario:       integer
             minhasPostagens: ► [] []
             nome:            string
             senha:           string
             usuario:         string
           }
}
```

## Responses

Status: 200 - OK

Schema

Status: 201 - Created

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

# ControladorDeTema

## createUsingPOST1

create

POST

/tema

### Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X POST\  
-H "Accept: */*"\  
-H "Content-Type: application/json"\  
"http://localhost:8081/tema"
```

## Parameters

Body parameters

Name	Description
body	

## Responses

Status: 200 - OK

Schema

Status: 201 - Created

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

## deleteUsingDELETE1

Delete

DELETE

/tema/{id}
------------



Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X DELETE\  
"http://localhost:8081/tema/{id}"
```

Parameters

Path parameters

Name	Description
id*	Long (int64) <i>id</i> Required

Responses

Status: 200 - OK

Status: 204 - No Content

Status: 401 - Unauthorized

Status: 403 - Forbidden

findAllUsingGET1

findAll

GET

/tema

## Usage and SDK Samples

Curl

Java

Android

Obj-C

JavaScript

C#

PHP

Perl

Python

```
curl -X GET\  
-H "Accept: */*"\  
"http://localhost:8081/tema"
```

## Parameters

## Responses

**Status: 200 - OK**

Schema

**Status: 401 - Unauthorized**

**Status: 403 - Forbidden**

**Status: 404 - Not Found**

## findByldUsingGET1

findByld

GET

/tema/{id}

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X GET\  
-H "Accept: */*"\  
"http://localhost:8081/tema/{id}"
```

Parameters

Path parameters

Name	Description
id*	Long (int64) <i>id</i> Required

Responses

Status: 200 - OK

Schema

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

# findByTemaUsingGET

findByTema

GET

/tema/tema/{tema}

## Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X GET\  
-H "Accept: */*"\  
"http://localhost:8081/tema/tema/{tema}"
```

## Parameters

Path parameters

Name	Description
tema*	String <i>tema</i> Required

## Responses

Status: 200 - OK

Schema

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

# putUsingPUT1

Put

PUT

/tema

## Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X PUT\  
-H "Accept: */*"\  
-H "Content-Type: application/json"\  
"http://localhost:8081/tema"
```

## Parameters

Body parameters

Name	Description
body	

Responses

Status: 200 - OK

Schema	
--------	--

Status: 201 - Created

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

ControladorDeUsuario

autenticationUsingPOST

Autentication

POST

/usuarios/login

## Usage and SDK Samples

Curl

Java

Android

Obj-C

JavaScript

C#

PHP

Perl

Python

```
curl -X POST\  
-H "Accept: */*"\  
-H "Content-Type: application/json"\  
"http://localhost:8081/usuarios/login"
```

## Parameters

Body parameters

Name	Description
body	<div><div>▼ <b>UserLogin</b> { []</div><div><div>id: integer (int64)</div><div>nome: string</div><div>senha: string</div><div>token: string</div><div>usuario: string</div></div><div>}</div></div>

## Responses

Status: 200 - OK

Schema

```
▼ { []  
}
```

Status: 201 - Created

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

# createUsingPOST2

create

POST

/usuarios

## Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X POST\  
-H "Accept: */*\  
-H "Content-Type: application/json\  
"http://localhost:8081/usuarios"
```

## Parameters

Body parameters

Name	Description
------	-------------



body	
------	--

## Responses

Status: 200 - OK

Schema	
<pre>▼ { [] }</pre>	

Status: 201 - Created

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

## deleteUsingDELETE2

Delete

DELETE

/usuarios/{id}
----------------

## Usage and SDK Samples

[Curl](#)[Java](#)[Android](#)[Obj-C](#)[JavaScript](#)[C#](#)[PHP](#)[Perl](#)[Python](#)

```
curl -X DELETE\  
"http://localhost:8081/usuarios/{id}"
```

## Parameters

Path parameters

Name	Description
id*	Long (int64) <i>id</i> Required

## Responses

Status: 200 - OK

Status: 204 - No Content

Status: 401 - Unauthorized

Status: 403 - Forbidden

## findAllUsingGET2

findAll

GET

/usuarios

Usage and SDK Samples

Curl   Java   Android   Obj-C   JavaScript   C#   PHP   Perl   Python

```
curl -X GET\  
-H "Accept: */*"\  
"http://localhost:8081/usuarios"
```

Parameters

Responses

Status: 200 - OK

Schema

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

findByEmailUsingGET

findByEmail

GET

/usuarios/email/{email}

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X GET\  
-H "Accept: */*"\  
"http://localhost:8081/usuarios/email/{email}"
```

Parameters

Path parameters

Name	Description
email*	String <i>email</i> Required

Responses

Status: 200 - OK

Schema

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

# findByIdUsingGET2

findById

GET

/usuarios/{id}

## Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X GET\  
-H "Accept: */*"\  
"http://localhost:8081/usuarios/{id}"
```

## Parameters

Path parameters

Name	Description
id*	Long (int64) <i>id</i> Required

## Responses

Status: 200 - OK

Schema

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

# putUsingPUT2

Put

PUT

/usuarios

## Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X PUT\  
-H "Accept: */*\"  
-H "Content-Type: application/json\"  
"http://localhost:8081/usuarios"
```

## Parameters

Body parameters

Name	Description
body	

Responses

Status: 200 - OK

Schema	<div>▼ { [] }</div>
--------	---------------------

Status: 201 - Created

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

Suggestions, contact, support and error reporting;  
Information URL: <https://helloverb.com> (<https://helloverb.com>)  
Contact Info: [hello@helloverb.com](mailto:hello@helloverb.com) ([hello@helloverb.com](mailto:hello@helloverb.com))  
Apache 2.0  
<http://www.apache.org/licenses/LICENSE-2.0>