


MolProbity Ramachandran analysis

1wnc.H.pdb, model 1



all residues (2000) at all residues were at least 100% occupied.

all residues (2000) at all residues were at least 100% occupied.

all residues (2000) at all residues were at least 100% occupied.

all residues (2000) at all residues were at least 100% occupied.

all residues (2000) at all residues were at least 100% occupied.

all residues (2000) at all residues were at least 100% occupied.

all residues (2000) at all residues were at least 100% occupied.

all residues (2000) at all residues were at least 100% occupied.

all residues (2000) at all residues were at least 100% occupied.

all residues (2000) at all residues were at least 100% occupied.

all residues (2000) at all residues were at least 100% occupied.

all residues (2000) at all residues were at least 100% occupied.

all residues (2000) at all residues were at least 100% occupied.

all residues (2000) at all residues were at least 100% occupied.

all residues (2000) at all residues were at least 100% occupied.

all residues (2000) at all residues were at least 100% occupied.

all residues (2000) at all residues were at least 100% occupied.

all residues (2000) at all residues were at least 100% occupied.

all residues (2000) at all residues were at least 100% occupied.

all residues (2000) at all residues were at least 100% occupied.

all residues (2000) at all residues were at least 100% occupied.

all residues (2000) at all residues were at least 100% occupied.

all residues (2000) at all residues were at least 100% occupied.