# **IconExperience Icon Collection**

# **Software Development**



# **Contents**

1	Appli	cation	3
	1.1	Application-General	3
	1.2	Application-Enterprise	3 3
	1.3	Application-Window	4
	1.4	Application Server	4
2	Debu	ugging	5
3	Cont	rol Flow	5 6 6 7
	3.1	Element	6
	3.2	Branch	7
	3.3	Breakpoint	
	3.4	Step	8
4	Com	ponents	8
5	Code		9
6	Java	(TM)	9
	6.1	JAR	9
	6.2	WAR	10
	6.3	Beans	1
	6.4	Others	1
7	Othe	<u>rs</u>	12
8	Layo	<u>ut</u>	7 8 8 9 9 9 10 12 12 13
9	Logic		13

## 1 Application (38 icons)

#### 1.1 Application-General (16 icons)

application	A	A		
application_add	A	Ą		
application_certificate	<b>A</b>	<u></u>		
application_connection	a			
application_delete	A	<u> </u>		
application_error	æ		E	
application_information	ío.	<b>6</b>		1
application_lock	<i>I</i> 0	<u></u>		
application_network	<u>_</u>	<u>_</u>		
application_new	24	<u> </u>		
application_ok	6			
application_preferences	A			
application_run	A	<b>A</b>		
application_stop	A	<u></u>		
application_view	Â	Q		
application_warning	A			•

#### 1.2 Application-Enterprise (9 icons)

application_enterprise	M			
application_enterprise_add	76	A	4	

application_enterprise_certificate	<b>/</b>		
application_enterprise_delete	A		
application_enterprise_new	EX.		
application_enterprise_preferences	R		
application_enterprise_run	<i>K</i>	A	
application_enterprise_stop	<b>F</b>	A	
application_enterprise_view	A	Á	

#### 1.3 Application-Window (6 icons)

window_application	A		A	
window_application_add	<b></b>	<b>A</b>	<b>A</b>	
window_application_delete				
window_application_enterprise				
window_application_enterprise_add	<b></b>	<b>Z</b>	<b>Z</b>	
window_application_enterprise_delete				

## 1.4 Application Server (7 icons)

application_server	<b>A</b>			
application_server_add	<b>₽</b>	<b>2</b>		
application_server_delete	ā,			
application_server_new	<b>S</b>	2	<b>29</b>	
application_server_preferences	<i>i</i>			
application_server_run	<b>**</b>			

application_server_stop	<b></b>				
-------------------------	---------	--	--	--	--

# 2 Debugging (19 icons)

bug_green	*	<b>:</b>		**
bug_red	*	**		
bug_yellow	*	**	**	
bug-mail	<b>*</b>			
debug	**	****	<b>9</b>	<b>*</b>
debug_into	**	<b>₹</b>		<b>***</b>
debug_next	<b>75</b>	**	**	
debug_pause	渝	***	***	
debug_preferences	***	***	***	****
debug_previous	*	<b>**</b>		
debug_reset	<b>₽</b>	<b>*</b>		
debug_run	帝	**	**	***
debug_step_forward	*	**	***	***
debug_stop	***	***	<b>***</b>	***
debug_time	**	***	***	****
debug_view	-0.	<b>*</b>	<b>(</b>	
debug_add	海	<b>*</b>	***	***
debug_delete	*	<b>**</b>		
debug_edit	**	<b>₹</b>	<b>₹</b>	***

# 3 Control Flow (50 icons)

## 3.1 Element (27 icons)

element				
element_add	•	<b>₽</b>	<b>-</b>	
element_copy				
element_delete	<b>₽</b>	***	<b>_</b>	X
element_down	•	•		
element_find	-₹	-	<b>₹</b>	
element_into	-	<b>⇒</b>	-	
element_into_input	*	Fig.	T.	
element_new	<u>-</u>	<u>@</u>		*
element_new_after	<b>6</b> 5,	<b>6</b>	<b>2</b>	*
element_new_before	<b>2</b> =	<b>&amp;</b>	<b>2</b>	
element_next		=		
element_ok	•	•	•	
element_preferences	•	₩		
element_previous		<b>=</b>	<b>=</b>	-
element_refresh	₩.	<b>-</b>		
element_replace	₩.	₹.	<b>-</b>	
element_run	4	•	-	
element_selection				
element_selection_delete	<b>2</b>	<b>~</b>		

element_stop	-	•	•	
element_time	•	-	<b>~</b>	
element_up	<u>a</u>	<u></u>	<b>₽</b>	
element_view	•	•		
elements1	<b>-</b>			
elements2				
elements_selection				

#### 3.2 Branch (6 icons)

branch	~=			
branch_delete	72	72	74	
branch_element	-=	=(=		
branch_element_new	~			
branch_find	85	<b>*</b>	-	
branch_view	<b>"</b> "	<b>=</b>		

## 3.3 Breakpoint (13 icons)

breakpoint				
breakpoint_add	<b>-</b>	-	<b>—</b>	
breakpoint_delete	₽.	***		×
breakpoint_down	<b>II</b> ,	G.		
breakpoint_find	<b>€</b>	-	600	
breakpoint_new	<del>e</del>	e	*	

breakpoint_run	·	•		
breakpoint_selection				
breakpoint_selection_delete	<b>9</b>			
breakpoint_up	<b>■</b>	<u>r</u>	<u> </u>	
breakpoints	•			
breakpoints_delete	<b>₽</b>			×
breakpoint_into	9	•	•	

#### 3.4 Step (4 icons)

step	98	99	<b>66</b>	99
step_add	<b>₽</b> \$	<b>₽</b> ₽	<i>9</i> 4	
step_delete	<b>₽</b> 9	Q.P	<b>Q</b> &	<b>Q</b> ₽
step_new	99	99	<b>Ş</b> ₽	<b>\$</b>

# 4 Components (13 icons)

component	Æ	Å	£	
component_add	ř.	ř.	ř.	
component_delete	£	ž.		
component_edit	R	2	R	
component_find	*	*	*	
component_green	A	Å	£	<b>F</b>
component_new	Æ	<b>£</b>		
component_preferences	Ř	R		

component_red	A	Å	Æ	<b>F</b>
component_replace	ris.	r.	Pa.	
component_view	ſ <u>Ŗ</u>	ř.	Ř	
component_yellow	Æ	å	å	<b>R</b>
components	ile.	ik.		

# 5 Code (7 icons)

text_code	F		<u></u>	
text_code_c	F.	Æ	<u></u>	<u></u>
text_code_colored	F	<b>F</b>	Œ	F
text_code_cplusplus	Ē.	<u></u>	Ē.	C++
text_code_csharp	Ē#	Ē.	<del>-</del>	C#
text_code_java	<b>F</b> 3	B	5	麦
text_code_javascript	5s	تَ	ĪS	ĪS

## 6 Java (TM) (41 icons)

#### 6.1 JAR (21 icons)

jar	ā		7	
jar_add	(Ā	<u>~</u>	7	
jar_delete	ā	,		
jar_into	•	<b>€</b>	<b>3</b>	<b>\$</b>
jar_new	6	8		

jar_out	₫*	<b>2</b>		
jar_preferences	<u>~</u>			
jar_view	₫			Q
jar_bean	<b>(a)</b>	6		
jar_bean_add	(A)			
jar_bean_delete	<u> </u>	<u></u>		
jar_bean_enterprise	6	<b>5</b>		
jar_bean_enterprise_add	<b>6</b>			
jar_bean_enterprise_delete	5	<b>5</b>		
jar_bean_enterprise_preferences	<b>6</b>			
jar_bean_enterprise_view	Q			
jar_bean_into	<b>5</b>	<b>ॐ</b>	<b></b>	<b>5</b>
jar_bean_new	6	8	6	6
jar_bean_out	<b>3</b>	3	3	
jar_bean_preferences	<u>@</u>	<b></b>		
jar_bean_view	<u> </u>			

#### 6.2 WAR (7 icons)

war	<b>5</b>		<b></b>	
war_add	<b></b>			
war_delete	ā	Ñ	<u></u>	
war_into	5	<b>5</b>	<u> </u>	<b>5</b>
war_out	<b>3</b>	3	8	

war_preferences	•	<b></b>	<b>~</b>	
war_view	<u>a</u>			


#### 6.3 Beans (12 icons)

coffeebean	0	0		
coffeebean_add	<b>6</b>	<b>P</b>	<b>C</b>	
coffeebean_delete	<b>@</b>			
coffeebean_new	<b>⊘</b>	<b>&gt;</b>	<b>%</b>	
coffeebean_preferences	•			
coffeebean_view	Q	Q		
coffeebean_enterprise	<b>Ø</b>			
coffeebean_enterprise_add	<b>F</b>	<b>A</b>	C <sub>4</sub>	
coffeebean_enterprise_delete	<b>&gt;</b>			
coffeebean_enterprise_new	<b>&gt;</b>			
coffeebean_enterprise_preferences	<b>©</b>			
coffeebean_enterprise_view	D	Q		


## 6.4 Others (1 icons)

cup	3	3	3		
-----	---	---	---	--	--

#### 7 Others (5 icons)



#### 8 Layout (11 icons)



# 9 Logic (3 icons)

logic_and	<b>(1)</b>	(1)	(1)	
logic_not	0	0		
logic_or	•			

# Index

application 3	breakpoint_down 7
application_add 3	breakpoint_find 7
application_certificate 3	breakpoint_into 8
application_connection 3	breakpoint_new 8
application_delete 3	breakpoint_run 8
application_enterprise 3	breakpoint_selection 8
application_enterprise_add 3	breakpoint_selection_delete 8
application_enterprise_certificate 4	breakpoint_up 8
application_enterprise_delete 4	breakpoints 8
application_enterprise_new 4	breakpoints_delete 8
application_enterprise_preferences 4	bug-mail 5
application_enterprise_run 4	bug_green 5
application_enterprise_stop 4	bug_red 5
application_enterprise_view 4	bug_yellow 5
application_error 3	coffeebean 11
application_information 3	coffeebean_add 11
application_lock 3	coffeebean_delete 11
application_network 3	coffeebean_enterprise 11
application_new 3	coffeebean_enterprise_add 11
application_ok 3	coffeebean_enterprise_delete 11
application_preferences 3	coffeebean_enterprise_new 11
application_run 3	coffeebean_enterprise_preferences 11
application_server 4	coffeebean_enterprise_view 11
application_server_add 4	coffeebean_new 11
application_server_delete 4	coffeebean_preferences 11
application_server_new 4	coffeebean_view 11
application_server_preferences 4	component 8
application_server_run 5	component_add 8
application_server_stop 5	component_delete 8
application_stop 3	component_edit 8
application_view 3	component_find 8
application_warning 3	component_green 8
branch 7	component_new 8
branch_delete 7	component_preferences 9
branch_element 7	component_red 9
branch_element_new 7	component_replace 9
branch_find 7	component_view 9
branch_view 7	component_yellow 9
breakpoint 7	components 9
breakpoint_add 7	console 12
breakpoint_delete 7	console_network 12

<u>cup</u> <u>11</u>	<u>jar 9</u>
debug <u>5</u>	jar_add 9
debug_add 5	jar_bean 10
debug_delete 5	jar_bean_add 10
debug_edit 5	jar_bean_delete 10
debug_into 5	jar_bean_enterprise 10
debug_next 5	jar_bean_enterprise_add 10
debug_pause 5	jar_bean_enterprise_delete 10
debug_preferences 5	jar_bean_enterprise_preferences 10
debug_previous 5	jar_bean_enterprise_view 10
debug_reset 5	jar_bean_into 10
debug_run 5	jar_bean_new 10
debug_step_forward 5	jar_bean_out 10
debug_stop 5	jar_bean_preferences 10
debug_time 5	jar_bean_view 10
debug_view 5	jar_delete 9
element 6	jar_into 9
element_add 6	jar_new 9
element_copy 6	jar_out 10
element_delete 6	jar_preferences 10
element_down 6	jar_view 10
element_find 6	layout_center 12
element_into 6	layout_east 12
element_into_input 6	layout_horizontal 12
element_new 6	layout_north 12
element_new_after 6	layout_northeast 12
element_new_before 6	layout_northwest 12
element_next 6	layout_south 12
element_ok 6	layout_southeast 12
element_preferences 6	layout_southwest 12
element_previous 6	layout_vertical 12
element_refresh 6	layout_west 12
element_replace 6	logic_and 13
element_run 6	logic_not 13
element_selection 6	logic_or 13
element_selection_delete 6	oszillograph 12
element_stop 7	registry 12
element_time 7	step 8
element_up 7	step_add 8
element_view 7	step_delete 8
elements1 7	step_new 8
elements2 7	text_code 9
elements_selection 7	text_code_c 9

```
text_code_colored 9
text_code_cplusplus 9
text_code_csharp 9
text_code_java 9
text_code_javascript 9
thread 12
war 10
war_add 10
war_delete 10
war_into 10
war_out 10
war_preferences 11
war_view 11
window_application 4
window_application_add 4
window_application_delete 4
window_application_enterprise 4
window_application_enterprise_add 4
window_application_enterprise_delete 4
```