# **IconExperience Icon Collection**

# **Business and Data**



# **Contents**

1	Com	<u>merce</u>	3
	1.1	Money	3
	1.2	Gold	3
	1.3	Shopping	4
	1.4	Others	4
2	Offic	<u>9</u>	4
	2.1	Business People	3 3 3 4 4 4 4 5 5 5 6 6 6 7 7 7 7 8 8 8 9
	2.2	Briefcases	5
	2.3	Devices	5
	2.4	Date and Time	6
	2.5	Address	6
	2.6	Notes	6
	2.7	Pins	7
	2.8	Messages	7
	2.9	Misc. Office Equipment	7
	2.10	Gestures	8
	2.11	Graduation	8
3	Data		8
	3.1	<u>Data</u>	9
	3.2	Index	10
	3.3	Filtering	11
	3.4	Sorting	11
	3.5	Tables	12
	;	3.5.1 Plain Tables	12
		3.5.2 Columns/Rows	12
	(	3.5.3 Window Tables	13
	3.6	Chart and Presentation	14

# 1 Commerce (30 icons)

## 1.1 Money (12 icons)

money	<b>♣</b> .	<b>Č</b> .	<b>_</b>	
money2	<b>₽</b>	<b>₽</b>	<b>\$</b>	
money_envelope				
moneybag	<u>~</u>	<u>~</u>	<u> </u>	<b>Š</b>
moneybag_dollar	å	Š	S	S
moneybag_euro	å	Č	É	$\epsilon$
currency_dollar	8	<b>S</b>	<b>(\$)</b>	<b>(\$)</b>
currency_euro	3	<b>(</b>	<b>(E)</b>	<b>(</b>
currency_pound	E	£	<b>(E)</b>	£
currency_yen	0	*	<b>(¥)</b>	<b>E</b>
wallet_closed	•	<b>&gt;</b>		
wallet_open	<i>≽</i>	<b>&gt;</b>	<b>&gt;</b>	

## 1.2 Gold (7 icons)

goldbar	<u> </u>			
goldbar_add	4	4	-	
goldbar_delete	N.	*	×	
goldbars	()	<b>&gt;</b>		
chest	<b>**</b>	***************************************		
chest_into	<b>\$</b>	***	***************************************	

chest_out	<b>**</b>	***	***	***	
******					

## 1.3 Shopping (7 icons)

shoppingbasket	**	<u>©</u>	<b>©</b>	<b>S</b>
shoppingbasket_add	<b>%</b>	<del></del>		
shoppingbasket_delete	<b>P</b>	<b>\$</b>		
shoppingbasket_full	**	***		
shoppingcart_full	<b>#</b>			
shoppingcart	#			
cashier	<b>3</b>	3		

## 1.4 Others (4 icons)

auction_hammer	43	***	3	3
creditcards	=	=		
paragraph	8	8	\$	3
percent	<b>%</b>	%	<b>%</b>	%

# 2 Office (67 icons)

# 2.1 Business People (8 icons)

businessman	<u>\$</u>	<u></u>	
businessman_add	<u></u>	<u></u>	
businessman_delete	zib.	2	

businessman_find	€	-		
businessman_preferences	<i>&amp;</i>	<b>&amp;</b>		
businessman_view	2	<u> </u>	<u> </u>	
businessman2	2	3	3	
businessmen	\$8	<b>\$</b> \$	23	

## 2.2 Briefcases (8 icons)

briefcase	<b>(p)</b>	<b></b>		
briefcase_document	(i)	(E		
briefcase_into	<b>©</b>	<u> </u>		
briefcase_out	<b>©</b>			
briefcase_view	Q	<u></u>		
briefcase2	<b></b>		_	-
briefcase2_document	<u> </u>			
briefcase2_view		<u> </u>	<u></u>	

## 2.3 Devices (5 icons)

telephone	<b>S</b>	<b>(</b>		
fax	6			
mobilephone1	6			
mobilephone2	B	Ø	8	
mobilephone3	8			

#### 2.4 Date and Time (6 icons)

calendar	12	12	99999 12	12
calendar_down	7	13	79999	12
calendar_preferences	<b>T2</b>	13	12	12
calendar_up	<b>**</b>	72	12	12
date-time	r P	12	12	12
date-time_preferences	<b>™</b>		11	12

#### 2.5 Address (3 icons)

address_book	<b>a</b>	4		
address_book2	4	4		
address_book3	4	<b>@</b>	<b>@</b>	

#### 2.6 Notes (8 icons)



#### 2.7 Pins (5 icons)

pin_blue	8	8	2	2
pin_green	۶	8	8	2
pin_grey	5	8	8	8
pin_red	۶	8	<b>9</b>	2
pin_yellow	8	8	8	2

## 2.8 Messages (5 icons)

message	<b>(</b>	<b></b>	<b>?</b>	
message_add				
message_delete	<b>P</b>	<b></b>	×	
message_edit	<b>&gt;</b>	<b>?</b>	<b>P</b>	
messages	<b>@</b>			

#### 2.9 Misc. Office Equipment (5 icons)



#### 2.10 Gestures (11 icons)



#### 2.11 Graduation (3 icons)

graduate	3			
graduation_hat1	<b>*</b>	<b>?</b>	<b>?</b>	
graduation_hat2	*	•	*	

## 3 Data (103 icons)

## 3.1 Data (31 icons)

data				
data_add	₽.	ą.	Ç	
data_certificate	■,	•		
data_connection	■.	To.	To the second	
data_copy	j			
data_delete	<sub>F</sub>	<b>,</b>	×	×
data_disk	G	Ģ		
data_down	•	-		
data_edit	•			
data_error	Ē.	×	×	×
data_find	-			
data_forbidden	6	<b>\[ \]</b>		
data_gear	6			
data_information	<b>6</b>	•		•
data_into	•3	<b>₩</b>		
data_lock	<b>6</b>	6	7	6
data_new	9	9		
data_next	<b>**</b>	<b>B</b>	•	5
data_ok	6	3		
data_out	■	<b>3</b>	3	
data_preferences	•			
data_previous	*	***		

data_refresh	<b>a</b>	3		
data_replace	₽ <mark>.</mark>			
data_scroll		<b>S</b>		
data_table				
data_time	6		•	
data_unknown	[2	•	?	?
data_up	i di	<b>1</b>	<b></b>	
data_view	<u>a</u>		Q	
data_warning	7.	7		<b>!</b>

# 3.2 Index (10 icons)

index	<b>=</b>		
index_add		<del></del>	
index_delete			X
index_down	<b>*</b>		
index_new	<b>©</b>	<b>*</b>	
index_preferences			
index_refresh			
index_replace	<b>%</b>		
index_up	89	<b>6</b>	
index_view	<b>©</b>		

## 3.3 Filtering (8 icons)

funnel	9	9	9	7
funnel_add	8	<b>\$</b>		
funnel_delete	<b>2</b>	~		×
funnel_down	8	7	T.	7
funnel_new	9	•	•	
funnel_preferences	9	8	8	
funnel_up	9	7	7	
funnel_edit	9	<b>&gt;</b>	7	

## 3.4 Sorting (10 icons)


				_
sort_ascending	14	1ª	14	
sort_descending		12	1.	
down_minus	<b>₽</b> -	1-	<b>J</b> -	-
down_plus	<b>∏</b> •	10	14	1
up_minus	î-	1-	1-	1-
up_plus	<b>Î</b> a	14	14	1
up_down	*	1	1	1
up_down_question	<b>‡?</b>	<b>‡</b> ?	<b>‡</b> ?	<b>‡?</b>
sort_az_ascending	<b>1</b> <sup>Z</sup> <sub>A</sub>	<b>a</b> Z A	<b>↑</b> Z A	<b>↑</b> Z A
sort_az_descending	<b>♣</b> <sup>A</sup> Z	<b>₽</b> A Z	<b>₽</b> A Z	<b>J</b> AZ

#### 3.5 Tables (36 icons)

#### 3.5.1 Plain Tables (11 icons)

table				
table_add	ф	4	4	
table_connection				
table_delete		×	N.	×
table_new	<u>P-1</u>			
table_preferences	₩.			
table_refresh	2			
table_replace	in.			
table_view				
tables				
tables_delete	<b>#</b>		24	*

#### 3.5.2 Columns/Rows (12 icons)



row_add		-	4	
row_add_after	u <sub>q</sub> .	- <del>-</del>	<b>-</b>	
row_add_before	<b>#</b>	<b></b>	-	
row_delete		<u>,                                    </u>	×	*
row_preferences	<b></b>			

## 3.5.3 Window Tables (13 icons)

	Т		1	
table_selection_all				
table_selection_block	<b>=</b>			
table_selection_cell				
table_selection_column				
table_selection_row				
table_sql				
table_sql_add	•			
table_sql_check			Z	
table_sql_create	<u> </u>	Ø		
table_sql_delete	×	×	×	×
table_sql_run	<b>D</b>			
table_sql_select	<b></b>			
table_sql_view				

## 3.6 Chart and Presentation (8 icons)

chart	<u></u>			
column-chart	26	alb	dh	dh
dot-chart	568	343	900	
line-chart	211	<b>≫</b>	×	John 194
pie-chart	•	•	•	
pie-chart_view	Q	Q	Q	
presentation	Ţ.	7		
presentation_chart	Q	- Park	Ş	

# Index

address_book 6	currency_yen 3
address_book2 6	data 9
address_book3 6	data_add 9
auction_hammer 4	data_certificate 9
briefcase 5	data_connection 9
briefcase2 5	data_copy 9
briefcase2_document 5	data_delete 9
briefcase2_view 5	data_disk 9
briefcase_document 5	data_down 9
briefcase_into 5	data_edit 9
briefcase_out 5	data_error 9
briefcase_view 5	data_find 9
businessman 4	data_forbidden 9
businessman2 5	data_gear 9
businessman_add 4	data_information 9
businessman_delete 4	data_into 9
businessman_find 5	data_lock 9
businessman_preferences 5	data_new 9
businessman_view 5	data_next 9
businessmen 5	data_ok 9
cabinet 7	data_out 9
calendar 6	data_preferences 9
calendar_down 6	data_previous 10
calendar_preferences 6	data_refresh 10
calendar_up 6	data_replace 10
cashier 4	data_scroll 10
chart 14	data_table 10
chest 3	data_time 10
chest_into 3	data_unknown 10
chest_out 4	data_up 10
column 12	data_view 10
column-chart 14	data_warning 10
column_add 12	date-time 6
column_add_after 12	$\underline{\text{date-time\_preferences}}  \underline{6}$
column_add_before 12	dot-chart 14
column_delete 12	down_minus 11
column_preferences 12	down_plus 11
<u>creditcards</u> 4	<u>fax</u> <u>5</u>
currency_dollar 3	funnel 11
currency_euro 3	funnel_add 11
currency_pound 3	funnel_delete 11

funnel_down 11	money 3
funnel_edit 11	money2 3
funnel_new 11	money_envelope 3
funnel_preferences 11	moneybag 3
funnel_up 11	moneybag_dollar 3
goldbar 3	moneybag_euro 3
goldbar_add 3	note 6
goldbar_delete 3	note_add 6
goldbars 3	note_delete 6
graduate 8	note_edit 6
graduation_hat1 8	note_find 6
graduation_hat2 8	note_new 6
hand_money 8	note_pinned 6
hand_offer 8	note_view 7
hand_paper 8	paperclip 7
hand_point 8	paragraph 4
hand_point2 8	percent 4
hand_point_disk 8	pie-chart 14
hand_point_find 8	pie-chart_view 14
hand_red_card 8	pin_blue 7
hand_stop 8	pin_green 7
hand_yellow_card 8	pin_grey 7
handshake 8	pin_red 7
index 10	pin_yellow 7
index_add 10	presentation 14
index_delete 10	presentation_chart 14
index_down 10	<u>row</u> <u>12</u>
index_new 10	row_add 13
index_preferences 10	row_add_after 13
index_refresh 10	row_add_before 13
index_replace 10	row_delete 13
index_up 10	row_preferences 13
index_view 10	rubberstamp 7
laserpointer 7	shoppingbasket 4
line-chart 14	shoppingbasket_add 4
message 7	$\underline{\text{shoppingbasket\_delete}}  \underline{4}$
message_add 7	shoppingbasket_full 4
message_delete 7	shoppingcart 4
message_edit 7	shoppingcart_full 4
messages 7	sort_ascending 11
mobilephone1 5	sort_az_ascending 11
mobilephone2 5	sort_az_descending 11
mobilephone3 5	sort_descending 11

```
stapler 7
table 12
table_add 12
table_connection 12
table_delete 12
table_new 12
table_preferences 12
table_refresh 12
table_replace 12
table_selection_all 13
table_selection_block 13
table_selection_cell 13
table_selection_column 13
table_selection_row 13
table_sql 13
table_sql_add 13
table_sql_check 13
table_sql_create 13
table_sql_delete 13
table_sql_run 13
table_sql_select 13
table_sql_view 13
table_view 12
tables 12
tables_delete 12
telephone 5
up_down 11
up_down_question 11
up_minus 11
up_plus 11
wallet_closed 3
wallet_open 3
```