Visoka škola strukovnih studija za informacione i komunikacione tehnologije



DOKUMENTACIJA

https://nationalparkforester.netlify.app

Student: Predmet:

Jovan Cajic 196/18 Web programiranje 1

Uvod	3
Korisceni programski jezici	3
Okruzenje:	3
Opis funkcionalnosti	3
Sajt ima sledece funkcionalnosti:	3
Template	3
2. Organizacija	4
Mapa sajta	5
Slike stranica I opis funkcionalnosti	6
Kodovi	11
Html	12
Index.html	12
About.html	15
Contact.html	19
Author.html	24
JavaScript I Jquery	28
Main.js	28
CSS	41
Style.css	41

Uvod

Korisceni programski jezici

Za izradu sajta koriscene su navedene tehnologije:

- HTML 5
- CSS 3
- Javascript
- jQuery
- jQuery plugin obavestenja za klik na submit ili buy dugme

_

Okruzenje:

- Visual Studio Code
- •

Opis funkcionalnosti

Sajt ima sledece funkcionalnosti:

- Animirani slajder na svim stranicama
- Meni koji se smanjuje na manjim rezolucijama u hamburger meni
- Dinamicki ispis futera na svim stranicama
- Dinamicki ispis slajdera stranicama
- Dinamicki ispis slika(bloka) I bloka za kupovinu na stranici Home
- Dinamicki ispis blokova sa menjanjem teksta na stranici about
- Prikaz obavestenja klikom na 'Buy' dugme na stranici Home
- Validacija 'Subscribe' prozora I prikaz obavestenja u odnosu na to da li je format maila ispravan 4
- Validacija forme klikom na 'Submit' dugme i prikaz obavestenja u odnosu na unesene ispravne ili neispravne podatke na stranici Contact


Template

Template koji je preuzet I izmenjen kodom nalazi se na linku:

https://www.free-css.com/free-css-templates/page254/insertion

2. Organizacija

Organizaciona sema




Sve stranice su povezane jedna sa drugom I svakoje se moze pristupiti klikom u navigacionom meniju ili preko linkova u futeru stranica.

Mapa sajta

```
<?xml version="1.0" encoding="UTF-8"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
<url>
 <loc>https://nationalparkforester.netlify.app/index.html</loc>
 <lastmod>2021-12-11</lastmod>
 <changefreq>daily</changefreq>
 <pri><priority>1.0</priority>
</url>
<url>
 <loc>https://nationalparkforester.netlify.app/about.html</loc>
 <lastmod>2021-12-11
 <changefreq>weekly</changefreq>
 <pri>ority>0.9</priority>
</url>
<url>
 <loc>https://nationalparkforester.netlify.app/contact.html</loc>
 <lastmod>2021-12-11</lastmod>
 <changefreq>monthly</changefreq>
 <priority>0.7</priority>
</url>
<url>
 <loc>https://nationalparkforester.netlify.app/author.html</loc>
 <lastmod>2021-12-11
 <changefreq>yearly</changefreq>
 <priority>0.6</priority>
</url>
</urlset>
```

Slike stranica I opis funkcionalnosti



Home

Navigacioni nalazi se na svim stranicama, kod je sredjen kroz jquery I taj deo nalazi se u js/main.js.

Slajder se nalazi na svim stranicama I isprogramiran je takodje u js/main.js


Blokovi sa prikazom teksta na hover opciji prikazani na slici ispod se dinamicki ucitavaju, kod se nalazi u js/main.js I nalaze se samo na Home stranici













Slika je hard kodovana I poziva se preko html koda, a nalazi se u css background image svojstvu



Blok paketi se ucitava dinamicki, nalazi se samo na Home stranici I vuce funkcionalnost iz js/main.js .

Kliknom na svako od buy dugmica izlazi obavestenje za koje je iskoriscent jquery pop up notification plugin



Polje subscribe for updates se takodje nalazi samo na Home stranici.Kod je html/css. U JS-u radjen regularni izraz, a pop up dugme klikom na dugme submit je uvedeno pomocu jquery plugina.

About

National Park Forester

Our park is a place from the purest points of imaginations. The true heaven on earth



Forest

Lake

Sand dune

Viewpoints

Forest

The word forest broadly describes an area that has a large number of trees.

There are three general types of forest that exist: temperate, tropical, and boreal.


Experts estimate that these forests cover approximately one-third of Earth's surface.

Our forest is a great place for long strolls and camping, you can spend your whole day enjoying the greenery of it, maybe even start a little barbecue party with people you came with.

Prvi blok ucitan kroz html/css.

Drugi deo bloka dinamicke se ispisuje I vuce funkcionalnost iz js/main.js klikom na svaki od naziva dela parka tekst koji ga opisuje se menja


Contact



Blok se ne ucitava dinamicki, ali se validacija vrsi preko regularnih izraza radjenih u JavaScript jeziku, I nalazi se na js/main.js

Svako polje ima uradjen sopstveni izraz

Author



Ova stranica je kratka I daje mali opis kao i sliku autora.

Dinamicki se ispisuje kao I u about stranici I klikom na naslov daje mali tekst.

Ucitava se iz js/main.js

Subscribe I footer

Subscribe se nalazi samo na index strani



Futer se nalazi na svim stranicama I ispisuje se dinamicki iz js/main.js

Na njemu se nalaze svi bitni linkovi kao I mogucnost prelaza na druge stranice sajta u istom prozoru, dok za ostale otvara novu stranicu

Kodovi

```
Index.html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
 <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>National Park Forester</title>
  <!-- load CSS -->
  <link rel="shortcut icon" href="img/realicon.ico" type="icon">
 <script
src="https://cdnjs.cloudflare.com/ajax/libs/animejs/3.2.1/anime.min.js"
integrity="sha512-
z4OUqw38qNLpn1libAN9BsoDx6nbNFio5lA6CuTp9NlK83b89hgyCVq+N5FdBJptINztxn1Z3SaKSK
US5UP60Q==" crossorigin="anonymous"></script>
 <link rel="stylesheet"</pre>
href="https://fonts.googleapis.com/css?family=Open+Sans:300,400">
Google web font "Open Sans" -->
 <link rel="stylesheet" href="css/bootstrap.min.css">
<!-- https://getbootstrap.com/ -->
 <link rel="stylesheet" href="css/fontawesome-all.min.css">
<!-- Font awesome -->
 <link rel="stylesheet" href="css/tooplate-style.css">
  <link rel="stylesheet" href="css/style.css">
 <link rel="stylesheet" href="css/jquery-toasts.css">
<!-- Templatemo style -->
 <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/5.15.1/css/all.min.css" integrity="sha512-
+4zCK9k+qNFUR5X+cKL9EIR+Z0htIloNl9GIKS57V1MyNsYpYcUrUeQc9vNfzsWfV28IaLL3i96P9s
dNyeRssA==" crossorigin="anonymous" />
 <script>
    var renderPage = true;
    if (navigator.userAgent.indexOf('MSIE') !== -1
      || navigator.appVersion.indexOf('Trident/') > 0) {
      /* Microsoft Internet Explorer detected in. */
      alert("Please view this in a modern browser such as Chrome or Microsoft
Edge.");
     renderPage = false;
  </script>
</head>
<body>
 <div class="tm-main">
    <div class="tm-welcome-section">
      <div class="container tm-navbar-container">
```

```
<div class="row">
         <div class="col-xl-12">
           <nav class="navbar">
             <button class="navbar-toggler toggler-example" type="button"</pre>
data-toggle="collapse" data-target="#navbarSupportedContent1"
              aria-controls="navbarSupportedContent1" aria-expanded="false"
aria-label="Toggle navigation"><span class="dark-blue-text"><i
                 class="fas fa-bars fa-1x"></i></span></button>
             <div class="collapse navbar-collapse show"</pre>
id="navbarSupportedContent1">
             <a href="index.html" class="nav-link tm-nav-link tm-text-</pre>
white active">Home</a>
               <a href="about.html" class="nav-link tm-nav-link tm-text-</pre>
white">About</a>
               <a href="contact.html" class="nav-link tm-nav-link tm-text-</pre>
white">Contact</a>
               class="nav-item">
                 <a href="author.html" class="nav-link tm-nav-link tm-text-</pre>
white">Author</a>
           </nav>
         </div>
       </div>
      <div class="text-center tm-welcome-container">
       <div class="tm-welcome" id='sliderContainer'>
         <div id="text"><h1>National Park Forester</h1><br><h2>Our park is a
place from the purest points of imaginations. The true heaven on
earth</h2></div>
         <span id="slider-levo" class="slider-strela" data-smer="levo"><i</pre>
class="fas fa-arrow-left"></i></span>
         <span id="slider-desno" class="slider-strela" data-smer="desno"><i</pre>
class="fas fa-arrow-right"></i></span>
         <div class="overlay"> <img src="img/slide1.jpg"</pre>
alt="slide1.jpg"/></div>
        </div>
      </div>
    </div>
```

```
<div class="row tm-albums-container grid">
      </div>
      <div class="row">
       <div class="col-lg-12">
          <div class="tm-tag-line">
          <h2 class="tm-tag-line-title">National park Forester</h2>
          </div>
        </div>
      </div>
      <div class="row mb-5">
        <div class="col-xl-12">
          <div id="blokovi1" class="media-boxes">
          </div> <!-- media-boxes -->
        </div>
      </div>
      <div class="row tm-mb-big tm-subscribe-row">
       <div class="col-xl-6 col-lg-6 col-md-12 col-sm-12 tm-bg-gray tm-</pre>
subscribe-form">
          <h3 class="tm-text-blue tm-mb-30">Subscribe for updates!</h3>
                     <div class="form-group mb-0">
              <input type="text" id='subscribeEmail'class="form-control tm-</pre>
subscribe-input" placeholder="Your Email">
             <input type="submit" value="Submit" id='subscribe' class="tm-bg-</pre>
light-green tm-text-white d-block ml-auto tm-subscribe-btn">
           </div>
          <!-- </form> -->
        </div>
        <div class="col-xl-6 col-lg-6 col-md-12 col-sm-12 img-fluid pl-0 tm-</pre>
subscribe-img"></div>
      </div>
      <div class="row tm-about-row tm-mb-medium">
        <div id="futerLeviNiz" class="col-xl-4 col-lg-4 col-md-4 col-sm-6 mb-</pre>
4">
          <h4 class="mb-4 tm-font-300">Navigation</h4>
        </div>
        <div id="futerSrednjiNiz" class="col-x1-4 col-lg-4 col-md-4 col-sm-6</pre>
mb-4">
         <h4 class="mb-4 tm-font-300">Socials</h4>
        <div id="futerDesniNiz" class="col-xl-4 col-lg-4 col-md-4 col-sm-6 mb-</pre>
4">
          <h4 class="mb-4 tm-font-300">Files</h4>
        </div>
      </div>
      <footer class="row">
        <div class="col-xl-12">
          Copyright © <span class="tm-current-</pre>
year"></span>
```

```
</div>
      </footer>
    </div> <!-- .container -->
  </div> <!-- .main -->
  <!-- load JS -->
  script src="js/jquery-3.2.1.slim.min.js"></script> <!-- https://jquery.com/
  <script>
    /* DOM is ready
    $(function () {
      if (renderPage) {
        $('body').addClass('loaded');
      $('.tm-current-year').text(new Date().getFullYear()); // Update year in
copyright
   });
  </script>
  <script src="js/bootstrap.min.js"></script>
  <script src="js/jquery-toasts.js"></script>
  <script src="js/main.js"></script>
</body>
</body>
</html>
About.html
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>National Park Forester</title>
Template 2101 Insertion
http://www.tooplate.com/view/2101-insertion
 <!-- load CSS -->
  <link rel="shortcut icon" href="img/realicon.ico" type="icon">
 <script
src="https://cdnjs.cloudflare.com/ajax/libs/animejs/3.2.1/anime.min.js"
integrity="sha512-
z4OUqw38qNLpn1libAN9BsoDx6nbNFio5lA6CuTp9NlK83b89hgyCVq+N5FdBJptINztxn1Z3SaKSK
US5UP60Q==" crossorigin="anonymous"></script>
 <link rel="stylesheet"</pre>
href="https://fonts.googleapis.com/css?family=Open+Sans:300,400">
Google web font "Open Sans" -->
 <link rel="stylesheet" href="css/bootstrap.min.css">
<!-- https://getbootstrap.com/ -->
```

```
<link rel="stylesheet" href="css/fontawesome-all.min.css">
<!-- Font awesome -->
 <link rel="stylesheet" href="css/tooplate-style.css">
  <link rel="stylesheet" href="css/jquery-toasts.css">
<!-- Templatemo style -->
  <link rel="stylesheet" href="css/style.css">
  <script>
   var renderPage = true;
   if (navigator.userAgent.indexOf('MSIE') !== -1
     || navigator.appVersion.indexOf('Trident/') > 0) {
      * Microsoft Internet Explorer detected in. */
     alert("Please view this in a modern browser such as Chrome or Microsoft
Edge.");
     renderPage = false;
  </script>
</head>
<body>
    <div class="tm-main">
   <div class="tm-welcome-section">
     <div class="container tm-navbar-container">
       <div class="row">
         <div class="col-xl-12">
           <nav class="navbar">
             <button class="navbar-toggler toggler-example" type="button"</pre>
data-toggle="collapse" data-target="#navbarSupportedContent1"
              aria-controls="navbarSupportedContent1" aria-expanded="false"
aria-label="Toggle navigation"><span class="dark-blue-text"><i
                 class="fas fa-bars fa-1x"></i></span></button>
             <div class="collapse navbar-collapse show"
id="navbarSupportedContent1">
             class="nav-item">
                 <a href="index.html" class="nav-link tm-nav-link tm-text-</pre>
white">Home</a>
               <a href="about.html" class="nav-link tm-nav-link tm-text-</pre>
white active">About</a>
               class="nav-item">
                 <a href="contact.html" class="nav-link tm-nav-link tm-text-</pre>
white">Contact</a>
               <a href="author.html" class="nav-link tm-nav-link tm-text-</pre>
white">Author</a>
```

```
(/div
           </nav>
        </div>
       </div>
      </div>
     <div class="text-center tm-welcome-container">
       <div class="tm-welcome" id='sliderContainer'>
        <div id="text"><h1>National Park Forester</h1><br><h2>Our park is a
place from the purest points of imaginations. The true heaven on
earth</h2></div>
        <span id="slider-levo" class="slider-strela" data-smer="levo"><i</pre>
class="fas fa-arrow-left"></i></span>
        <span id="slider-desno" class="slider-strela" data-smer="desno"><i</pre>
class="fas fa-arrow-right"></i></span>
        <div class="overlay"> <img src="img/slide1.jpg"</pre>
alt="slide1.jpg"/></div>
      </div>
     </div>
   </div>
        <div class="row tm-about-row tm-mt-big tm-mb-medium">
       <div class="col-xl-6 col-lg-6 col-md-12 col-sm-12 tm-about-col-left">
        <div class="tm-v-center tm-bg-gray h-100 tm-about-text">
          <h2 class="tm-text-brown mb-4 tm-about-h2">National Park
Forester</h2>
          Our park is a place from the
purest points of imaginations. The true heaven on earth
        </div>
       </div>
       <div class="col-xl-6 col-lg-6 col-md-12 col-sm-12">
        <div class="tm-about-img"></div>
       </div>
     </div>
     <div class="row tm-about-row tm-mb-medium">
       <div class="tm-tab-links-container">
        <a class="nav-link tm-bg-gray tm-media-v-center tm-tab-link</pre>
active" data-id="0" id="home-tab" data-toggle="tab" href="#tab1" role="tab"
aria-controls="home" aria-selected="true">
             Forest
            </a>
          <a class="nav-link tm-bg-gray tm-media-v-center tm-tab-link"</pre>
data-id="1" id="profile-tab" data-toggle="tab" href="#tab2" role="tab" aria-
controls="profile" aria-selected="false">
              Lake
```

```
/li>
           <a class="nav-link tm-bg-gray tm-media-v-center tm-tab-link"</pre>
data-id="2" id="contact-tab" data-toggle="tab" href="#tab3" role="tab" aria-
controls="contact" aria-selected="false">
              Sand dune
           class="nav-item">
            <a class="nav-link tm-bg-gray tm-media-v-center tm-tab-link"</pre>
data-id="3" id="contact-tab" data-toggle="tab" href="#tab4" role="tab" aria-
controls="contact" aria-selected="false">
               Viewpoints
       <div class="tm-tab-content-container">
         <div class="tab-content h-100 tm-bg-gray" id="myTabContent">
           <div class="tab-pane fade show active" id="tab1" role="tabpanel"</pre>
aria-labelledby="tab1-tab">
            <div class="media tm-media-2">
               <div class="media-body tm-media-body-2">
                <h2 class="mb-4 tm-text-blue-dark tm-media-2-
header">Forest</h2>
                The word forest broadly describes an area
that has a large number of trees. <br/>There are three general types of forest
that exist: temperate, tropical, and boreal. <br/> Experts estimate that these
forests cover approximately one-third of Earth's surface. <br/> Our forest is
a great place for long strolls and camping, you can spend your whole day
enjoying the greenery of it, maybe even start a little barbecue party with
people you came with.
              </div>
             </div>
           </div>
         </div
       </div>
     </div>
          <div class="row tm-about-row tm-mb-medium">
       <div id="futerLeviNiz" class="col-xl-4 col-lg-4 col-md-4 col-sm-6 mb-</pre>
         <h4 class="mb-4 tm-font-300">Navigation</h4>
       </div>
```

```
<div id="futerSrednjiNiz" class="col-xl-4 col-lg-4 col-md-4 col-sm-6</pre>
mb-4">
         <h4 class="mb-4 tm-font-300">Socials</h4>
       </div>
       <div id="futerDesniNiz" class="col-xl-4 col-lg-4 col-md-4 col-sm-6">
         <h4 class="mb-4 tm-font-300">Files</h4>
       </div>
      </div>
      <footer class="row tm-about-row">
       <div class="col-xl-12">
         Copyright © <span class="tm-current-</pre>
year"></span>
      </div>
     </footer>
   </div> <!-- .container -->
  </div> <!-- .main -->
  <!-- load JS -->
  <script src="js/jquery-3.2.1.slim.min.js"></script> <!-- https://jquery.com/</pre>
 <!-- <script src="js/bootstrap.min.js"></script>
https://getbootstrap.com/ -->
 <script>
    /* DOM is ready
   $(function () {
     if (renderPage) {
       $('body').addClass('loaded');
      $('.tm-current-year').text(new Date().getFullYear()); // Update year in
copyright
   });
  </script>
 <script src="js/bootstrap.min.js"></script>
  <script src="js/jquery-toasts.js"></script>
 <script src="js/main.js"></script>
</body>
</html>
```

Contact.html

```
<!DOCTYPE html>
<html lang="en">
<head>

<meta charset="utf-8">

<meta name="viewport" content="width=device-width, initial-scale=1">
```

```
<title>National Park Forester</title>
Template 2101 Insertion
http://www.tooplate.com/view/2101-insertion
 <!-- load CSS -->
  <link rel="shortcut icon" href="img/realicon.ico" type="icon">
  <script
src="https://cdnjs.cloudflare.com/ajax/libs/animejs/3.2.1/anime.min.js"
integrity="sha512-
z4OUqw38qNLpn1libAN9BsoDx6nbNFio5lA6CuTp9NlK83b89hgyCVq+N5FdBJptINztxn1Z3SaKSK
US5UP60Q==" crossorigin="anonymous"></script>
 <link rel="stylesheet"</pre>
href="https://fonts.googleapis.com/css?family=Open+Sans:300,400">
Google web font "Open Sans" -->
 <link rel="stylesheet" href="css/bootstrap.min.css">
<!-- https://getbootstrap.com/ -->
 <link rel="stylesheet" href="css/fontawesome-all.min.css">
<!-- Font awesome -->
  <link rel="stylesheet" href="css/tooplate-style.css">
  <link rel="stylesheet" href="css/style.css">
 <link rel="stylesheet" href="css/jquery-toasts.css">
<!-- Templatemo style -->
 <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/5.15.1/css/all.min.css" integrity="sha512-
+4zCK9k+qNFUR5X+cKL9EIR+ZOhtIloNl9GIKS57V1MyNsYpYcUrUeQc9vNfzsWfV28IaLL3i96P9s
dNyeRssA==" crossorigin="anonymous" />
 <script>
    var renderPage = true;
    if (navigator.userAgent.indexOf('MSIE') !== -1
      | | navigator.appVersion.indexOf('Trident/') > 0) {
      /* Microsoft Internet Explorer detected in. */
      alert("Please view this in a modern browser such as Chrome or Microsoft
Edge.");
      renderPage = false;
  </script>
</head>
<body>
   <div class="tm-main">
   <div class="tm-welcome-section">
      <div class="container tm-navbar-container">
       <div class="row">
          <div class="col-xl-12">
            <nav class="navbar">
              <button class="navbar-toggler toggler-example" type="button"</pre>
data-toggle="collapse" data-target="#navbarSupportedContent1"
```

```
aria-controls="navbarSupportedContent1" aria-expanded="false"
aria-label="Toggle navigation"><span class="dark-blue-text"><i
                 class="fas fa-bars fa-1x"></i></span></button>
             <div class="collapse navbar-collapse show"</pre>
id="navbarSupportedContent1">
             class="nav-item">
                 <a href="index.html" class="nav-link tm-nav-link tm-text-
white">Home</a>
               <a href="about.html" class="nav-link tm-nav-link tm-text-</pre>
white">About</a>
               <a href="contact.html" class="nav-link tm-nav-link tm-text-</pre>
white active">Contact</a>
               class="nav-item">
                 <a href="author.html" class="nav-link tm-nav-link tm-text-</pre>
white">Author</a>
               :/div>
            </nav:
         </div>
       </div>
      </div>
      <div class="text-center tm-welcome-container">
       <div class="tm-welcome" id='sliderContainer'>
         <div id="text"><h1>National Park Forester</h1><br><h2>Our park is a
place from the purest points of imaginations. The true heaven on
earth</h2></div>
         <span id="slider-levo" class="slider-strela" data-smer="levo"><i</pre>
class="fas fa-arrow-left"></i></span>
         <span id="slider-desno" class="slider-strela" data-smer="desno"><i</pre>
class="fas fa-arrow-right"></i></span>
         <div class="overlay"> <img src="img/slide1.jpg"</pre>
alt="slide1.jpg"/></div>
       </div>
     </div>
   </div>
         <div class="row tm-mt-big tm-about-row tm-mb-medium">
       <div class="col-xl-12 col-lg-12 col-md-12 col-xs-12 tm-contact-col">
        <div class="tm-contact-left tm-bg-light-green tm-text-white text-</pre>
right p-md-5 p-4">
           <i class="fas fa-3x fa-comments mb-4"></i></i>
           <h2 class="tm-media-2-header ">Contact Us</h2>
```

```
</div>
         <div class="tm-bg-gray tm-contact-middle">
          <form action="#" method="post">
            <div class="form-group mb-4">
              <input type="text" id="contact firstname" autocomplete="off"</pre>
name="contact_name" class="form-control" placeholder="First Name"/>
              Invalid Name
format.
            </div>
            <div class="form-group mb-4">
              <input type="text" id="contact_lastname" autocomplete="off"</pre>
name="contact name" class="form-control" placeholder="Last Name"/>
              Invalid
Last Name format.
            </div>
            <div class="form-group mb-4">
              <input type="email" id="contact_email" autocomplete="off"</pre>
name="contact_email" class="form-control" placeholder="Email"/>
              Invalid
email format
            </div>
                        <div class="form-group mb-0 tm-select-group">
              <label class="tm-radio-label"><input type="radio" name="dept"</pre>
value="support" class="mr-1"> Visitor</label>
              <label class="tm-radio-label"><input type="radio" name="dept"</pre>
value="sales" class="mr-1"> Influencer</label>
            </div>
            Select
department
            <div class="form-group mb-4">
              <textarea rows="8" id="contact_message" name="contact_message"</pre>
class="form-control" placeholder="Your Message"></textarea>
              Message must
contain between 5 and 100 characters
            </div>
            <div class="form-group mb-0">
              <button type="submit" id="potvrdiFormu" class="btn btn-</pre>
secondary">Submit</button>
            </div>
          </form>
         </div>
         <div class="tm-bg-gray tm-contact-right">
          <!-- GOOGLE MAP -->
           <div id="google-map" class="text-center mb-5">
                           <iframe
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3647.3030413476204!
2d100.5641230193719!3d13.757206847615207!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13
.1!3m3!1m2!1s0x0%3A0xf51ce6427b7918fc!2sG+Tower!5e0!3m2!1sen!2sth!4v1510722015
```

```
945" width="360" height="300" frameborder="0" style="border:0"
allowfullscreen></iframe>
            </div>
            <div>
              <h2 class="tm-media-2-header tm-text-pink-dark mb-3">Our
Location</h2>
              <address class="mb-4">
                National Park Forester, <br>
                Nevada<br>
              </address>
               Tel: <a href="tel:+0100200980" class="tm-link-</pre>
gray">010-020-0980</a>
            </div>
         </div>
       </div>
      </div>
      <!-- Bottom links -->
      <div class="row tm-about-row tm-mb-medium">
       <div id="futerLeviNiz" class="col-xl-4 col-lg-4 col-md-4 col-sm-6 mb-</pre>
4">
         <h4 class="mb-4 tm-font-300">Navigation</h4>
       </div>
       <div id="futerSrednjiNiz" class="col-xl-4 col-lg-4 col-md-4 col-sm-6</pre>
mb-4">
         <h4 class="mb-4 tm-font-300">Socials</h4>
       <div id="futerDesniNiz" class="col-xl-4 col-lg-4 col-md-4 col-sm-6">
         <h4 class="mb-4 tm-font-300">Files</h4>
       </div>
      </div>
      <footer class="row tm-about-row">
       <div class="col-xl-12">
         Copyright © <span class="tm-current-</pre>
year"></span>
       </div>
     </footer>
   </div> <!-- .container -->
  </div> <!-- .main -->
  <!-- load JS -->
 <script src="js/jquery-3.2.1.slim.min.js"></script> <!-- https://jquery.com/</pre>
         <!-- https://getbootstrap.com/ -->
 <script>
   /* DOM is ready
   $(function () {
     if (renderPage) {
```

```
$('body').addClass('loaded');
      $('.tm-current-year').text(new Date().getFullYear()); // Update year in
copyright
   });
  </script>
 <script src="js/bootstrap.min.js"></script>
  <script src="js/jquery-toasts.js"></script>
  <script src="js/main.js"></script>
</body>
</html>
Author.html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>National Park Forester</title>
<!--
Template 2101 Insertion
http://www.tooplate.com/view/2101-insertion
 <link rel="shortcut icon" href="img/realicon.ico" type="icon">
 <script
src="https://cdnjs.cloudflare.com/ajax/libs/animejs/3.2.1/anime.min.js"
integrity="sha512-
z4OUqw38qNLpn1libAN9BsoDx6nbNFio5lA6CuTp9NlK83b89hgyCVq+N5FdBJptINztxn1Z3SaKSK
US5UP60Q==" crossorigin="anonymous"></script>
 <link rel="stylesheet"</pre>
href="https://fonts.googleapis.com/css?family=Open+Sans:300,400">
Google web font "Open Sans" -->
 <link rel="stylesheet" href="css/bootstrap.min.css">
<!-- https://getbootstrap.com/ -->
 <link rel="stylesheet" href="css/fontawesome-all.min.css">
<!-- Font awesome -->
 <link rel="stylesheet" href="css/tooplate-style.css">
  <link rel="stylesheet" href="css/jquery-toasts.css">
<!-- Templatemo style -->
 <link rel="stylesheet" href="css/style.css">
  <script>
    var renderPage = true;
    if (navigator.userAgent.indexOf('MSIE') !== -1
      || navigator.appVersion.indexOf('Trident/') > 0) {
      /* Microsoft Internet Explorer detected in. */
      alert("Please view this in a modern browser such as Chrome or Microsoft
Edge."):
```

```
renderPage = false;
  </script>
</head>
<body>
 <div class="tm-main">
   <div class="tm-welcome-section">
     <div class="container tm-navbar-container">
       <div class="row">
         <div class="col-xl-12">
           <nav class="navbar">
             <button class="navbar-toggler toggler-example" type="button"</pre>
data-toggle="collapse" data-target="#navbarSupportedContent1"
              aria-controls="navbarSupportedContent1" aria-expanded="false"
aria-label="Toggle navigation"><span class="dark-blue-text"><i
                 class="fas fa-bars fa-1x"></i></span></button>
             <div class="collapse navbar-collapse show"</pre>
id="navbarSupportedContent1">
             class="nav-item">
                 <a href="index.html" class="nav-link tm-nav-link tm-text-</pre>
white">Home</a>
               <a href="about.html" class="nav-link tm-nav-link tm-text-</pre>
white">About</a>
               <a href="contact.html" class="nav-link tm-nav-link tm-text-</pre>
white">Contact</a>
               <a href="author.html" class="nav-link tm-nav-link tm-text-</pre>
white active">Author</a>
               /div>
            (/nav:
         </div>
       </div>
      </div>
     <div class="text-center tm-welcome-container">
       <div class="tm-welcome" id='sliderContainer'>
         <div id="text"><h1>National Park Forester</h1><br><h2>Our park is a
place from the purest points of imaginations. The true heaven on
earth</h2></div>
         <span id="slider-levo" class="slider-strela" data-smer="levo"><i</pre>
class="fas fa-arrow-left"></i></span>
```

```
<span id="slider-desno" class="slider-strela" data-smer="desno"><i</pre>
class="fas fa-arrow-right"></i></span>
        <div class="overlay"> <img src="img/slide1.jpg"</pre>
alt="slide1.jpg"/></div>
      </div>
     </div>
   </div>
     <div class="row tm-about-row tm-mb-medium gornjaMarginaAutora">
      <div class="tm-tab-links-container">
        <a class="nav-link tm-bg-gray tm-media-v-center tm-tab-link"</pre>
active" data-id="0" id="home-tab" data-toggle="tab" href="#tab1" role="tab"
aria-controls="home" aria-selected="true">
             Education
          :/li>
          class="nav-item">
           <a class="nav-link tm-bg-gray tm-media-v-center tm-tab-link"</pre>
data-id="1" id="profile-tab" data-toggle="tab" href="#tab2" role="tab" aria-
controls="profile" aria-selected="false">
             Interests
          <a class="nav-link tm-bg-gray tm-media-v-center tm-tab-link"</pre>
data-id="2" id="contact-tab" data-toggle="tab" href="#tab3" role="tab" aria-
controls="contact" aria-selected="false">
             Hobbies
          <a class="nav-link tm-bg-gray tm-media-v-center tm-tab-link"</pre>
data-id="3" id="contact-tab" data-toggle="tab" href="#tab4" role="tab" aria-
controls="contact" aria-selected="false">
             Something about
me
       <div class="tm-tab-content-container">
        <div class="tab-content h-100 tm-bg-gray" id="myTabContent">
         <div class="tab-pane fade show active" id="tab1" role="tabpanel"</pre>
aria-labelledby="tab1-tab">
           <div class="media tm-media-2">
             <div class="media-body tm-media-body-2">
```

```
<h2 class="mb-4 tm-text-blue-dark tm-media-2-
header">Education</h2>
                 Graduated from High School in 2017. Started
further education at Faculty of Mechanical Engineering in Belgrade, but after
one year of studying transfered to ICT College for further developement
               </div>
             </div>
           </div>
         </div>
        </div>
      </div>
      <!-- Bottom links -->
      <div class="row tm-about-row tm-mb-medium">
       <div id="futerLeviNiz" class="col-xl-4 col-lg-4 col-md-4 col-sm-6 mb-</pre>
4">
         <h4 class="mb-4 tm-font-300">Navigation</h4>
        </div>
       <div id="futerSrednjiNiz" class="col-xl-4 col-lg-4 col-md-4 col-sm-6</pre>
mb-4">
         <h4 class="mb-4 tm-font-300">Socials</h4>
        </div>
       <div id="futerDesniNiz" class="col-xl-4 col-lg-4 col-md-4 col-sm-6">
         <h4 class="mb-4 tm-font-300">Files</h4>
       </div>
      </div>
     <footer class="row tm-about-row">
       <div class="col-xl-12">
         Copyright © <span class="tm-current-</pre>
year"></span>
       </div>
     </footer>
    </div> <!-- .container -->
  </div> <!-- .main -->
  <!-- load JS -->
  cscript src="js/jquery-3.2.1.slim.min.js"></script> <!-- https://jquery.com/</pre>
    https://getbootstrap.com/ -->
  <script>
    /* DOM is ready
                 -----*/
   $(function () {
     if (renderPage) {
       $('body').addClass('loaded');
     $('.tm-current-year').text(new Date().getFullYear()); // Update year in
copyright
   });
  </script>
```

```
<script src="js/bootstrap.min.js"></script>
<script src="js/jquery-toasts.js"></script>
<script src="js/main.js"></script>
</body>
</html>
```

JavaScript | Jquery

Main.js

```
$(function () {
   var temp = `<div class="tab-pane fade" id="tab4" role="tabpanel" aria-</pre>
labelledby="tab4-tab">
<div class="media tm-media-2">
 <div class="media-body tm-media-body-2">
   <h2 class="mb-4 tm-text-blue-dark tm-media-2-header">Cetvrti</h2>
    Phasellus efficitur, ante et bibendum accumsan, nisi
tellus fermentum eros, eget tincidunt enim orci at arcu. Etiam vel ligula non
neque pharetra scelerisque mollis ac arcu.
   In luctus eu turpis sed sodales. Suspendisse nisi ante,
dapibus id purus at, tristique ullamcorper dolor. Nullam tempus quam id odio
tempus bibendum. Nullam vulputate, justo fermentum interdum fermentum, diam
elit iaculis lorem, sed puvina.
 </div>
</div>
</div>`
//js za dinamicki ispis blokova na about strani
var tabovi = [
       naslov:'Forest',
       opis:'The word forest broadly describes an area that has a large
number of trees <br/>There are three general types of forest that exist\:
temperate, tropical, and boreal <br/>
<br/>
Experts estimate that these forests
cover approximately one-third of Earth\'s surface <br/> Our forest is a great
place for long strolls and camping, you can spend your whole day enjoying the
greenery of it, maybe even start a little barbecue party with people you came
with'
       naslov:'Lake',
       opis:'Lakes are large bodies of water that are surrounded by land and
are not part of an ocean.<br/> Lakes are relatively still bodies of water when
```

```
compared to a river where the water flows.<br/> They can contain either salt
or fresh water and are larger than ponds.<br/>Lake is open whole year for
swimming, diving, scuba diving and water sports and many more activities.<br/>
With numerous safeguards and lots of equipment for renting so you can use the
whole day as much as you like'
        naslov:'Sand dunes',
       opis:'Sand dunes are created when wind deposits sand on top of each
other until a small mound starts to form. <br/>Once that first mound forms,
sand piles up on the windward side more and more until the edge of the dune
collapses under its own weight.<br/>
Dunes are great place for sand surfing,
sandboarding, safari and dune buggying.<br/>
Hiking and backpacking are
infallible thing if you are spending time with friends or family and having
lots of fun while being under the clear sun'
        naslov:'Viewpoint',
        opis: 'Fun and relaxing place to take a break after exhausting day of
exploring our beautiful park. From this point you can see everything you could
do or you have done. Sights you see from where will always stay in your
memory'
1
    $('.tm-tab-link').click(function(e){
        e.preventDefault()
        var idTaba = $(this).attr('data-id')
        $('.tm-tab-link').css({
            'background-color':'#f2f2f2',
            'color':'#666666'
        $(this).css({
            'background-color': '#006699',
            'color':'#fff'
        $('.tm-tab-link').removeClass('active')
        var ispis = `<div class="tab-pane show active" id="tab${idTaba+1}"
role="tabpanel" aria-labelledby="tab${idTaba+1}-tab">
       <div class="media tm-media-2">
         <div class="media-body tm-media-body-2">
           <h2 class="mb-4 tm-text-blue-dark tm-media-2-
header">${tabovi[idTaba].naslov}</h2>
            ${tabovi[idTaba].opis}
         </div>
        </div>
        </div>`
        $('.tab-content').html(ispis)
   })
```

```
var temp2 = `<div class="tab-pane fade" id="tab4" role="tabpanel" aria-
labelledby="tab4-tab">
<div class="media tm-media-2">
  <div class="media-body tm-media-body-2">
    <h2 class="mb-4 tm-text-blue-dark tm-media-2-header">Cetvrti</h2>
    Phasellus efficitur, ante et bibendum accumsan, nisi
tellus fermentum eros, eget tincidunt enim orci at arcu. Etiam vel ligula non
neque pharetra scelerisque mollis ac arcu.
   In luctus eu turpis sed sodales. Suspendisse nisi ante,
dapibus id purus at, tristique ullamcorper dolor. Nullam tempus quam id odio
tempus bibendum. Nullam vulputate, justo fermentum interdum fermentum, diam
elit iaculis lorem, sed puvina.
 </div>
</div>
</div>`
// js za dinamicki ispis blokova na autor strani
var tabovi2 = [
       naslov:'Education',
       opis:'Graduated from High School in 2017. Started further education at
Faculty of Mechanical Engineering in Belgrade, but after one year of studying
transfered to ICT College for further developement'
       naslov:'Interests',
       opis:'Interested in basic programming in JS, Java, C#. One of the
dreams is to start working on Artificial Inteligence. Some of the rarer
interests are learning to work in Photoshop, AfterEffect and learning piano'
       naslov:'Hobies',
       opis: 'Hobbies diversefy from playing team sports like football,
basketball, volleyball to individual sports like table tenis, swimming. Huge
fan of extreme sports like snowboarding, parachuting, bungee jumping.'
       naslov:'More About me',
       opis:'Friendly, enthusiastic personality with a drive for learning new
things in many sectors. Team player but aslo competitive and eager for new
challenge. Responsible, organised and hard working'
if(window.location.pathname=='/author.html'){
   $('.tm-tab-link').click(function(e){
       e.preventDefault()
       var idTaba = +$(this).attr('data-id')
       $('.tm-tab-link').css({
           'background-color':'#f2f2f2',
```

```
'color':'#666666'
       $(this).css({
           'background-color':'#006699',
           'color':'#fff'
       $('.tm-tab-link').removeClass('active')
       if(idTaba !=3){
           var ispis = `<div class="tab-pane show active" id="tab${idTaba+1}"
role="tabpanel" aria-labelledby="tab${idTaba+1}-tab">
           <div class="media tm-media-2">
             <div class="media-body tm-media-body-2">
               <h2 class="mb-4 tm-text-blue-dark tm-media-2-
header">${tabovi2[idTaba].naslov}</h2>
               ${tabovi2[idTaba].opis}
              </div>
            /div>
            </div>`
       else if (idTaba ==3){
           var ispis = `<div class="tab-pane show active" id="tab${idTaba+1}"
role="tabpanel" aria-labelledby="tab${idTaba+1}-tab">
           <div class="media tm-media-2">
              <div class="media-body tm-media-body-2">
              <h2 class="mb-4 tm-text-blue-dark tm-media-2-</pre>
header">${tabovi2[idTaba].naslov}</h2><div class='sidebyside'>
               <img class='img-fluid authorImg' src='img/author.jpg'</pre>
alt='author'>
                ${tabovi2[idTaba].opis}</div>
             </div>
            </div>
            </div>
       $('.tab-content').html(ispis)
   })
//js za dinamicki ispis blokova za kupovinu karata na index strani
   var blokovi = [
        'slika":"img/insertion-140x140-01.jpg",
        naslov":"Basic",
        'tekst":"Basic package allows you to have a guided short tour with a
10+ person group",
       "cena":10,
       "bojaDugmeta":"tm-bg-blue"
   },
       "slika":"img/insertion-140x140-02.jpg".
```

```
'naslov":"Standard",
        "tekst": "Standard package allows you to have a guided or self-guided
tour with your friends",
        "cena":20,
        bojaDugmeta":"tm-bg-light-green"
        slika":"img/insertion-140x140-03.jpg",
        'naslov":"Classic",
        tekst":"Classic package allows you to roam freely in our park and
have fun in your own planned activities",
        cena":35,
         bojaDugmeta":"tm-bg-blue"
         slika":"img/insertion-140x140-04.jpg",
        'naslov":"Premium",
        tekst":"Premium package allows you to roam and enjoy in some of our
fun activities",
        "cena":50,
        'bojaDugmeta":"tm-bg-light-green"
         slika":"img/insertion-140x140-05.jpg",
        'naslov":"Vip",
        tekst":"Vip package allows you to roam and enjoy in some of our fun
activities while getting photographed and video taped",
        "cena":75,
        "bojaDugmeta":"tm-bg-blue"
   1
    for(let i = 0; i < blokovi.length; i++)</pre>
        ispis = ''
        ispis+=
        <div class="media">
            <img src="${blokovi[i].slika}" alt="Image" class="mr-3">
            <div class="media-body tm-bg-gray">
            <div class="tm-description-box">
                <h5 class="tm-text-blue">${blokovi[i].naslov}</h5>
                ${blokovi[i].tekst}
            </div>
            <div class="tm-buy-box">
                <a href="#" class="${blokovi[i].bojaDugmeta} tm-text-white tm-</pre>
buy">buy</a>
```

```
<span class="tm-text-blue tm-price-</pre>
tag">$${blokovi[i].cena}</span>
            </div>
            </div>
        </div>
        if(window.location.pathname == '/index.html'){
        document.querySelector("#blokovi1").innerHTML += ispis
    $('.tm-buy').click(function(e){
        e.preventDefault()
        $.toast('Bought', 2000);
     /dinamicki ispis blokova na about strani
    var blokovi2 = [
        "slika":{
            "src":"insertion-260x390-01.jpg",
            "alt":"slika1",
        "naslov":"Forest"
   },
        "slika":{
            "src":"insertion-260x390-02.jpg",
            "alt":"slika2",
         naslov":"Lake"
        "slika":{
             "src":"insertion-260x390-03.jpg",
            "alt":"slika3",
         naslov":"Sand dune"
   {
        "slika":{
            "src":"insertion-260x390-04.jpg",
            "alt":"slika4",
         naslov":"Viewpoint",
   1
    for(let i = 0; i < blokovi2.length; i++)</pre>
```

```
{
        ispis = ''
        ispis+=
         <div class="col-sm-6 col-12 col-md-4 col-lg-3 col-xl-3 tm-album-col">
        <figure class="effect-sadie">
          <img src="img/${blokovi2[i].slika.src}"</pre>
alt="${blokovi2[i].slika.alt}" class="img-fluid">
          <figcaption>
            \frac{h^2}{blokovi2[i].naslov}</h^2>
          </figcaption>
        </figure>
      </div>`
      if(window.location.pathname == '/index.html'){
        document.querySelectorAll(".tm-albums-container")[0].innerHTML +=
ispis
     }
   }
//js za dinamicki ispis futera na svim stranama
   var d = document
var footerLeviNiz = ['Home','About','Contact','Author']
var footerLeviNizLinkovi =
['index.html','about.html','contact.html','author.html']
var footerSrednjiNiz = ['Youtube','Twitter','Instagram','Facebook']
var footerSrednjiNizLinkovi =
['https://www.youtube.com/','https://www.twitter.com/','https://www.instagram.
com/','https://www.facebook.com/']
var footerDesniNiz = ['Dokumentacija','Sitemap']
var footerDesniNizLinkovi = ['dokumentacija.pdf','sitemap.xml']
var leviDeoFutera = d.querySelector("#futerLeviNiz")
var srednjiDeoFutera = d.querySelector("#futerSrednjiNiz")
var desniDeoFutera = d.querySelector("#futerDesniNiz")
for(let i = 0; i < 4; i++)
    var link = d.createElement("a")
    link.classList.add("tm-text-blue-dark", "d-block", "mb-2")
    link.href=footerLeviNizLinkovi[i]
    link.innerHTML = footerLeviNiz[i]
    leviDeoFutera.appendChild(link)
    var link2 = d.createElement("a")
    link2.classList.add("tm-text-blue-dark", "d-block", "mb-2")
    link2.href=footerSrednjiNizLinkovi[i]
    link2.target='_blank'
    link2.innerHTML = footerSrednjiNiz[i]
    srednjiDeoFutera.appendChild(link2)
    var link3 = d.createElement("a")
```

```
link3.classList.add("tm-text-blue-dark", "d-block", "mb-2")
    link3.href=footerDesniNizLinkovi[i]
    link3.target=' blank'
    link3.innerHTML = footerDesniNiz[i]
    if(footerDesniNiz[i] != undefined)
    desniDeoFutera.appendChild(link3)
// deo validacije za kontakst stranu
var lastnametb = document.querySelector("#contact_lastname")
var firstnametb = document.querySelector("#contact_firstname")
var emailtb = document.querySelector("#contact_email")
var messagetb = document.querySelector("#contact message")
// validacija za Subscribe dugme na index strani
if(window.location.pathname == '/index.html' || window.location.pathname ==
'/'){
    document.querySelector("#subscribe").addEventListener("click",function(e){
        e.preventDefault()
        var reEmail = /^[\w\d\_][\w\d\_\-\.]{3,50}\@[a-z]{2,10}(\.[a-x])
z]{2,3})+$/;
        if(reEmail.test(document.querySelector("#subscribeEmail").value))
            $.toast('Thank you for subscribing', 2000);
            document.querySelector("#subscribeEmail").value = ""
        else
            $.toast('Invalid email form', 2000);
   })
//deo validacije za kontakt formu
if(window.location.pathname == '/contact.html'){
firstnametb.addEventListener("keyup",function(){
    if(reIme.test(this.value))
        if(!document.querySelector("#err-ime").classList.contains("d-none"))
            document.querySelector("#err-ime").classList.add("d-none")
        if(document.querySelector("#err-ime").classList.contains("d-none"))
            document.querySelector("#err-ime").classList.remove("d-none")
   }
lastnametb.addEventListener("keyup",function(){
```

```
if(rePrezime.test(this.value))
        if(!document.querySelector("#err-prezime").classList.contains("d-
none"))
        {
            document.querySelector("#err-prezime").classList.add("d-none")
        if(document.querySelector("#err-prezime").classList.contains("d-
none"))
        {
            document.querySelector("#err-prezime").classList.remove("d-none")
        }
   }
emailtb.addEventListener("keyup",function(){
    if(reEmail.test(this.value))
        if(!document.querySelector("#err-email").classList.contains("d-none"))
            document.querySelector("#err-email").classList.add("d-none")
        }
    else
    if(document.querySelector("#err-email").classList.contains("d-none"))
        document.querySelector("#err-email").classList.remove("d-none")
messagetb.addEventListener("keyup",function(){
    if(rePoruka.test(this.value))
        if(!document.querySelector("#err-msg").classList.contains("d-none"))
            document.querySelector("#err-msg").classList.add("d-none")
    if(document.querySelector("#err-msg").classList.contains("d-none"))
        document.querySelector("#err-msg").classList.remove("d-none")
document.querySelector("#potvrdiFormu").addEventListener("click",function(e){
    e.preventDefault();
    validacija();
```

```
//JS ZA DINAMICKI ISPIS SLAJDERA NA SVIM STRANAMA
    $(".slider-strela").click(function()
{
    let nizSlika = ['slide1.jpg','slide2.jpg','slide3.jpg']
    let smer = $(this).attr("data-smer");
    let trenutnaSlikaAlt = $(".tm-welcome img").attr("alt")
    for(let i = 0; i < nizSlika.length; i++)</pre>
        if(trenutnaSlikaAlt == nizSlika[i] && smer == "desno" && nizSlika[i+1]
!= undefined)
            $(".tm-welcome img").attr("src","img/"+nizSlika[i+1])
            $(".tm-welcome img").attr("alt",nizSlika[i+1])
            $(".tm-welcome").addClass("slider-animacija")
            setTimeout(obrisiKlasuAnimacije,500)
        else if(trenutnaSlikaAlt == nizSlika[i] && smer == "levo" &&
nizSlika[i-1] != undefined)
            $(".tm-welcome img").attr("src","img/"+nizSlika[i-1])
            $(".tm-welcome img").attr("alt",nizSlika[i-1])
            $(".tm-welcome").addClass("slider-animacija")
            setTimeout(obrisiKlasuAnimacije,500)
        else if(trenutnaSlikaAlt == nizSlika[i] && smer == "desno" &&
nizSlika[i+1] == undefined)
            $(".tm-welcome img").attr("src","img/"+nizSlika[0])
            $(".tm-welcome img").attr("alt",nizSlika[0])
            $(".tm-welcome").addClass("slider-animacija")
            setTimeout(obrisiKlasuAnimacije,500)
        else if(trenutnaSlikaAlt == nizSlika[i] && smer == "levo" &&
nizSlika[i-1] == undefined)
            $(".tm-welcome img").attr("src","img/"+nizSlika[nizSlika.length-
11)
            $(".tm-welcome img").attr("alt",nizSlika[nizSlika.length-1])
            $(".tm-welcome").addClass("slider-animacija")
            setTimeout(obrisiKlasuAnimacije,500)
        }
//deo validacije za kontakt formu i regularni izrazi za isto
var reIme = /^[A-Z][a-zšđčžć]{2,29}$/;
```

```
var rePrezime = /^[A-Z][a-zšđčžć]{2,29}( [A-Z][a-zšđčžć]{2,29})*$/;
var reEmail = /^[\w\d\_][\w\d\_\-\.]{3,50}\@[a-z]{2,10}(\.[a-z]{2,3})+$/;
var rePoruka = /.{5,100}/;
function obrisiKlasuAnimacije(){
    $(".tm-welcome").removeClass("slider-animacija")
//Menjanje navbara u burger na manjoj rezoluciji
window.onresize = proveriSirinu
function proveriSirinu()
    var sirina = window.outerWidth
    if(sirina < 768 && document.getElementsByClassName("navbar-</pre>
collapse")[0].classList.contains("show"))
       document.getElementsByClassName("navbar-
collapse")[0].classList.remove("show")
   else if(sirina > 768 && !document.getElementsByClassName("navbar-
collapse")[0].classList.contains("show"))
        document.getElementsByClassName("navbar-
collapse")[0].classList.add("show")
function validacija()
//Poslenji deo provere validacije na kontakt formi
var dobra = {
   ime:false,
    prezime:false,
    mail:false,
   poruka:false,
   radio:false
    if(reIme.test(document.querySelector("#contact_firstname").value))
        if(!document.querySelector("#err-ime").classList.contains("d-none"))
            document.querySelector("#err-ime").classList.add("d-none")
        dobra.ime=true
        if(document.querySelector("#err-ime").classList.contains("d-none"))
            document.guerySelector("#err-ime").classList.remove("d-none")
        dobra.ime=false
   }
```

```
PREZIME
    if(rePrezime.test(document.querySelector("#contact lastname").value))
        if(!document.querySelector("#err-prezime").classList.contains("d-
none"))
            document.querySelector("#err-prezime").classList.add("d-none")
        dobra.prezime=true
        if(document.querySelector("#err-prezime").classList.contains("d-
none"))
        {
            document.querySelector("#err-prezime").classList.remove("d-none")
        dobra.prezime=false
      Email
    lf(reEmail.test(document.querySelector("#contact_email").value))
        if(!document.querySelector("#err-email").classList.contains("d-none"))
            document.querySelector("#err-email").classList.add("d-none")
        dobra.mail=true
    lse{
        if(document.querySelector("#err-email").classList.contains("d-none"))
            document.guerySelector("#err-email").classList.remove("d-none")
        dobra.mail=false
     / Radio buttons
    let radioDugmad = false;
    for(let i = 0; i < document.querySelectorAll('[name="dept"]').length; i++)</pre>
        if(document.querySelectorAll('[name="dept"]')[i].checked)
            radioDugmad = true
            break;
        }
   }
```

document.querySelectorAll('[name="dept"]')[0].addEventListener("click",functio
n(){

```
if(!document.querySelector("#err-dept").classList.contains("d-none"))
            document.querySelector("#err-dept").classList.add("d-none")
   })
document.querySelectorAll('[name="dept"]')[1].addEventListener("click",functio
        if(!document.querySelector("#err-dept").classList.contains("d-none"))
            document.querySelector("#err-dept").classList.add("d-none")
     f(radioDugmad)
        if(!document.querySelector("#err-dept").classList.contains("d-none"))
            document.querySelector("#err-dept").classList.add("d-none")
        dobra.radio=true
        if(document.querySelector("#err-dept").classList.contains("d-none"))
            document.querySelector("#err-dept").classList.remove("d-none")
        dobra.radio=false
     / PORUKA
    if(rePoruka.test(document.querySelector("#contact_message").value))
        if(!document.querySelector("#err-msg").classList.contains("d-none"))
            document.querySelector("#err-msg").classList.add("d-none")
        dobra.poruka=true
    else{
        if(document.querySelector("#err-msg").classList.contains("d-none"))
            document.querySelector("#err-msg").classList.remove("d-none")
        dobra.poruka=false
    if(dobra.ime && dobra.prezime && dobra.mail && dobra.radio &&
dobra.poruka)
    $.toast('Message sent', 2000);
```

```
else
    $.toast('Invalid form', 2000);
}
CSS
Style.css
@font-face {
  font-family: playfair;
  src: url("PlayfairDisplay-Regular.ttf");
  font-family: playfair;
.slider-container
    position: relative;
    border-radius: 15px;
    border: 4px solid white;
    /* background-color: rgb(36, 195, 52); */
    margin-top: -54px;
    -webkit-box-shadow: 0px 0px 5px 0px rgba(0,0,0,0.75);
    -moz-box-shadow: 0px 0px 5px 0px rgba(0,0,0,0.75);
    box-shadow: 0px 0px 5px 0px rgba(0,0,0,0.75);
    z-index: 9999;
    width: 100%;
    height: 500px;
    font-size: 1.2rem;
.tm-welcome {
    position: relative;
.tm-welcome img{
    display: block;
    width: inherit;
    height: 85vh;
.navbar-nav{
   margin-top: 1em;
.navbar-nav li a{
    font-size: 1.5em;
.overlay{
    width: 100%;
    position:relative;
```

```
display:inline-block;
.overlay:after {
   content:'';
    position:absolute;
    left:0; top:0;
   width:100%;
    height:100%;
    display:inline-block;
    background: -webkit-linear-gradient(rgba(0,0,0,0.65) 0%,rgba(0,0,0,0.65)
100%);
  .radius{
     border-radius: 1em;
 #navbarSupportedContent1 ul li a{
   color: #fff;
#navbarSupportedContent1 ul li a:hover{
   color: #fff;
    text-shadow: 0px 1px 1px #fff;
.slider-strela{
    position: absolute;
    font-size: 64px;
    cursor:pointer;
    top:40%;
   color:#fff;
#slider-levo{
   left:30px;
#slider-desno{
   right:30px;
.slider-animacija{
   animation: .5s sliderAnimacija linear;
.gornjaMarginaAutora{
   margin-top: 100px;
#sliderContainer{
    position: relative;
#text{
    position: absolute;
   top: 50%;
```

```
left: 50%;
    transform: translate(-50%,-50%);
    color: #fff;
    font-weight: 500;
    text-transform: uppercase;
    z-index: 5000 !important;
.sidebyside{
    width: 100%;
    display: flex !important;
    justify-content: space-evenly !important;
    align-items: center !important;
.authorImg{
   height: 250px;
    width: auto;
@keyframes sliderAnimacija{
       opacity: 0;
        opacity: 1;
@media (max-width: 750px){
    #navbarSupportedContent1 ul{
        width: 100%;
        justify-content: space-around;
        align-items: left;
        flex-direction: column;
    #navbarSupportedContent1 ul li a{
       font-size: 1.2em;
   }
}
```