

Visoka škola strukovnih studija za informacione i komunikacione tehnologije

Dokumentacija



Smer: Internet Tehnologije

Predmet: Web programiranje PHP 1

Student: Jovan Čajić 196/18

Sadržaj

Uvod	4
Korišćene tehnologije:	4
Funkcionalnost na sajtu:	4
Baza Podataka	5
Dijagram Baze Podataka	5
Slike stranica	6
Index	6
Login	7
Register	8
About	8
Author	9
Contact.....	9
Products	10
Cart	10
Myorders.....	11
Adminpanel	11
Kodovi	12
Style.css.....	12
Index.php	13
Products.php	16
Contact.php.....	22
About.php	24
Author.php.....	26
Register.php	28
Login.php	30
Cart.php	32
Myorders.php.....	36
Session.php	39
Adminpanel.php.....	39
INC	41
head.php	41
header.php.....	41

preload.php	43
footer.php	43
scripts.php	45
Data	45
connection.php.....	45
Backend.....	46
login.php	46
logout.php.....	47
register.php	47
contact.php	48
userAnswer.php	49
makeOrder.php	50
addToCart.php.....	51
Admin Panel	52
Categories.php	52
Contact.php	53
Menu.php.....	55
Order.php.....	55
Products.php	56
Users.php	59
Backend/Adminpanel	61
addCategory.php	61
addProduct.php.....	61
deleteCategory.php	63
deleteProduct.php.....	64
deleteContact.php	65
editProduct.php.....	66
editCategory.php	67
giveAdmin.php	67
JavaScript	68
Mine.js	68

Uvod

Korišćene tehnologije:

- Html
- Css
- JavaScript
- JQuery
- PHP
- JSON
- Ajax
- MySql

Rađeno u VSCode-u. Sajt okačen na 000webhost.


Template preuzet sa <https://www.free-css.com/free-css-templates/page272/fruitkha>

Funkcionalnost na sajtu:

- Sesija
- Registrovanje
- Logovanje
- Dinamičko ispisavanje podataka iz baze
- Dinamički ispis ključnog sadržaja na sajtu
- Pretraga
- Slanje podataka preko kontakt forme
- Paginacija
- Admin panel
- Anketa
- Porudžbina
- Korpa

Baza Podataka


Dijagram Baze Podataka



Slike stranica

Index

Neulogovan user



Ulogovan User

GameLand

[Home](#)[Products](#)[Contact](#)[About Us](#)[About Author](#)[Cart](#)[My Orders](#)[LOG OUT](#)

Survey

Total votes: 1
You voted for: 4 hours+

Answer	Votes
2 hours	0
3 hours	0
4 hours+	1

Login

GameLand

[Home](#)[Products](#)[Contact](#)[About Us](#)[About Author](#)[Login](#)[Register](#)

Log In

Email

Password

Sign in

Not a member? [register](#)

Register

GameLand

[Home](#)[Products](#)[Contact](#)[About Us](#)[About Author](#)[Login](#)[Register](#)

Registration

First Name

Last Name

Address

Phone

Email

Password


Confirm Password

Sign In


Reset

Already have an account? [Log In](#)

About




Author



Author

Jovan Cajic 196/18




About author of the site

I am Jovan Cajic, student of Information and Communication Technologies.
I'm 24, born in Belgrade, Serbia. Graduated from High School in 2017.
Attended faculty of Mechanical Engineering for one year, before i decided to


Contact

A screenshot of the 'Contact' page. At the top is a dark blue header bar with the 'GameLand' logo and a navigation menu: Home, Products, Contact, About Us, About Author, Login, Register. The main content area has a light gray background. On the left, under the heading 'Ask us anything?', is a form with three input fields: 'Name', 'Email', and 'Message'. Below the 'Message' field is a blue 'Submit' button. To the right of the form is a white box with a gray border containing contact information. It has three sections: 'Shop Address' with a location pin icon, 'Shop Hours' with a clock icon, and 'Contact' with a phone icon. Each section lists specific details like address, hours, phone number, and email.

Products



Cart



Myorders

GameLand

Home

Products

Contact

About Us

About Author




Cart

My Orders

LOG OUT

My orders

First Name	Last Name	Address	Phone	Email
User	User	Users adress	0601234560	user@gmail.com

ID	Product Name	Image	Price per product	Quantity	Price
2	XBOX Series X		500\$	1	500\$
5	XBOX Series S		450\$	5	2250\$
6	Play Station 5		500\$	7	3500\$

Adminpanel

GameLand

Home

Products

Contact

Admin Panel

About Us

About Author

Cart

My Orders

LOG OUT

ADMIN PANEL

Users	Products	Orders	Categories	Contact
-------	----------	--------	------------	---------



Kodovi

Style.css

```
.regMid{
  padding: 150px 100px;
  text-align: center;
}
.logoIcon{
  text-align: center;
  font-size: 25px;
  color: white;
  border: white 1px;
}
.active {
  color: orange !important;
}
.buttonDelete{
  margin: 0 !important;
  padding: 0 !important;
  font-size: 15px !important;
  border: 0 !important;
  background-color: transparent !important;
  color: #f00 !important;
}
.buttonEdit{
  color: #000 !important;
  font-weight: 600 !important;
}
.buttonFix{
  margin: 0 !important;
  padding: 0 !important;
  font-size: 15px !important;
  border: 0 !important;
  background-color: transparent !important;
  color: white !important;
}
.imgCrop{
  height: 155px !important;
  width: 207px !important;
}
.linkk{
  font-size: 18px;
  padding: 0 20px;
  color: #000;
}
```

Index.php

```
<?php
    require_once "session.php";
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <?php
        require_once "inc/head.php";
    ?>

</head>
<body>

    <?php
        require_once "inc/preload.php";
        require_once "inc/header.php";
    ?>

    <!-- hero area -->
    <div class="hero-area hero-bg">
        <div class="container">
            <div class="row">
                <div class="col-lg-9 offset-lg-2 text-center">
                    <div class="hero-text">
                        <div class="hero-text-tablecell">
                            <p class="subtitle">Best Gaming Experience</p>
                            <h1>Gaming equipment from gamers for gamers</h1>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <!-- end hero area -->
    <?php if(isset($_SESSION["user"])):?>
    <div class="list-section pt-80 pb-80">
        <div class="container">
            <div class="row">
                <div class="col-lg-12 col-md-12 mb-4 mb-lg-12">
                    <div class="list-box d-flex align-items-center justify-
content-center">
                        <div class="content">
                            <h1 class="text-center">Survey</h1>
                            <?php
                                require_once "data/connection.php";
                                global $connection;
```

```

        $user_id = $_SESSION["user"]->user_id;
        $userAnswer = $connection->query("SELECT *
FROM user_answer WHERE user_id = $user_id")->fetch();
        if($userAnswer){
            $answerId = $userAnswer->answer_id;
            $votes = $connection->query("SELECT * FROM
user_answer")->rowCount();

            $yourVote = $connection->query("SELECT *
FROM answers WHERE answer_id = $answerId")->fetch()->answer;
            //VOTED
            ?>
            <h3>Total votes: <?php echo $votes
?></h3>

            <h4>You voted for: <?php echo
$yourVote?></h4>

            <div class="container votes"
id="votes">

                <table class="table">
                    <thead>
                        <th>Answer</th>
                        <th>Votes</th>
                    </thead>
                    <tbody>

                        <?php
                            foreach ($connection-
>query("SELECT * FROM answers")->fetchAll() as $answer) {
                                $answerId = $answer-
>answer_id;

                                $votes = $connection-
>query("SELECT COUNT(answer_id) as votes FROM user_answer WHERE answer_id =
$answerId")->fetch()->votes;

                                ?>
                                <tr>
                                    <td><?php echo
$answer->answer?></td>

                                    <td><?php echo
$votes?></td>

                                </tr>
                                <?php
                                    }
                                ?>
                            </tbody>
                        </table>

                    </div>
                <?php
            }

```

```

else{
    //SURVEY
    ?>
    <h4>How much time do you spend on gaming
?</h4>

    <?php
    $answers = $connection->query("SELECT *
FROM answers")->fetchAll();

    foreach ($answers as $answer) {
        ?>
        <a
href="backend/userAnswer.php?id=<?php echo $answer->answer_id?>" class="btn
btn-primary"><?php echo $answer->answer?> </a>
        <?php
    }
    }
    ?>
</div>
</div>
</div>
</div>
</div>
</div>
<?php endif;?>
<!-- features list section -->
<div class="list-section pt-80 pb-80">
    <div class="container">

        <div class="row">
            <div class="col-lg-4 col-md-6 mb-4 mb-lg-0">
                <div class="list-box d-flex align-items-center">
                    <div class="list-icon">
                        <i class="fas fa-shipping-fast"></i>
                    </div>
                    <div class="content">
                        <h3>Free Shipping</h3>
                        <p>When order over 1000$</p>
                    </div>
                </div>
            </div>
            <div class="col-lg-4 col-md-6 mb-4 mb-lg-0">
                <div class="list-box d-flex align-items-center">
                    <div class="list-icon">
                        <i class="fas fa-phone-volume"></i>
                    </div>
                    <div class="content">
                        <h3>24/7 Support</h3>
                        <p>Get support all day</p>

```

```

        </div>
    </div>
</div>
<div class="col-lg-4 col-md-6">
    <div class="list-box d-flex justify-content-start align-items-center">
        <div class="list-icon">
            <i class="fas fa-sync"></i>
        </div>
        <div class="content">
            <h3>Refund</h3>
            <p>Get refund within 3 days!</p>
        </div>
    </div>
</div>
</div>
</div>
<!-- end features list section -->
<?php
require_once "inc/footer.php";
require_once "inc/scripts.php";
?>
</body>
</html>

```

Products.php

```

<?php
require_once "session.php";
?>
<!DOCTYPE html>
<html lang="en">

<head>
    <?php
        require_once "inc/head.php";
    ?>
</head>

<body>
    <?php
        require_once "inc/preload.php";
    ?>

```



```

<?php
require_once "inc/header.php";
?>
<!-- breadcrumb-section -->
<div class="breadcrumb-section breadcrumb-bg">
    <div class="container">
        <div class="row">
            <div class="col-lg-8 offset-lg-2 text-center">
                <div class="breadcrumb-text">
                    <p>Best gaming products</p>
                    <h1>Shop</h1>
                </div>
            </div>
        </div>
    </div>
</div>
<!-- end breadcrumb section -->

<!-- products -->
<?php
if (!isset($_GET["id"])) {
?>
    <div class="search-text w-100 d-flex justify-content-center mt-5">
        <?php
        $categoryId = isset($_GET["category"]) ? $_GET["category"] : "";
        $search = isset($_GET["search"]) ? $_GET["search"] : "";
        ?>
        <form action="products.php" method="GET">
            <div class="input-group rounded">
                <input type="search" class="form-control rounded"
name='search' id='search' placeholder="Search" aria-label="Search" aria-
describedby="search-addon" />
                <input type="hidden" name="category" id="category"
value='<?php echo $categoryId ?>'>
                <span class="input-group-text border-0" id="search-addon">
                    <i class="fas fa-search"></i>
                </span>
            </div>
        </form>
    </div>

    <br>
    <div class="product-section">
        <div class="container">
            <div class="row">
                <div class="col-md-12 d-flex justify-content-center text-
center">
                    <ul class="list-group list-group-horizontal">

```

```

secondary" : "";

$activeClass = $categoryId == "" ? "bg-
";
";

?>
<li class="list-group-item <?php echo
$activeClass ?>"><a class='<?php echo $bgColor?>'
href="products.php?search=<?php echo $search ?>">All</a></li>
<?php
require_once "data/connection.php";
global $connection;
$query = "SELECT * FROM categories";
$categories = $connection->query($query)-
>fetchAll();

foreach ($categories as $category) {
    $bgColor = $category->category_id ==
$categoryId ? "text-light" : "";
    $activeClass = $category->category_id ==
$categoryId ? "bg-secondary" : "";
    ?>
    <li class='list-group-item <?php echo
$activeClass?>'><a class='<?php echo
$bgColor?>'href='products.php?category=<?php echo $category-
>category_id?>&search=<?php echo $search?>'><?php echo $category-
>name?></a></li>

    <?php
    }
    ?>
</ul>
</div>
</div>
<br>

<?php
if($search != ""){
    ?>
    <h5 class="text-center">Results for: <?php echo
$search ?></h5>

    <?php
    }
    if($categoryId != ""){
        $category = $connection->query("SELECT * FROM categories
where category_id = $categoryId")->fetch()->name;
        ?>
        <?php
        }
    }
    ?>

```

```

<div class="row product-lists">

    <?php
    require_once "data/connection.php";
    global $connection;
    $limit = 6;
    $page = !isset($_GET["page"]) ? 1 : $_GET["page"];
    $query = "SELECT * FROM products";
    if ($categoryId != "") {
        $query .= " WHERE category_id = $categoryId ";
    }
    if ($search != "" and $categoryId != "") {
        $query .= " AND (name LIKE '%$search%' OR description
LIKE '%$search%')";
    }
    if ($search != "" and $categoryId == "") {
        $query .= " WHERE (name LIKE '%$search%' OR
description LIKE '%$search%')";
    }
    $pageCount = ceil($connection->query($query)->rowCount() /
$limit);

    $start = ($page - 1) * $limit;
    $query = "SELECT * FROM products p INNER JOIN images i on
p.product_id=i.product_id INNER JOIN prices pp ON p.product_id = pp.product_id
WHERE pp.active=1";
    if ($categoryId != "") $query .= " AND p.category_id =
$categoryId";
    if ($search != "") $query .= " AND (p.name LIKE
'%$search%' OR p.description LIKE '%$search%')";
    $query .= " LIMIT $start, $limit";

    $products = $connection->query($query)->fetchAll();

    foreach ($products as $product) {
    ?>
        <div class="col-lg-4 col-md-6 text-center">
            <div class="single-product-item">
                <div class="product-image">
                    <a href="products.php?id=<?php echo
$product->product_id ?>">name ?>"></a>
                </div>
                <h3><?php echo $product->name ?></h3>
                <p><?php echo $product->description ?></p>
                <p class="product-price"> <?php echo $product-
>price ?>$ </p>

                <?php
                if (isset($_SESSION['user'])) {

```

```

        ?>
        <a href="products.php?id=?php echo
$product->product_id ?>" class="cart-btn"><i class="fas fa-shopping-cart"></i>
View product</a>

        <?php
        }
        ?>
    </div>
</div>
<?php

}

?>
</div>
<?php
if ($pageCount > 1) {
    $output = "<br><div class='row col-12'>
    <div class='col-lg-12 text-center'>
        <div class='pagination-wrap'><ul>";
        for ($i = 1; $i <= $pageCount; $i++) {
            $class = $page == $i ? 'active' : "";
            $output .= "<li class='" . $class . "'><a
href='products.php?search=$search&category=$categoryId&page=" . $i . "'> . $i
. "</a></li>";
        }
        $output .= "</ul></div></div></div>";
        echo $output;
    }
    ?>
</div>
</div>
<br>
<br>
<?php
} else {
    $productId = $_GET["id"];
    require_once "data/connection.php";
    global $connection;
    $product = $connection->query("SELECT * FROM products p INNER JOIN
images i on p.product_id=i.product_id INNER JOIN prices pp ON p.product_id =
pp.product_id WHERE pp.active=1 AND p.product_id = $productId")->fetch();
    $category = $connection->query("SELECT c.name as name FROM categories
c INNER JOIN products p ON p.category_id = c.category_id WHERE product_id =
$productId")->fetch();
    ?>

    <div class="single-product mt-150 mb-150">

```

```

        <div class="container">
            <div class="row">
                <div class="col-md-5">
                    <div class="single-product-img">
                        name ?>">
                    </div>
                </div>
                <div class="col-md-7">
                    <div class="single-product-content">
                        <h3><?php echo $product->name ?></h3>
                        <p class="single-product-pricing"><?php echo
$product->price ?>$</p>
                        <p><?php echo $product->description ?></p>
                        <div class="single-product-form">
                            <?php if(isset($_SESSION["user"])):?>
                            <form action="#" method="">
                                <input type="number"
class="quantityPerProduct" data-price="<?php echo $product->price ?>"
placeholder="1" value="1" min="1" max="10">
                                <button class="addToCart" data-id="<?php
echo $product->product_id ?>">Add to Cart</button>
                            </form>
                            <?php endif;?>
                            <p><strong>Category: </strong><?php echo
$category->name ?></p>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
<?php
}
?>
<!-- end products -->

<?php
require_once "inc/footer.php";
require_once "inc/scripts.php";
?>
</body>
</html>

```

Contact.php

```
<?php
    require_once "session.php";
?>
<!DOCTYPE html>
<html lang="en">
<head>
<?php
    require_once "inc/head.php";
?>
</head>
<body>

    <?php
        require_once "inc/header.php";
        $message = !empty($_GET["message"]) ? $_GET["message"] : "";
    ?>

    <div class="breadcrumb-section breadcrumb-bg">
        <div class="container">
            <div class="row">
                <div class="col-lg-8 offset-lg-2 text-center">
                    <div class="breadcrumb-text">
                        <p>Get our gaming support</p>
                        <h1>Contact us</h1>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <div class="contact-from-section mt-150 mb-150">
        <div class="container">
            <div class="row">
                <div class="col-lg-8 mb-5 mb-lg-0">
                    <div class="form-title">
                        <h2>Ask us anything?</h2>
                        <p>If you have any questions, recommendations or
complaints feel free to notify us in the form below!</p>
                    </div>
                    <div id="form_status"></div>
                    <h3 class="text text-success mt-2 mb-2"><?php echo
$message?></h3>
                    <div class="contact-form">
                        <form action="" method="" id="contact">
                            <div class="form-group">
                                <input type="text" class='form-control'
placeholder="Name" name="name" id="name">
```

```

        <span class="text text-danger"
id="contactNameError"></span>
    </div>
    <div class="form-group">
        <input type="email" class='form-
control' placeholder="Email" name="email" id="email">
        <span class="text text-danger"
id="contactEmailError"></span>
    </div>
    <p><textarea name="message" id="message" cols="30"
rows="10" placeholder="Message"></textarea></p>
    <span class="text text-danger"
id="contactMessageError"></span>
    <p><input class='btn btn-primary mt-2'
type="button" id="contactButton" value="Submit"></p>
    </form>
</div>
</div>
<div class="col-lg-4">
    <div class="contact-form-wrap">
        <div class="contact-form-box">
            <h4><i class="fas fa-map"></i> Shop Address</h4>
            <p>69/420 <br> Hobbiton <br> New Zealand</p>
        </div>
        <div class="contact-form-box">
            <h4><i class="far fa-clock"></i> Shop Hours</h4>
            <p>MON - FRIDAY: 8 to 9 PM <br> SAT - SUN: 10 to 8
PM </p>
        </div>
        <div class="contact-form-box">
            <h4><i class="fas fa-address-book"></i>
Contact</h4>
            <p>Phone: +381/1234567 <br> Email:
support@GameLand.com</p>
        </div>
    </div>
</div>
</div>
</div>
</div>
<div class="find-location blue-bg">
    <div class="container">
        <div class="row">
            <div class="col-lg-12 text-center">
                <p> <i class="fas fa-map-marker-alt"></i> Find Our
Location</p>
            </div>
        </div>
    </div>
</div>

```

```

        </div>
    </div>
    <div class="embed-responsive embed-responsive-21by9">
        <iframe
src="https://maps.google.com/maps?q=hobbiton&t=&z=13&ie=UTF8&iwloc=&output=emb
ed" width="600" height="450" frameborder="0" style="border:0;"
allowfullscreen="" class="embed-responsive-item"></iframe>
    </div>
    <?php
        require_once "inc/footer.php";
        require_once "inc/scripts.php";
    ?>
</body>
</html>

```

About.php

```

<?php
    require_once "session.php";
?>
<!DOCTYPE html>
<html lang="en">
<head>
<?php
    require_once "inc/head.php";
?>

</head>
<body>

    <?php
        require_once "inc/preload.php";
    ?>

    <!-- header -->
    <?php
        require_once "inc/header.php";
    ?>
    <!-- end header -->

    <!-- breadcrumb-section -->
    <div class="breadcrumb-section breadcrumb-bg">
        <div class="container">

```



```

        <div class="row">
            <div class="col-lg-8 offset-lg-2 text-center">
                <div class="breadcrumb-text">
                    <p>We provide gaming experience</p>
                    <h1>About Us</h1>
                </div>
            </div>
        </div>
    </div>
</div>
<!-- end breadcrumb section -->

<!-- featured section -->
<div class="feature-bg">
    <div class="container">
        <div class="row">
            <div class="col-lg-12">
                <div class="featured-text">
                    <h2 class="pb-3">Why <span class="orange-
text">GameLand</span></h2>
                    <div class="row">
                        <div class="col-lg-6 col-md-6 mb-4 mb-md-5">
                            <div class="list-box d-flex">
                                <div class="list-icon">
                                    <i class="fas fa-tv"></i>
                                </div>
                                <div class="content">
                                    <h3>Best products</h3>
                                    <p>We provide best products.</p>
                                </div>
                            </div>
                        </div>
                        <div class="col-lg-6 col-md-6 mb-5 mb-md-5">
                            <div class="list-box d-flex">
                                <div class="list-icon">
                                    <i class="fas fa-gamepad"></i>
                                </div>
                                <div class="content">
                                    <h3>Custom gaming</h3>
                                    <p>Custom made consoles/PC's and the
newest technology on the market.</p>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

```

```

        </div>
    </div>
</div>
<div class="mt-150">
    <div class="container">
        <div class="row">
            <div class="col-lg-8 offset-lg-2 text-center">
                <div class="section-title">
                    <h3>Our <span class="orange-text">Team</span></h3>
                    <p>Our team is made out of the experts in both
console, PC, gaming and business fields</p>
                </div>
            </div>
        </div>
    </div>
</div>
<?php
require_once "inc/footer.php";
require_once "inc/scripts.php";
?>
</body>
</html>

```

Author.php

```

<?php
    require_once "session.php";
?>
<!DOCTYPE html>
<html lang="en">
<head>
<?php
    require_once "inc/head.php";
?>
</head>
<body>
    <?php
        require_once "inc/preload.php";
    ?>
    <?php
        require_once "inc/header.php";
    ?>

    <div class="breadcrumb-section breadcrumb-bg">
        <div class="container">

```

```

        <div class="row">
            <div class="col-lg-8 offset-lg-2 text-center">
                <div class="breadcrumb-text">
                    <p>We develop web sites</p>
                    <h1>Author</h1>
                </div>
            </div>
        </div>
    </div>
</div>
<div class="mt-150">
    <div class="container">
        <div class="row">
            <div class="col-lg-8 offset-lg-2 text-center">
                <div class="section-title">
                    <h3><span class="orange-text">Author</span></h3>
                    <p>Jovan Cajic 196/18</p>
                </div>
            </div>
        </div>
        <div class="row">
            <div class="col-lg-6 col-md-6">
                <div class="single-team-item">
                    <div class="team-bg team-bg-1"></div>
                    <h4>Jovan Cajic<span>Web Developer</span></h4>
                    <ul class="social-link-team">
                        <li><a href="https://facebook.com/"
target="_blank"><i class="fab fa-facebook-f"></i></a></li>
                        <li><a href="https://twitter.com/CajicJ"
target="_blank"><i class="fab fa-twitter"></i></a></li>
                        <li><a
href="https://www.instagram.com/jovan_cajic/" target="_blank"><i class="fab
fa-instagram"></i></a></li>
                    </ul>
                </div>
            </div>
            <div class="col-lg-6 col-md-6">
                <div class="single-team-item text-center">
                    <h3>About author of the site</h3>
                    <p>I am Jovan Čajić, student of Information and
Communication Technologies. <br/>
                    I'm 24, born in Belgrade, Serbia. Graduated from
High School in 2017. <br/>
                    Attended faculty of Mechanical Engineering for one
year, before i decided to study at ICT.<br/>
                    Currently employed as a Quality Assurance
Technician, while building my web developing skills and portfolio.<br/>

```

```

        </p>
    </div>
</div>

</div>
</div>
<?php
require_once "inc/footer.php";
require_once "inc/scripts.php";
?>
</body>
</html>

```

Register.php

```

<?php
require_once "session.php";
?>
<!DOCTYPE html>
<html lang="en">

<head>
    <?php
        require_once "inc/head.php";
    ?>
</head>

<body>
    <?php
        require_once "inc/preload.php";
    ?>
    <?php
        require_once "inc/header.php";
    ?>

    <div class="homepage-slider h-auto">
        <div class="single-homepage-slider homepage-bg-1">
            <div class="container ">
                <div class="row">
                    <div class="col-md-12 col-lg-12 offset-lg-1 offset-xl-0
regMid">
                        <h3 class="text-light">Registration</h3>
                        <form action="#" class="contact-form" method="POST">
                            <div class="form-outline mb-4">

```

```

<input type="text" id="firstName" class="form-
control" />
<label class="form-label text-light
labelLogin" for="firstName">First Name</label>
<h6 id="firstNameError" class="text-
danger"></h6>
</div>
<div class="form-outline mb-4">
<input type="text" id="lastName" class="form-
control" />
<label class="form-label text-light"
for="lastName">Last Name</label>
<h6 id="lastNameError" class="text-
danger"></h6>
</div>
<div class="form-outline mb-4">
<input type="text" id="address" class="form-
control" />
<label class="form-label text-light"
for="address">Address</label>
<h6 id="addressError" class="text-
danger"></h6>
</div>
<div class="form-outline mb-4">
<input type="text" id="phone" class="form-
control" />
<label class="form-label text-light"
for="phone">Phone</label>
<h6 id="phoneError" class="text-danger"></h6>
</div>
<div class="form-outline mb-4">
<input type="email" id="email" class="form-
control" />
<label class="form-label text-light"
for="email">Email</label>
<h6 id="emailError" class="text-danger"></h6>
</div>
<div class="form-outline mb-4">
<input type="password" id="password"
class="form-control" />
<label class="form-label text-light"
for="password">Password</label>
<h6 id="passwordError" class="text-
danger"></h6>
</div>
<div class="form-outline mb-4">
<input type="password" id="passwordConfirm"
class="form-control" />

```

```

                                <label class="form-label text-light"
for="passwordConfirm">Confirm Password</label>
                                <h6 id="passwordConfirmError" class="text-
danger"></h6>
                                </div>
                                <button type="button" id="registerButton"
class="btn btn-primary btn-block mb-4">Sign in</button>
                                <button type="reset" id="resetButton"
name="resetButton" class="btn btn-primary btn-block mb-4">Reset</button>
                                <div class="text-center">
                                    <p class="text-light">Already have an account?
<a href="login.php" class="text text-warning">Log In</a></p>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
            <?php
            require_once "inc/footer.php";
            require_once "inc/scripts.php";
            ?>
        </body>
    </html>

```

Login.php

```

<?php
require_once "session.php";
?>
<!DOCTYPE html>
<html lang="en">

<head>
    <?php
    require_once "inc/head.php";
    ?>
</head>

<body>
    <?php

```

[illegible]


```

<div class="breadcrumb-section breadcrumb-bg">
    <div class="container">
        <div class="row">
            <div class="col-lg-8 offset-lg-2 text-center">
                <div class="breadcrumb-text">
                    <p>Product</p>
                    <h1>Cart</h1>
                </div>
            </div>
        </div>
    </div>
</div>
<!-- end breadcrumb section -->

<!-- cart -->
<div class="cart-section mt-150 mb-150">
    <div class="container">
        <div class="row">
            <?php
                require_once "data/connection.php";
                global $connection;
                $userId = $_SESSION["user"]->user_id;
                $total = 0;
                $itemsInCart = $connection->query("SELECT * FROM cart WHERE
user_id = $userId")->rowCount();
                if(isset($_POST["id"])){
                    $productId = $_POST["id"];
                    $connection->query("DELETE FROM cart WHERE user_id =
$userId AND product_id = $productId");
                }
                if($itemsInCart < 1){
                    echo "<h2>No items in cart yet</h2>";
                }
                else{
                    ?>
                    <div class="col-lg-8 col-md-12">
                        <div class="cart-table-wrap">
                            <table class="cart-table">
                                <thead class="cart-table-head">
                                    <tr class="table-head-row">
                                        <th class="product-remove"></th>
                                        <th class="product-image">Product
Image</th>
                                        <th class="product-name">Name</th>
                                        <th class="product-price">Price</th>
                                        <th class="product-quantity">Quantity</th>
                                        <th class="product-total">Total</th>
                                    </tr>
                                </thead>
                            </table>
                        </div>
                    </div>
                }
            </div>
        </div>
    </div>
</div>

```

```

        </thead>
        <tbody>
            <?php
                require_once "data/connection.php";
                global $connection;
                $cart= $connection->query("SELECT * FROM cart
WHERE user_id = $userId")->fetchAll();

                foreach ($cart as $cartProduct) {
                    $product = $connection->query("SELECT *
FROM products p INNER JOIN images i on p.product_id=i.product_id INNER JOIN
prices pp ON p.product_id = pp.product_id WHERE pp.active=1 AND p.product_id =
$cartProduct->product_id")->fetch();
                    ?>
                    <tr class="table-body-row">
                        <td class="product-remove"><form
action="cart.php" method="POST">
                            <input type="hidden" name="id"
class='id' value="<?php echo $product->product_id?>">
                            <button class="btn btn-
danger">X</button>
                        </form></td>
                        <td class="product-image">name ?>"></td>
                        <td class="product-name"><?php echo
$product->name?></td>
                        <td class="product-price"><input
type="hidden" name="price" class='price' value="<?php echo $product-
>price?>"><?php echo $product->price ?>$</td>
                        <td class="product-quantity"><input
type="number" name='quantity' class="quantity" value="<?php echo $cartProduct-
>quantity?>" min="1" max="10"></td>
                        <td class="product-total"><?php echo
$product->price*$cartProduct->quantity ?>$</td>
                    </tr>
                    <?php
                        $total += $product->price*$cartProduct-
>quantity;
                    }
                ?>
            </tbody>
        </table>
    </div>
</div>
<div class="col-lg-4">
    <div class="total-section">

```

```

        <table class="total-table">
            <thead class="total-table-head">
                <tr class="table-total-row">
                    <th>Total</th>
                </tr>
            </thead>
            <tbody>

                <tr class="total-data">
                    <td><?php echo $total?>$</td>
                </tr>
            </tbody>
        </table>
        <div class="cart-buttons">
            <button class="btn btn-primary"
id='makeOrder'>Order</button>
        </div>
    </div>
</div>
<?php
}
?>
</div>
</div>
<!-- end cart -->

<?php
    require_once "inc/footer.php";
    require_once "inc/scripts.php";
?>

</body>
</html>

    <?php

    }
    else{
        http_response_code(404);
    }
?>

```

Myorders.php

```
<?php
    require_once "session.php";
    if(isset($_SESSION["user"])){
        ?>
        <?php
            require_once "session.php";
        ?>
    <?>
<!DOCTYPE html>
<html lang="en">
<head>
<?php
    require_once "inc/head.php";
    ?>
</head>
<body>
    <?php
        require_once "inc/preload.php";
        ?>
        <?php
            require_once "inc/header.php";
            ?>

        <!-- breadcrumb-section -->
        <div class="breadcrumb-section breadcrumb-bg">
            <div class="container">
                <div class="row">
                    <div class="col-lg-8 offset-lg-2 text-center">
                        <div class="breadcrumb-text">
                            <h1>My orders</h1>
                        </div>
                    </div>
                </div>
            </div>
        </div>
        <!-- end breadcrumb section -->

        <!-- check out section -->
        <div class="checkout-section mt-150 mb-150">
            <div class="container">
                <div class="row">
                    <?php
                        require_once "data/connection.php";
                        global $connection;
                        $userId = $_SESSION["user"]->user_id;
                        $countOrders = $connection->query("SELECT * FROM orders
WHERE user_id = $userId")->rowCount();
```

```

        ?>
        <table class="table">
            <thead>
                <td>First Name</td>
                <td>Last Name</td>
                <td>Address</td>
                <td>Phone</td>
                <td>Email</td>
            </thead>
            <tbody>
                <td><?php echo $_SESSION["user"]->first_name?></td>
                <td><?php echo $_SESSION["user"]->last_name?></td>
                <td><?php echo $_SESSION["user"]->address?></td>
                <td><?php echo $_SESSION["user"]->phone?></td>
                <td><?php echo $_SESSION["user"]->email?></td>
            </tbody>
        </table>
        <?php
        if($countOrders == 0){
            ?>
            <h3>You do not have any orders. Check out our products
            <a href="products.php">here</a></h3>
            <?php
            }
            else{
                $orders = $connection->query("SELECT * FROM orders
                WHERE user_id = $userId")->fetchAll();
                foreach ($orders as $order) {
                    $total = 0;
                    ?>
                    <div class="col-lg-12">
                    <table class="order-details w-100 text-center">
                        <thead>
                            <tr>
                                <th>ID</th>
                                <th>Product Name</th>
                                <th>Image</th>
                                <th>Price per product</th>
                                <th>Quantity</th>
                                <th>Price</th>
                            </tr>
                        </thead>
                        <tbody class="order-details-body">
                            <?php
                                $orderProducts = $connection->
                                >query("SELECT *, op.product_id as id, op.quantity as q FROM order_product op
                                INNER JOIN products pp ON pp.product_id = op.product_id INNER JOIN images i ON

```

```

i.product_id = op.product_id INNER JOIN prices p ON p.product_id =
op.product_id WHERE order_id = $order->order_id AND active = 1")->fetchAll();
        foreach ($orderProducts as $product) {
            ?>
            <tr>
                <td><?php echo $product->
>id?></td>
                <td><?php echo $product->
>name?></td>
                <td>name ?>"></td>
                <td><?php echo $product->
>price?>$</td>
                <td><?php echo $product->
>q?></td>
                <td><?php echo $product->q *
$product->price?>$</td>
                <?php $total += $product->q *
$product->price?>
            </tr>
            <?php
        }
    ?>

</tbody>
</table>
<table>
    <tbody class="checkout-details">
        <tr>
            <td>Total</td>
            <td><?php echo $total?>$</td>
        </tr>
        <tr>
            <td>Date</td>
            <td><?php echo $order->date?></td>
        </tr>
    </tbody>
</table>
</div>
<?php
}
?>

<?php
}
?>

```

```

        </div>
    </div>
</div>
<!-- end check out section -->

<?php
    require_once "inc/footer.php";
    require_once "inc/scripts.php";
?>
</body>
</html>

<?php

}
else{
    http_response_code(404);
}

?>

```

Session.php

```

<?php
if (session_status() === PHP_SESSION_NONE) {
    session_start();
}
?>

```

Adminpanel.php

```

<?php
require_once "session.php";
if(isset($_SESSION["user"]) AND $_SESSION["user"]->is_admin == 1){
?>
<!DOCTYPE html>
<html lang="en">
<head>
<?php
    require_once "inc/head.php";
    ?>

</head>
<body>

```

```

<?php
    require_once "inc/preload.php";
?>

<!-- header -->
<?php
    require_once "inc/header.php";
?>
<!-- end header -->

<!-- breadcrumb-section -->
<div class="breadcrumb-section breadcrumb-bg">
    <div class="container">
        <div class="row">
            <div class="col-lg-8 offset-lg-2 text-center">
                <div class="breadcrumb-text">
                    <p>ADMIN PANEL</p>
                </div>
            </div>
        </div>
    </div>
</div>

<!-- featured section -->
<div class="feature-bg">
    <div class="container">
        <div class="row">
            <div class="col-lg-12">
                <?php
                    $id = (isset($_GET["id"]) AND !empty($_GET["id"])) ?
$_GET["id"] : 0;

                    require_once "adminpanel/menu.php";
                    echo "<hr>";
                    if($id == 1) require_once "adminpanel/users.php";
                    if($id == 2) require_once "adminpanel/products.php";
                    if($id == 3) require_once "adminpanel/orders.php";
                    if($id == 4) require_once "adminpanel/categories.php";
                    if($id == 5) require_once "adminpanel/contact.php";
                ?>
            </div>
        </div>
    </div>
</div>

<?php

```



```

        require_once "inc/footer.php";
        require_once "inc/scripts.php";
    ?>
</body>
</html>
<?php
    }
    else{
        http_response_code(404);
    }
?>

```

INC

head.php

```

<meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="description" content="Responsive Bootstrap4 Shop Template,
Created by Imran Hossain from https://imransdesign.com/">
    <title>GameLand
    </title>
    <link rel="shortcut icon" type="image/png" href="assets/img/favicon.png">
    <link href="https://fonts.googleapis.com/css?family=Open+Sans:300,400,700"
rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css?family=Poppins:400,700&display=swap"
rel="stylesheet">
    <link rel="stylesheet" href="assets/css/all.min.css">
    <link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" href="assets/css/owl.carousel.css">
    <link rel="stylesheet" href="assets/css/magnific-popup.css">
    <link rel="stylesheet" href="assets/css/animate.css">
    <link rel="stylesheet" href="assets/css/meanmenu.min.css">
    <link rel="stylesheet" href="assets/css/main.css">
    <link rel="stylesheet" href="assets/css/responsive.css">
    <link rel="stylesheet" href="assets/css/jquery-toasts.css">

```

header.php

```

<div class="top-header-area" id="sticker">
    <div class="container">
        <div class="row">

```

```

<div class="col-lg-12 col-sm-12 text-center">
    <div class="main-menu-wrap">
        <div class="site-logo">
            <a href="index.php">
                <span class="logoIcon">GameLand</span>
            </a>
        </div>
        <nav class="main-menu">
            <ul>
                <?php
                    require_once "data/connection.php";
                    global $connection;
                    $menu = $connection->query("SELECT * FROM
menu")->fetchAll();

                    foreach ($menu as $m) {
                        // 3 vrste
                        // neulogovan, ulogovan i admin
                        /* ADMIN */
                        if(isset($_SESSION["user"]) AND
$_SESSION["user"]->is_admin == 1 AND !in_array($m-
>href,["login.php","register.php"])){
                            echo "<li><a href='$m->href'$>$m-
>name</a></li>";
                        }
                        /* NEULOGOVAN */
                        if(!isset($_SESSION["user"]) AND
!in_array($m->href,["cart.php","checkout.php", "adminpanel.php" ,
"myorders.php"])){
                            echo "<li><a href='$m->href'$>$m-
>name</a></li>";
                        }
                        /* ULOGOVAN */
                        if(isset($_SESSION["user"]) AND
$_SESSION["user"]->is_admin == 0 AND !in_array($m-
>href,["login.php","register.php","adminpanel.php"])){
                            echo "<li><a href='$m->href'$>$m-
>name</a></li>";
                        }
                    }
                    if(isset($_SESSION["user"])){
                        echo "<li class='ml-
2'><form action='backend/logout.php' method='POST'><input class='buttonFix'
type='submit' value='Log out'></form></li>";
                    }
                <?>
            </ul>
        </nav>

```

```

                <a class="mobile-show search-bar-icon" href="#"><i
class="fas fa-search"></i></a>
                <div class="mobile-menu"></div>
            </div>
        </div>
    </div>
</div>

```

preload.php

```

<div class="loader">
    <div class="loader-inner">
        <div class="circle"></div>
    </div>
</div>

```

footer.php

```

<div class="footer-area">
    <div class="container">
        <div class="row">
            <div class="col-lg-3 col-md-6">
                <div class="footer-box about-widget">
                    <h2 class="widget-title">About us</h2>
                    <p>We rent out gaming experience.</p>
                </div>
            </div>
            <div class="col-lg-3 col-md-6">
                <div class="footer-box get-in-touch">
                    <h2 class="widget-title">Contact us</h2>
                    <ul>
                        <li>New Zealand / Hobbiton</li>
                        <li><a href="contact.php">Contact</a></li>
                    </ul>
                </div>
            </div>
            <div class="col-lg-3 col-md-6">
                <div class="footer-box pages">
                    <h2 class="widget-title">Pages</h2>
                    <ul>
                        <?php
require_once "data/connection.php";

```

```

        global $connection;
        $menu = $connection->query("SELECT * FROM
menu")->fetchAll();

        foreach ($menu as $m) {
            // 3 vrste
            // neulogovan, ulogovan i admin
            /* ADMIN */
            if(isset($_SESSION["user"]) AND
$_SESSION["user"]->is_admin == 1 AND !in_array($m-
>href,["login.php","register.php"])){
                echo "<li><a href='$m->href'>$m-
>name</a></li>";
            }
            /* NEULOGOVAN */
            if(!isset($_SESSION["user"]) AND
!in_array($m->href,["cart.php","checkout.php", "adminpanel.php"])){
                echo "<li><a href='$m->href'>$m-
>name</a></li>";
            }
            /* ULOGOVAN */
            if(isset($_SESSION["user"]) AND
$_SESSION["user"]->is_admin == 0 AND !in_array($m-
>href,["login.php","register.php","adminpanel.php"])){
                echo "<li><a href='$m->href'>$m-
>name</a></li>";
            }
        }
    ?>
    <li><a
href="Documentation.pdf">Documentation</a></li>
    </ul>
    </div>
    </div>
    <div class="col-lg-3 col-md-6">

    </div>
    </div>
    </div>
    <div class="copyright">
        <div class="container">
            <div class="row">
                <div class="col-lg-6 col-md-12">
                    <p>Copyrights &copy; 2022 - <a
href="https://www.instagram.com/jovan_cajic/">Jovan Cajic</a>, All Rights
Reserved.</p>
                </div>

```

```

        <div class="col-lg-6 text-right col-md-12">
            <div class="social-icons">
                <ul>
                    <li><a href="https://www.facebook.com"
target="_blank"><i class="fab fa-facebook-f"></i></a></li>
                    <li><a href="https://www.twitter.com"
target="_blank"><i class="fab fa-twitter"></i></a></li>
                    <li><a href="https://www.instagram.com"
target="_blank"><i class="fab fa-instagram"></i></a></li>
                </ul>
            </div>
        </div>
    </div>
</div>

```

scripts.php

```

<script src="assets/js/jquery-1.11.3.min.js"></script>
<script src="assets/bootstrap/js/bootstrap.min.js"></script>
<script src="assets/js/jquery.countdown.js"></script>
<script src="assets/js/jquery.isotope-3.0.6.min.js"></script>
<script src="assets/js/waypoints.js"></script>
<script src="assets/js/jquery.magnific-popup.min.js"></script>
<script src="assets/js/jquery.meanmenu.min.js"></script>
<script src="assets/js/sticker.js"></script>
<script src="assets/js/main.js"></script>
<script src="assets/js/jquery-toasts.js" defer></script>
<script src="assets/js/mine.js" type="text/javascript" defer></script>

```

Data

connection.php

```

<?php
    include_once("cred.php");
    try{
        $connection = new
PDO("mysql:host=$serverName;dbname=$databaseName",$databaseUsername,$databaseP
assword);
        $connection ->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
    }
}

```

```

        $connection ->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE,
PDO::FETCH_OBJ);
    }
    catch(PDOException $e){
        echo $e->getMessage();
    }
?>

```

Backend

login.php

```

<?php
require_once "../session.php";
header("Content-type: application/json");
if($_SERVER["REQUEST_METHOD"] == "POST"){
    try{
        require_once "../data/connection.php";
        global $connection;
        if(isset($_POST["email"]) AND !empty($_POST["email"])){
            $email = $_POST["email"];
        }
        if(isset($_POST["password"]) AND !empty($_POST["password"])){
            $password = md5($_POST["password"]);
        }
        $prepared= $connection->prepare("SELECT * FROM users WHERE email =
? AND password = ?");
        $prepared->execute([$email,$password]);
        $user = $prepared->fetch();
        if($user){
            $_SESSION["user"] = $user;
            echo json_encode(1);
        }
        else{
            echo json_encode(0);
        }
    }
    catch(PDOException $e){
        echo $e->getMessage();
        http_response_code(500);
    }
}
else{
    http_response_code(404);
}

```

```
?>
```

logout.php

```
<?php
    require_once "../session.php";
    session_unset();
    header("Location: ../login.php");
?>
```

register.php

```
<?php
    require_once "../session.php";
    header("Content-type: application/json");
    if($_SERVER["REQUEST_METHOD"] == "POST"){
        try{
            require_once "../data/connection.php";
            global $connection;
            define("REGEX_NAME", "/^[A-Z][a-z]{2,20}$/");
            define("REGEX_PHONE", "/^[0][6]\d{7,8}$/");
            define("REGEX_PASSWORD", "/^(?=.*[A-Z])(?=.*[0-9])[A-z0-9$%^&*]{8,}$/");

            if(isset($_POST["firstName"]) AND !empty($_POST["firstName"]) AND
preg_match(REGEX_NAME,$_POST["firstName"])){
                $firstName = $_POST["firstName"];
            }
            if(isset($_POST["lastName"]) AND !empty($_POST["lastName"]) AND
preg_match(REGEX_NAME,$_POST["lastName"])){
                $lastName = $_POST["lastName"];
            }
            if(isset($_POST["address"]) AND !empty($_POST["address"])){
                $address = $_POST["address"];
            }
            if(isset($_POST["phone"]) AND !empty($_POST["phone"]) AND
preg_match(REGEX_PHONE,$_POST["phone"])){
                $phone = $_POST["phone"];
            }
            if(isset($_POST["email"]) AND !empty($_POST["email"])){
                $email = $_POST["email"];
            }
            if(isset($_POST["password"]) AND !empty($_POST["password"]) AND
preg_match(REGEX_PASSWORD,$_POST["password"])){
```

```

        $password = md5($_POST["password"]);
    }
    $checkForEmail = $connection->query("SELECT * FROM users WHERE
email = '$email'")->fetch();
    if($checkForEmail){
        echo json_encode(0);
    }
    else{
        $prepared= $connection->prepare("INSERT INTO users VALUES
(null, ?,?,?,?, ?,?,0)");
        $prepared->
execute([$firstName,$lastName,$email,$password,$address,$phone]);
        $userId = $connection->lastInsertId();
        $user = $connection->query("SELECT * FROM users WHERE user_id
= $userId")->fetch();
        $_SESSION["user"] = $user;
        echo json_encode(1);
    }
}
catch(PDOException $e){
    echo $e->getMessage();
    http_response_code(500);
}
}
else{
    http_response_code(404);
}
}
?>

```

contact.php

```

<?php
require_once "../session.php";
header("Content-type: application/json");
if($_SERVER["REQUEST_METHOD"] == "POST"){
    try{
        require_once "../data/connection.php";
        global $connection;
        if(isset($_POST["email"]) AND !empty($_POST["email"])){
            $email = $_POST["email"];
        }
        if(isset($_POST["name"]) AND !empty($_POST["name"])){
            $name = $_POST["name"];
        }
        if(isset($_POST["message"]) AND !empty($_POST["message"])){
            $message = $_POST["message"];
        }
    }
}

```



```

    }
    $prepared = $connection->prepare("INSERT INTO contact VALUES
(null, :name, :email, :message)");
    $prepared->bindParam(":name", $name);
    $prepared->bindParam(":email", $email);
    $prepared->bindParam(":message", $message);
    $prepared->execute();
    echo json_encode(1);
}
catch(PDOException $e){
    echo $e->getMessage();
    http_response_code(500);
}
}
else{
    http_response_code(404);
}
?>

```

userAnswer.php

```

<?php
require_once "../session.php";
if($_SERVER["REQUEST_METHOD"] == "GET"){
    try{
        require_once "../data/connection.php";
        global $connection;
        if(isset($_GET["id"]) AND !empty($_GET["id"])){
            $answerId = $_GET["id"];
        }
        $userId = $_SESSION["user"]->user_id;
        $prepared= $connection->prepare("INSERT INTO user_answer VALUES
(null, :user, :answer)");
        $prepared->bindParam(":user", $userId);
        $prepared->bindParam(":answer", $answerId);
        $prepared->execute();
        header("Location: ../index.php");
    }
    catch(PDOException $e){
        echo $e->getMessage();
        http_response_code(500);
    }
}
else{
    http_response_code(404);
}
}

```

?>

makeOrder.php

```
<?php
require_once "../session.php";
header("Content-type: application/json");
if($_SERVER["REQUEST_METHOD"] == "POST"){
    try{
        require_once "../data/connection.php";
        global $connection;
        $ids = [];
        $price = [];
        $quantity = [];
        foreach ($_POST["ids"] as $id) {
            array_push($ids, +$id);
        }
        foreach ($_POST["quantity"] as $q) {
            array_push($quantity, +$q);
        }
        foreach ($_POST["price"] as $p) {
            array_push($price, +$p);
        }
        $userId = $_SESSION["user"]->user_id;
        $connection->prepare("INSERT INTO orders
VALUES(null,?,CURRENT_TIMESTAMP)")->execute([$userId]);
        $orderId = +$connection->lastInsertId();
        for ($i=0; $i < count($ids) ; $i++) {
            $id = $ids[$i];
            $q = $quantity[$i];
            $connection->prepare("INSERT INTO order_product
VALUES(?,?,?)")->execute([$orderId,$id,$q]);
            $connection->prepare("UPDATE products SET quantity = quantity
- ? WHERE product_id = ?")->execute([$q,$id]);
        }
        // REMOVE CART
        $connection->prepare("DELETE FROM cart WHERE user_id = ?")->
execute([$userId]);
        echo json_encode(1);
    }
    catch(PDOException $e){
        echo $e->getMessage();
        http_response_code(500);
    }
}
else{
```

```
        http_response_code(404);
    }
?>
```

addToCart.php

```
<?php
    require_once "../session.php";
    header("Content-type: application/json");
    if($_SERVER["REQUEST_METHOD"] == "POST"){
        try{
            require_once "../data/connection.php";
            global $connection;
            if(isset($_POST["quantity"]) AND !empty($_POST["quantity"]))
$quantity = $_POST["quantity"];
            if(isset($_POST["productId"]) AND !empty($_POST["productId"]))
$productId = $_POST["productId"];
            $userId = $_SESSION["user"]->user_id;
            $prepared = $connection->prepare("INSERT INTO cart VALUES
($userId,?,?)");
            $prepared->execute([$productId,$quantity]);
            echo json_encode(1);

        }
        catch(PDOException $e){
            echo $e->getMessage();
            http_response_code(500);
        }
    }
    else{
        http_response_code(404);
    }
?>
```

Admin Panel

Categories.php

```
<?php
require_once "data/connection.php";
global $connection;
    require_once "session.php";
    if(isset($_GET["categoryId"])){
        $categoryId = $_GET["categoryId"];
        $category = $connection->query("SELECT * FROM categories WHERE
category_id = $categoryId")->fetch();
        ?>
        <form action="backend/adminpanel/editCategory.php" method="POST"
class="mt-3">
            <div class="form-group">
                <label for="categoryName">Edit Category Name</label>
                <input class='form-control' type="text" id="categoryName"
name="categoryName" value="<?php echo $category->name?>">
                <input type="hidden" name="categoryId" value="<?php echo $category-
>category_id?>">
            </div>
            <input type="submit" class="btn btn-primary" id='editCategoryButton'
value="Edit Category">
        </form>
        <?php
        }
        else{
            $message = !empty($_GET["message"]) ? $_GET["message"] : "";
            $success = !empty($_GET["success"]) ? $_GET["success"] : "";
        ?>

        <h4 class="text-success mt-2 mb-2"> <?php echo $success ?></h4>
        <form action="backend/adminpanel/addCategory.php" method="POST" class="mb-3">
            <div class="form-group">
                <label for="categoryName">Add Category Name</label>
                <input class='form-control' type="text" id="categoryName"
name="categoryName">
            </div>
            <input type="submit" class="btn btn-primary" id='addCategoryButton'
value="Add Category">
        </form>
        <p class="text-danger mb-3"><?php echo $message?></p>
        <table class="table">
        <thead>
```

```

        <tr>
            <th>#</th>
            <th>Name</th>
            <th>EDIT</th>
            <th>DELETE</th>
        </tr>
    </thead>
    <tbody>
        <?php

        $categories = $connection->query("SELECT * FROM categories")->fetchAll();
        $counter = 1;
        foreach ($categories as $category) {
            ?>
            <tr>
                <td><?php echo $counter ?></td>
                <td><?php echo $category->name ?></td>
                <td><a class='buttonEdit'
href="adminpanel.php?id=4&categoryId=<?php echo $category->category_id
?>">EDIT</a></td>
                <td><form action="backend/adminpanel/deleteCategory.php"
method="POST"><input type="submit" value="DELETE" class="buttonDelete"> <input
type="hidden" name="categoryId" value="<?php echo $category-
>category_id?>"></form></td>
            </tr>
            <?php
                $counter++;
            }
            ?>
        </tbody>
    </table>
    <?php
        }
    ?>

```

Contact.php

```

<?php
    $success = !empty($_GET["success"]) ? $_GET["success"] : "";
    require_once "session.php";
    require_once "data/connection.php";
    global $connection;
    $contactCount = $connection->query("SELECT * FROM contact")->rowCount();
    ?>
    <h4 class="text text-success mt-2"><?php echo $success ?></h4>
    <?php

```

```

        if($contactCount == 0){
            ?>
            <h3 class="mt-2">No messages</h3>
            <?php
        }
        else{
            ?>
            <table class="table">
<thead>
            <tr>
                <th>#</th>
                <th>Name</th>
                <th>Email</th>
                <th>Message</th>
                <th>DELETE</th>
            </tr>
</thead>
<tbody>
            <?php

                $contact = $connection->query("SELECT * FROM contact ORDER BY contact_id
ASC")->fetchAll();
                $counter=1;
                foreach ($contact as $c) {
                    ?>
                    <tr>
                        <td><?php echo $counter ?></td>
                        <td><?php echo $c->name ?></td>
                        <td><?php echo $c->email ?></td>
                        <td><?php echo $c->message ?></td>
                        <td><form action="backend/adminpanel/deleteContact.php"
method="POST"><input type="submit" value="DELETE" class="buttonDelete"> <input
type="hidden" name="contactId" value="<?php echo $c->contact_id
?>"></form></td>

                    </tr>
                    <?php
                        $counter++;
                }
            ?>
        </tbody>
    </table>

        <?php
    }
    ?>

```

Menu.php

```
<ul class="list-group list-group-horizontal w-100">
    <li class="list-group-item"><a href="adminpanel.php?id=1" class="linkk
<?php echo $id == 1 ? "active" : "" ?>">Users</a></li>
    <li class="list-group-item"><a href="adminpanel.php?id=2" class="linkk
<?php echo $id == 2 ? "active" : "" ?>">Products</a></li>
    <li class="list-group-item"><a href="adminpanel.php?id=3" class="linkk
<?php echo $id == 3 ? "active" : "" ?>">Orders</a></li>
    <li class="list-group-item"><a href="adminpanel.php?id=4" class="linkk
<?php echo $id == 4 ? "active" : "" ?>">Categories</a></li>
    <li class="list-group-item"><a href="adminpanel.php?id=5" class="linkk
<?php echo $id == 5 ? "active" : "" ?>">Contact</a></li>
</ul>
```

Order.php

```
<?php
    require_once "session.php";
    require_once "data/connection.php";
    global $connection;
    $orderCount = $connection->query("SELECT * FROM orders")->rowCount();
    if($orderCount == 0){
        ?>
        <h3 class="mt-2">No orders</h3>
        <?php
    }
    else{
?>
<table class="table">
<thead>
    <tr>
        <th>#</th>
        <th>User ID</th>
        <th>First Name</th>
        <th>Last Name</th>
        <th>Date</th>
        <th>Total</th>
    </tr>
</thead>
<tbody>
    <?php
        require_once "data/connection.php";
        global $connection;
```

```

        $totalOfTotal = 0;
        $users = $connection->query("SELECT * FROM orders INNER JOIN users ON
users.user_id = orders.user_id")->fetchAll();
        $counter=1;
        foreach ($users as $user) {
            $orderId = $user->order_id;
            $total = 0;
            foreach ($connection->query("SELECT * FROM order_product WHERE
order_id = $orderId")->fetchAll() as $orderProduct) {
                $productId = $orderProduct->product_id;
                $price = $connection->query("SELECT * FROM prices where product_id
= $productId AND active = 1")->fetch();
                $total += $orderProduct->quantity*$price->price;
            }
            $totalOfTotal += $total;
        }
        <tr>
            <td><?php echo $counter ?></td>
            <td><?php echo $user->user_id ?></td>
            <td><?php echo $user->first_name ?></td>
            <td><?php echo $user->last_name ?></td>
            <td><?php echo $user->date?></td>
            <td><?php echo $total ?> $</td>
        </tr>
        <?php
            $counter++;
        }
    }
    </tbody>
</table>
    <h4>Total profit: <?php echo $totalOfTotal?> $</h4>
<?php } ?>

```

Products.php

```

<?php
    require_once "session.php";
    require_once "data/connection.php";
    global $connection;
    $message = !empty($_GET["message"]) ? $_GET["message"] : "";
    $success = !empty($_GET["success"]) ? $_GET["success"] : "";
    if(isset($_GET["productId"]) AND !empty($_GET["productId"])){
        $productId = $_GET["productId"];
        $product = $connection->query("SELECT *, products.name as productName,
categories.name as category FROM products INNER JOIN prices ON
products.product_id = prices.product_id INNER JOIN images ON

```



```

products.product_id = images.product_id INNER JOIN categories ON
categories.category_id = products.category_id WHERE products.product_id =
$productId AND active = 1")->fetch();
    ?>
    <form action="backend/adminpanel/editProduct.php" method="POST"
class="mt-3">
        <input type="hidden" name="productId" id="productId" value="<?php
echo $productId?>">
        <h3><?php echo $product->productName?></h3>
        <h4><?php echo $product->category?></h4>
        name?>" height="150px">
        <p class="text mt-2"><?php echo $product->description?></p>
        <label for="productPrice">Price</label>
        <input type="number" class="form-control" id="productPrice"
name="productPrice" value="<?php echo $product->price ?>" min="1" max="1000">
        <label for="productQuantity">Quantity</label>
        <input type="number" class="form-control" id="productQuantity"
name="productQuantity" value="<?php echo $product->quantity ?>" min="1"
max="1000">
        <input type="submit" class="btn btn-primary mt-2"
id='editProductButton' value="Edit Product">
    </form>
    <?php
}
else{
    ?>
    <h4 class="text-success mt-2 mb-2"> <?php echo $success ?></h4>
<form action="backend/adminpanel/addProduct.php" method="POST" class="mb-3"
enctype="multipart/form-data">
    <div class="form-group">
        <label for="productName">Add Product Name</label>
        <input class='form-control' type="text" id="productName"
name="productName">
    </div>
    <div class="form-group">
        <label for="productDescription">Description</label>
        <textarea name="productDescription" id="productDescription"
class='form-control'></textarea>
    </div>
    <div class="form-group">
        <label for="productQuantity">Quantity</label>
        <input type="number" min="1" max="1000" name="productQuantity"
class='form-control' id="productQuantity">
    </div>
    <div class="form-group">
        <label for="productPrice">Price</label>

```

```

        <input type="number" min="1" max="1000" name="productPrice"
class='form-control' id="productPrice">
    </div>
    <div class="form-group">
        <label for="productCategoryId">Category</label>
        <select name="productCategoryId" id="productCategoryId" class="form-
control">
            <?php
                $categories = $connection->query("SELECT * FROM categories")-
>fetchAll();
                foreach ($categories as $category) {
                    ?>
                    <option value="<?php echo $category->category_id?>"><?php
echo $category->name?></option>
                    <?php
                }
            ?>
        </select>
    </div>
    <div class="form-group">
        <label for="productImage">Image</label>
        <input type="file" class="form-control-file" id="productImage"
name="productImage">
    </div>
    <input type="submit" class="btn btn-primary" id='addProductButton'
value="Add Product">
</form>
<p class="text-danger mb-3"><?php echo $message?></p>
<table class="table">
<thead>
    <tr>
        <th>#</th>
        <th>Image</th>
        <th>Name</th>
        <th>Description</th>
        <th>Quantity</th>
        <th>Category</th>
        <th>Active Price</th>
        <th>EDIT</th>
        <th>DELETE</th>
    </tr>
</thead>
<tbody>
    <?php
        $counter = 1;
        $products = $connection->query("SELECT *, products.name as productName,
categories.name as categoryName FROM products INNER JOIN prices ON
products.product_id = prices.product_id INNER JOIN images ON

```

```

products.product_id = images.product_id INNER JOIN categories ON
products.category_id = categories.category_id WHERE active = 1 ORDER BY
products.product_id ASC")->fetchAll();
    foreach ($products as $product) {
        ?>
        <tr>
            <td><?php echo $counter?></td>
            <td>productName?>" height="60px"></td>
            <td><?php echo $product->productName?></td>
            <td><?php echo $product->description?></td>
            <td><?php echo $product->quantity?></td>
            <td><?php echo $product->categoryName?></td>
            <td><?php echo $product->price?></td>
            <td><a class='buttonEdit' href="adminpanel.php?id=2&productId=<?php
echo $product->product_id ?>">EDIT</a></td>
            <td><form action="backend/adminpanel/deleteProduct.php"
method="POST"><input type="submit" value="DELETE" class="buttonDelete"> <input
type="hidden" name="productId" value="<?php echo $product->product_id
?>"></form></td>

        </tr>
        <?php
        $counter++;
    }
    ?>
</tbody>
</table>
    <?php
    }
?>

```

Users.php

```

<?php
require_once "session.php";
$success = !empty($_GET["success"]) ? $_GET["success"] : "";
?>
<h4 class="text-success"><?php echo $success?></h4>
<table class="table">
    <thead>
        <tr>
            <th>#</th>
            <th>First Name</th>
            <th>Last Name</th>

```

```

        <th>Address</th>
        <th>Phone</th>
        <th>Email</th>
        <th>Is Admin</th>
        <th>Give Admin</th>
    </tr>
</thead>
<tbody>
    <?php
    require_once "data/connection.php";
    global $connection;
    $counter = 1;
    $users = $connection->query("SELECT * FROM users")->fetchAll();
    foreach ($users as $user) {
        ?>
        <tr>
            <td><?php echo $counter ?></td>
            <td><?php echo $user->first_name ?></td>
            <td><?php echo $user->last_name ?></td>
            <td><?php echo $user->address ?></td>
            <td><?php echo $user->phone ?></td>
            <td><?php echo $user->email ?></td>
            <td><?php echo $user->is_admin == 1 ? "Yes" : "No" ?></td>
            <?php
            if ($user->is_admin == 1) {
                echo "<td>-</td>";
            } else {
                ?>
                <td><a href="backend/adminpanel/giveAdmin.php?id=<?php
echo $user->user_id?>" class="buttonEdit">SET</a></td>
                <?php
            }
            ?>
        </tr>
        <?php
        $counter++;
    }
    ?>
</tbody>
</table>

```

Backend/Adminpanel

addCategory.php

```
<?php
require_once "../..//session.php";
if($_SERVER["REQUEST_METHOD"] == "POST"){
    try{
        require_once "../..//data/connection.php";
        global $connection;
        if(isset($_POST["categoryName"]) AND
!empty($_POST["categoryName"])) {
            $categoryName = $_POST["categoryName"];
            $prepared = $connection->prepare("INSERT INTO categories
VALUES (null, :name)");
            $prepared->bindParam(":name",$categoryName);
            $prepared->execute();
            header("Location:
../..//adminpanel.php?id=4&success=Successfully+added+category");
        }
        else{
            header("Location:
../..//adminpanel.php?id=4&message=Category+name+can+not+be+empty");
        }

    }
    catch(PDOException $e){
        echo $e->getMessage();
        http_response_code(500);
    }
}
else{
    http_response_code(404);
}
?>
```

addProduct.php

```
<?php
require_once "../..//session.php";
if($_SERVER["REQUEST_METHOD"] == "POST"){
    try{
        require_once "../..//data/connection.php";
```

```

        global $connection;

        if(isset($_POST["productName"]) AND !empty($_POST["productName"]))
$name=$_POST['productName'];
        if(isset($_POST["productDescription"]) AND
!empty($_POST["productDescription"]))
$description=$_POST['productDescription'];
        if(isset($_POST["productQuantity"]) AND
!empty($_POST["productQuantity"])) $quantity=$_POST['productQuantity'];
        if(isset($_POST["productPrice"]) AND
!empty($_POST["productPrice"])) $price=$_POST['productPrice'];
        if(isset($_POST["productCategoryId"]) AND
!empty($_POST["productCategoryId"])) $categoryId=$_POST['productCategoryId'];
        if(isset($_FILES["productImage"])) {
            $prepared = $connection->prepare("INSERT INTO products VALUES
(null, :name, :description, :quantity, :categoryId)");
            $prepared->bindParam(":name", $name);
            $prepared->bindParam(":description", $description);
            $prepared->bindParam(":quantity", $quantity);
            $prepared->bindParam(":categoryId", $categoryId);
            if($prepared->execute()){
                $productId = $connection->lastInsertId();
                $preparedPrice = $connection->prepare("INSERT INTO prices
VALUES (null,:price, 1, :productId)");
                $preparedPrice->bindParam(":price", $price);
                $preparedPrice->bindParam(":productId", $productId);
                $preparedPrice->execute();
                // Set image placement folder
                $target_dir = "../assets/img/products/";
                // Get file path
                $target_file = $target_dir .
basename($_FILES["productImage"]["name"]);
                /* // Get file extension
                $imageExt = strtolower(pathinfo($target_file,
PATHINFO_EXTENSION));
                // Allowed file types
                $allowd_file_ext = array("jpg", "jpeg", "png");

                if (!file_exists($_FILES["fileUpload"]["tmp_name"])) {
                    $resMessage = array(
                        "status" => "alert-danger",
                        "message" => "Select image to upload."
                    );
                } else if (!in_array($imageExt, $allowd_file_ext)) {
                    $resMessage = array(
                        "status" => "alert-danger",
                        "message" => "Allowed file formats .jpg, .jpeg and
.png."

```

```

        );
    } else if ($_FILES["fileUpload"]["size"] > 2097152) {
        $resMessage = array(
            "status" => "alert-danger",
            "message" => "File is too large. File size should be
less than 2 megabytes."
        );
    } else if (file_exists($target_file)) {
        $resMessage = array(
            "status" => "alert-danger",
            "message" => "File already exists."
        );
    } else {

        } */
        if (move_uploaded_file($_FILES["productImage"]["tmp_name"],
$target_file)) {
            $src = $_FILES["productImage"]["name"];
            $sql = "INSERT INTO images VALUES (null, '$src',
$productId)";

            $stmt = $connection->prepare($sql);
            $stmt->execute();
            header("Location:
../../adminpanel.php?id=2&success=Successfully+added+product");
        }
    }

    }
    catch(PDOException $e){
        echo $e->getMessage();
        http_response_code(500);
    }
}
else{
    http_response_code(404);
}
?>

```

deleteCategory.php

```

<?php
require_once "../../session.php";
if($_SERVER["REQUEST_METHOD"] == "POST"){
    try{
        require_once "../../data/connection.php";
    }
}

```

```

        global $connection;
        if(isset($_POST["categoryId"]) AND !empty($_POST["categoryId"])) {
            $categoryId = $_POST["categoryId"];
            $productsCount = $connection->query("SELECT * FROM products
where category_id = $categoryId")->rowCount();
            if($productsCount == 0){
                $prepared = $connection->prepare("DELETE FROM categories
WHERE category_id = :categoryId");
                $prepared->bindParam(":categoryId", $categoryId);
                $prepared->execute();
                header("Location:
../../adminpanel.php?id=4&success=Successfully+deleted+category");
            }
            else{
                header("Location:
../../adminpanel.php?id=4&message=Category+already+has+products+,+please+delet
e+products+first");
            }
        }
    }
    catch(PDOException $e){
        echo $e->getMessage();
        http_response_code(500);
    }
}
else{
    http_response_code(404);
}
?>

```

deleteProduct.php

```

<?php
require_once "../../session.php";
if($_SERVER["REQUEST_METHOD"] == "POST"){
    try{
        require_once "../../data/connection.php";
        global $connection;
        if(isset($_POST["productId"]) AND !empty($_POST["productId"])) {
            $productId = $_POST["productId"];
            $productInOrder = $connection->query("SELECT * FROM
order_product where product_id = $productId")->fetch();
            if(!$productInOrder){
                $prep = $connection->prepare("DELETE FROM images WHERE
product_id = :productId");
                $prep->bindParam(":productId", $productId);
            }
        }
    }
}

```



```

        $prep->execute();
        $prepar = $connection->prepare("DELETE FROM prices WHERE
product_id = :productId");
        $prepar->bindParam(":productId", $productId);
        $prepar->execute();
        $prepared = $connection->prepare("DELETE FROM products
WHERE product_id = :productId");
        $prepared->bindParam(":productId", $productId);
        $prepared->execute();
        header("Location:
../../adminpanel.php?id=2&success=Successfully+deleted+product");
    }
    else{
        header("Location:
../../adminpanel.php?id=2&message=This+product+is+already+ordered");
    }
}
}
catch(PDOException $e){
    echo $e->getMessage();
    http_response_code(500);
}
}
else{
    http_response_code(404);
}
}
?>

```

deleteContact.php

```

<?php
require_once "../../session.php";
if($_SERVER["REQUEST_METHOD"] == "POST"){
    try{
        require_once "../../data/connection.php";
        global $connection;
        if(isset($_POST["contactId"]) AND !empty($_POST["contactId"])) {
            $contactId = $_POST["contactId"];
            $prepared= $connection->prepare("DELETE FROM contact WHERE
contact_id = :contactId");
            $prepared->bindParam(":contactId", $contactId);
            $prepared->execute();
            header("Location:
../../adminpanel.php?id=5&success=Successfully+deleted+message");
        }
    }
}

```

```

        catch(PDOException $e){
            echo $e->getMessage();
            http_response_code(500);
        }
    }
    else{
        http_response_code(404);
    }
?>

```

editProduct.php

```

<?php
    require_once "../session.php";
    if($_SERVER["REQUEST_METHOD"] == "POST"){
        try{
            require_once "../data/connection.php";
            global $connection;
            if(isset($_POST["productId"]) AND
!empty($_POST["productId"]) AND isset($_POST["productQuantity"]) AND
!empty($_POST["productQuantity"])) {
                $productId = $_POST["productId"];
                $quantity= $_POST["productQuantity"];
                $price = $_POST["productPrice"];
                $prepared = $connection->prepare("UPDATE products SET quantity
= :quantity WHERE product_id = :productId");
                $prepared->bindParam(":quantity",$quantity);
                $prepared->bindParam(":productId",$productId);
                $prepared->execute();
                $prepared = $connection->prepare("UPDATE prices SET active = 0
WHERE product_id = :productId");
                $prepared->bindParam(":productId",$productId);
                $prepared->execute();
                $prepared = $connection->prepare("INSERT INTO prices VALUES
(null, :price, 1, :productId)");
                $prepared->bindParam(":price", $price);
                $prepared->bindParam(":productId", $productId);
                $prepared->execute();
                header("Location:
../adminpanel.php?id=2&success=Successfully+updated+product");
            }
        }
        catch(PDOException $e){
            echo $e->getMessage();
            http_response_code(500);
        }
    }
}

```

```

    }
    else{
        http_response_code(404);
    }
?>

```

editCategory.php

```

<?php
require_once "../session.php";
if($_SERVER["REQUEST_METHOD"] == "POST"){
    try{
        require_once "../data/connection.php";
        global $connection;
        if(isset($_POST["categoryName"]) AND
!empty($_POST["categoryName"]) AND isset($_POST["categoryId"]) AND
!empty($_POST["categoryId"])) {
            $categoryId= $_POST["categoryId"];
            $categoryName = $_POST["categoryName"];
            $prepared = $connection->prepare("UPDATE categories SET name =
:name WHERE category_id = :categoryId");
            $prepared->bindParam(":name",$categoryName);
            $prepared->bindParam(":categoryId",$categoryId);
            $prepared->execute();
            header("Location:
../adminpanel.php?id=4&success=Successfully+updated+category");
        }
    }
    catch(PDOException $e){
        echo $e->getMessage();
        http_response_code(500);
    }
}
else{
    http_response_code(404);
}
?>

```

giveAdmin.php

```

<?php
require_once "../session.php";
if($_SERVER["REQUEST_METHOD"] == "GET"){

```

```

try{
    require_once "../data/connection.php";
    global $connection;
    if(isset($_GET["id"]) AND !empty($_GET["id"])){
        $userId = $_GET["id"];
        $prepared = $connection->prepare("UPDATE users SET is_admin =
1 WHERE user_id = :userId");
        $prepared->bindParam(":userId", $userId);
        $prepared->execute();
        header("Location:
../adminpanel.php?id=1&success=Successfully+gave+admin+role");
    }
}
catch(PDOException $e){
    echo $e->getMessage();
    http_response_code(500);
}
}
else{
    http_response_code(404);
}
?>

```

JavaScript

Mine.js

```

const REGEX_NAME = /^[A-Z][a-z]{2,20}$/;
const REGEX_PASSWORD = /^(?=.*[A-Z])(?=.*[0-9])[A-z0-9$%^&*]{8,}$/;
const REGEX_EMAIL = /^(?:[a-z0-9!#$%&'*/+=?^_`{|}~-]+(?:\.[a-z0-9!#$%&'*/+=?^_`{|}~-]+)*|"(?:[\x01-\x08\x0b\x0c\x0e-\x1f\x21\x23-\x5b\x5d-\x7f]|\\[\x01-\x09\x0b\x0c\x0e-\x7f])*")@(?:(?:[a-z0-9](?:[a-z0-9-]*[a-z0-9])?\.[a-z0-9](?:[a-z0-9-]*[a-z0-9])?|\\[(?:(?:(2(5[0-5])|[0-4][0-9])|1[0-9][0-9]|1[0-9]?[0-9])\.){3}(?:2(5[0-5])|[0-4][0-9]|1[0-9][0-9]|1[0-9]?[0-9])|a-z0-9]*[a-z0-9]:(?:[\x01-\x08\x0b\x0c\x0e-\x1f\x21-\x5a\x53-\x7f]|\\[\x01-\x09\x0b\x0c\x0e-\x7f])+)\\)]$/;
const REGEX_ADDRESS = /^[a-zA-z0-9/\\'() ,-\s]{2,255}$/;
const REGEX_PHONE = /^[0][6]\d{7,8}$/;
const FIRSTNAME_ERROR = "First name needs to start with first capital letter and length of minimum 3";
const NAME_ERROR = "Name needs to start with first capital letter and length of minimum 3";
const LASTNAME_ERROR = "Last name needs to start with first capital letter and length of minimum 3";
const ADDRESS_ERROR = "Address is not valid";

```

```

const PHONE_ERROR = "Phone is not valid, valid format is 061123456(7)";
const PASSWORD_ERROR = "Password needs to have at least one big letter, one
number and length of minimum 8";
const EMAIL_ERROR = "Email is not in valid format. Example:
something@gmail.com";
const ERROR_SURVEY = "Please vote to see results";

$("#loginButton").click(function (e) {
    var errorSpan = document.getElementById("login-error");
    e.preventDefault();
    var email = document.getElementById("loginEmail").value;
    var password = document.getElementById("loginPassword").value;
    if(email == "" || password == ""){
        errorSpan.innerHTML = "Incorrect email or password";
    }
    else{
        $.ajax({
            type: "POST",
            url: "backend/login.php",
            data: {
                email : email,
                password : password,
            },
            dataType: "json",
            success: function (response) {
                if(response == 0){
                    errorSpan.innerHTML = "Incorrect email or password";
                }
                else if (response == 1){
                    window.location.replace("index.php");
                }
            }
        });
    }
});

$("#registerButton").on('click', function(e){
    e.preventDefault();
    errors=[];
    var firstName = $('#firstName').val();
    var lastName = $('#lastName').val();
    var email = $('#email').val();
    var password = $('#password').val();
    var passwordConfirm = $('#passwordConfirm').val();
    var address = $("#address").val();
    var phone = $("#phone").val();
    var passwordError = $("#passwordError");
    var firstNameError = $("#firstNameError");
    var lastNameError = $("#lastNameError");

```

```

var emailError = $("#emailError");
var addressError = $("#addressError");
var phoneError = $("#phoneError");
passwordError.text("");
firstNameError.text("");
lastNameError.text("");
emailError.text("");
addressError.text("");
phoneError.text("");
check(password, REGEX_PASSWORD, PASSWORD_ERROR, passwordError);
check(firstName, REGEX_NAME, FIRSTNAME_ERROR, firstNameError);
check(lastName, REGEX_NAME, LASTNAME_ERROR, lastNameError);
check(email, REGEX_EMAIL, EMAIL_ERROR, emailError);
check(address, REGEX_ADDRESS, ADDRESS_ERROR, addressError);
check(phone, REGEX_PHONE, PHONE_ERROR, phoneError);
if(password!=passwordConfirm){
    errors.push("Passwords do not match");
    $("#passwordConfirmError").html("Passwords do not match");
}

if(errors.length == 0){
    $.ajax({
        type: "POST",
        url: "backend/register.php",
        data: {
            firstName : firstName,
            lastName : lastName,
            email: email,
            password: password,
            address : address,
            phone:phone
        },
        dataType: "json",
        success: function (response) {
            response == 1 ? window.location.replace("index.php") :
emailError.html("Email already exist");
        }
    });
}

})

$(".quantity").on("change", function (e) {
    e.preventDefault();
    var price = $(this).parent().prev().children(':first-child').val();
    var quantity = +$(this).val();
    $(this).parent().next().html(`${price*quantity}$`)
    setNewTotal();
});

```

```

$(".quantityPerProduct").on("click", function (e) {
    e.preventDefault();
    var price = +$(this).attr("data-price");
    var quantity = +$(this).val();
    $(this).parent().parent().parent().children(":nth-child(2)").text(`${price*quantity}$`);
});
$(".addToCart").click(function (e) {
    e.preventDefault();
    var productId = +$(this).attr("data-id");
    var quantity = +$(this).prev().val();
    $.ajax({
        type: "POST",
        url: "backend/addToCart.php",
        data: {
            productId :productId,
            quantity : quantity
        },
        dataType: "json",
        success: function (response) {
            if(response == 1){
                alert("Successfully added product to cart")
                window.location.replace("products.php");
            }
        }
    });
});
$("#makeOrder").on("click", function (e) {
    e.preventDefault();
    var ids = Array.from(document.getElementsByClassName("id"));
    var quantity = Array.from(document.getElementsByClassName("quantity"));
    var price = Array.from(document.getElementsByClassName("price"));
    ids = ids.map(x=>+x.value);
    quantity = quantity.map(x=>+x.value);
    price = price.map(x=>+x.value);
    $.ajax({
        type: "POST",
        url: "backend/makeOrder.php",
        data: {
            ids:ids,
            quantity : quantity,
            price:price
        },
        dataType: "json",
        success: function (response) {
            if(response == 1)
                window.location.replace("myorders.php");
        }
    });
});

```

```

    });

});

$("#contactButton").on("click", function (e) {
    e.preventDefault();
    var errors=[];
    var email = $("#email").val();
    var name = $("#name").val();
    var message = $("#message").val();
    var emailError = $("#contactEmailError");
    var nameError= $("#contactNameError");
    var messageError= $("#contactMessageError");
    emailError.text("");
    nameError.text("");
    messageError.text("");
    if(message.length < 5 || message.length > 100){
        errors.push("Message needs to have at least 6 and maximum 99
characters");
        messageError.text("Message needs to have at least 6 and maximum 99
characters")
    }else{
        if(!REGEX_EMAIL.test(email)){
            errors.push(EMAIL_ERROR);
            emailError.text(EMAIL_ERROR);
        }
        if(!REGEX_NAME.test(name)){
            errors.push(NAME_ERROR);
            nameError.text(NAME_ERROR);
        }
        if(errors.length == 0){
            $.ajax({
                type: "POST",
                url: "backend/contact.php",
                data: {
                    message:message,
                    name:name,
                    email:email
                },
                dataType: "json",
                success: function (response) {
                    if(response == 1){
                        window.location.replace("contact.php?message=Successfu
lly+contacted+us");
                    }
                }
            });
        }
    }
});
}
}

```



```
});  
var errors=[];  
function check(input, regex, error, div) {  
    if (!regex.test(input)) {  
        errors.push(error);  
        div.text(error);  
    }  
}  
function setNewTotal(){  
    var totalDiv = document.getElementsByClassName("total-data")[0];  
    var totals = Array.from(document.getElementsByClassName("product-total"));  
    totals.shift();  
    var total = 0;  
    totals.forEach(t => {  
        t = t.innerText;  
        t = t.slice(0,-1)  
        total += +t;  
    });  
    totalDiv.innerHTML = ` ${total}$</td>`; } |
```