Visoka škola strukovnih studija za informacione i komunikacione tehnologije



DOKUMENTACIJA

https://gamelandsrb.000webhostapp.com

Student: Predmet:

Jovan Čajić 196/18 Web programiranje PHP1

SADRŽAJ

UVOD	3
Korišćene tehnologije:	3
Funkcionalnost na sajtu:	3
Organizacija baze I sajta	4
Baza	4
Navigacija sajta	4
Slike stranica	5
Kodovi	9
Index.php	9
About.php	10
Author.php	13
Contact.php	15
Shop.php	19
Single-product.php	22
Register.php	24
Logovanje.php	26
Adminpanel.php	27
Inc/head.php	29
Inc/footer.php	29
Inc/nav.php	30
Inc/preload.php	31
Inc/scripts.php	32
Data/connection.php	32
Data/cred.php	32
Backend/functions.php	33
Backend/log_out.php	34
Backend/login.php	34
Backend/regex.php	35
Backend/registracija.php	36
Backend/search.php	37
Kodovi is	27

Main.js	37
Mine.js	39

UVOD

Korišćene tehnologije:

- HTML
- CSS
- JavaScript
- JQuery
- PHP
- JSON


Rađeno u VS Code. Sajt okačen na 000webhost.

Funkcionalnost na sajtu:

- 1. Sesija
- 2. Logovanje
- 3. Registrovanje
- 4. Dinamicko ispisivanje podataka iz baze
- 5. Pretraga
- 6. Slanje podataka preko kontakt forme
- 7. Paginacija
- Na sajtu nije urađen admin panel, iako se nalazi u navigaciji kad se user uloguje

Organizacija baze I sajta

Baza





Sve stranice su povezane.

Slike stranica


Pocetna:

Predstavlja se meni I tema sajta



About

O sajtu, kratak opis



Author


O autoru sajta I slika autora



Shop


Svi produkti se ispisuju iz baze, klikom na svaki produkt prosleđuje na stranicu Single-product gde stoji samo jedan na koji je kliknuto

Na stranici shop je urađena paginacija kao I search I filter za kategorije.




Login I Register

Urađene funkcionalne forme za logovanje I registraciju






Navigacija nakon ulogovanja sa dugmetom za LOGOUT



Kontakt stranica sa formom I fiktivno lokacijom



Kodovi

```
<h3 style="color: white;">We are the best providers of
gaming experiences</h3>
                        <h1>GameLandSRB</h1>
                    </div>
                </div>
            </div>
        </div>
    </div>
       </div>
     /div>
    <?php
    require_once "inc/footer.php";
    require_once "inc/scripts.php";
</body>
</html>
About.php
<!DOCTYPE html>
<html lang="en">
<head>
<?php
    require_once "inc/head.php";
</head>
<body>
    <?php
        require_once "inc/preload.php";
    <!-- header -->
    <?php
        require_once "inc/nav.php";
     !-- end header -->
    <!-- search area -->
    <div class="search-area">
        <div class="container">
```

```
<div class="row">
                <div class="col-lg-12">
                     <span class="close-btn"><i class="fas fa-window-</pre>
close"></i></span>
                     <div class="search-bar">
                         <div class="search-bar-tablecell">
                             <h3>Search For:</h3>
                             <input type="text" placeholder="Keywords">
                             <button type="submit">Search <i class="fas fa-</pre>
search"></i></button>
                         </div>
                     (/div
    </div>
    <!-- end search arewa -->
    <!-- breadcrumb-section -->
    <div class="breadcrumb-section breadcrumb-bg">
        <div class="container">
            <div class="row">
                <div class="col-lg-8 offset-lg-2 text-center">
                     <div class="breadcrumb-text">
                         We provide gaming experience
                         <h1>About Us</h1>
        </div
     (/div>
    <!-- end breadcrumb section -->
    <!-- featured section -->
    <div class="feature-bg">
        <div class="container">
            <div class="row">
                <div class="col-lg-12">
                    <div class="featured-text">
                         <h2 class="pb-3">Why <span class="orange-
text">GameLand</span></h2>
                         <div class="row">
                             <div class="col-lg-6 col-md-6 mb-4 mb-md-5">
                                 <div class="list-box d-flex">
                                     <div class="list-icon">
                                          <i class="fas fa-tv"></i></i></i></i></i>
                                     </div>
```

```
<div class="content">
                                        <h3>Best products</h3>
                                        We provide best products.
                                    </div>
                                </div>
                            </div>
                            <div class="col-lg-6 col-md-6 mb-5 mb-md-5">
                                <div class="list-box d-flex">
                                    <div class="list-icon">
                                        <i class="fas fa-gamepad"></i></i>
                                    </div>
                                    <div class="content">
                                        <h3>Custom gaming</h3>
                                        Custom made consoles/PC's and the
newest technology on the market.
                                    </div>
                                </div>
                            </div>
            </div>
       </div>
    </div><div class="mt-150">
       <div class="container">
            <div class="row">
                <div class="col-lg-8 offset-lg-2 text-center">
                    <div class="section-title">
                       <h3>Our <span class="orange-text">Team</span></h3>
                        Our team is made out of the experts in both
console, PC, gaming and business fields
                    </div>
                (/div
    /div>
    <?php
    require_once "inc/footer.php";
    require_once "inc/scripts.php";
</body>
```

```
Author.php
<!DOCTYPE html>
<html lang="en">
<head>
<?php
    require_once "inc/head.php";
</head>
<body>
    <?php
        require once "inc/preload.php";
        require once "inc/nav.php";
    <div class="search-area">
        <div class="container">
            <div class="row">
                <div class="col-lg-12">
                    <span class="close-btn"><i class="fas fa-window-</pre>
close"></i></span>
                    <div class="search-bar">
                        <div class="search-bar-tablecell">
                             <h3>Search For:</h3>
                             <input type="text" placeholder="Keywords">
                             <button type="submit">Search <i class="fas fa-</pre>
search"></i></button>
    <div class="breadcrumb-section breadcrumb-bg">
        <div class="container">
            <div class="row">
                <div class="col-lg-8 offset-lg-2 text-center">
                    <div class="breadcrumb-text">
                        We develop web sites
                        <h1>Author</h1>
        </div
</div>
    <div class="mt-150">
        <div class="container">
            <div class="row">
```

```
<div class="col-lg-8 offset-lg-2 text-center">
                   <div class="section-title">
                       <h3><span class="orange-text">Author</span></h3>
                       Jovan Cajic 196/18
                   </div>
               </div>
           </div>
           <div class="row">
               <div class="col-lg-6 col-md-6">
                   <div class="single-team-item">
                       <div class="team-bg team-bg-1"></div>
                       <h4>Jovan Cajic<span>Web Developer</span></h4>
                       <a href="https://facebook.com/"
target=" blank"><i class="fab fa-facebook-f"></i></a>
                           <a href="https://twitter.com/CajicJ"</a>
target=" blank"><i class="fab fa-twitter"></i></a>
                          <a
href="https://www.instagram.com/jovan_cajic/" target="_blank"><i class="fab
fa-instagram"></i></a>
                       </div>
               </div>
               <div class="col-lg-6 col-md-6">
                   <div class="single-team-item text-center">
                       <h3>About author of the site</h3>
                       I am Jovan Čajić, student of Information and
Communication Technologies. <br/>
                          I'm 24, born in Belgrade, Serbia. Graduated from
High School in 2017. <br/>
                          From when I was a youngling I was connected to PC
and everything about it, from playing games to exceling at multiple usefull
programms.<br/>
                          Attended faculty of Mechanical Engineering for one
year, before i decided to study at ICT.<br/>
                          Currently employed as a Quality Assurance
Technician, while building my web developing skills and portfolio.<br/>
            :/div>
         /div
    /div
    adas:
    require_once "inc/footer.php";
    require_once "inc/scripts.php";
```

```
</body>
Contact.php
<!DOCTYPE html>
<html lang="en">
<head>
<?php
    require_once "inc/head.php";
    ?>
</head>
<body>
    <?php
        require_once "inc/preload.php";
    ?>
    <?php
        require_once "inc/nav.php";
    ?>
    <div class="search-area">
        <div class="container">
            <div class="row">
                <div class="col-lg-12">
                    <span class="close-btn"><i class="fas fa-window-</pre>
close"></i></span>
```

<div class="search-bar">

```
<div class="search-bar-tablecell">
                            <h3>Search For:</h3>
                            <input type="text" placeholder="Keywords">
                            <button type="submit">Search <i class="fas fa-</pre>
search"></i></button>
                        </div>
                    </div>
                </div>
            </div>
       </div>
   </div>
   <div class="breadcrumb-section breadcrumb-bg">
        <div class="container">
            <div class="row">
                <div class="col-lg-8 offset-lg-2 text-center">
                    <div class="breadcrumb-text">
                        Get our gaming support
                        <h1>Contact us</h1>
                    </div>
                </div>
            </div>
       </div>
   </div>
    <div class="contact-from-section mt-150 mb-150">
        <div class="container">
```

```
<div class="row">
                <div class="col-lg-8 mb-5 mb-lg-0">
                    <div class="form-title">
                       <h2>Ask us anything?</h2>
                       If you have any questions, recommendations or
complaints feel free to notify us in the form below!
                    </div>
                    <div id="form_status"></div>
                    <div class="contact-form">
                        <form type="POST" id="contact">
                           >
                                <input type="text" placeholder="Name"</pre>
name="name" id="name">
                                <input type="email" placeholder="Email"</pre>
name="email" id="email">
                           <textarea name="message" id="message" cols="30"
rows="10" placeholder="Message"></textarea>
                            <input type="hidden" name="token"</pre>
value="FsWga4&@f6aw" />
                           <input type="submit" value="Submit">
                       </form>
                    </div>
                </div>
                <div class="col-lg-4">
                    <div class="contact-form-wrap">
                        <div class="contact-form-box">
```

```
<h4><i class="fas fa-map"></i> Shop Address</h4>
                          69/420 <br> Hobbiton <br> New Zealand
                       </div>
                       <div class="contact-form-box">
                          <h4><i class="far fa-clock"></i> Shop Hours</h4>
                          MON - FRIDAY: 8 to 9 PM <br> SAT - SUN: 10 to 8
PM 
                       </div>
                       <div class="contact-form-box">
                           <h4><i class="fas fa-address-book"></i>
Contact</h4>
                           Phone: +381/1234567 <br> Email:
support@GameLand.com
                       </div>
                   </div>
               </div>
           </div>
       </div>
   </div>
   <div class="find-location blue-bg">
       <div class="container">
           <div class="row">
               <div class="col-lg-12 text-center">
                    <i class="fas fa-map-marker-alt"></i> Find Our
Location
               </div>
           </div>
```

```
</div>
    </div>
    <div class="embed-responsive embed-responsive-21by9">
        <iframe
src="https://maps.google.com/maps?q=hobitton&t=&z=13&ie=UTF8&iwloc=&output=emb
ed" width="600" height="450" frameborder="0" style="border:0;"
allowfullscreen="" class="embed-responsive-item"></iframe>
    </div>
    <?php
    require_once "inc/footer.php";
    require_once "inc/scripts.php";
   ?>
</body>
</html>
Shop.php
<!DOCTYPE html>
<html lang="en">
<head>
    <?php
    require_once "inc/head.php";
</head>
<body>
    <?php
    require_once "inc/preload.php";
    <?php
    require_once "inc/nav.php";
```

```
<div class="breadcrumb-section breadcrumb-bg">
       <div class="container">
           <div class="row">
               <div class="col-lg-8 offset-lg-2 text-center">
                   <div class="breadcrumb-text">
                       Our products
                       <h1>Shop</h1>
       </div
    :/div>
   <div class="search-text" >
           <h3>Search For:</h3>
           <input type="search" placeholder="Search" name="pretraga"</pre>
id="search">
   </div>
   <div class="product-section mt-150 mb-150">
       <div class="container">
           <div class="row">
               <div class="col-md-12">
                   <div class="product-filters">
                       <l
                           All
                           data-filter=".PC">PC
                           data-filter=".XB">XB
                           cli data-filter=".PS">PS
           </div>
           <div class="row product-lists">
               <?php
               include_once("data/connection.php");
               global $connection;
               $limit = 3;
               if (!isset($_GET['page']))
                   $page = 1;
               } else {
                   $page = $ GET['page'];
               $query = "SELECT * FROM products";
               $rowCount = $connection->query($query)->rowCount();
               $pageCount = ceil($rowCount / $limit);
               $start = ($page - 1) * $limit;
```

```
$query = "SELECT *, k.naziv AS Kategorija, p.naziv as naziv
FROM products p INNER JOIN slike s ON p.product id = s.product id INNER JOIN
kategorija k ON p.kategorija_id = k.kategorija_id ORDER BY p.product_id LIMIT
$start,$limit ";
               $result = $connection->query($query)->fetchAll();
               if ($result) {
                   $output = "";
                   foreach ($result as $res) {
                       $output .= "<div class='col-lg-4 col-md-6 text-center</pre>
$res->Kategorija'>";
                       $output .= "<div class='single-product-item'>";
                       $output .= "<div class='product-image'>";
                       $output .= "<a href='single-product.php?id=$res-</pre>
>product_id&boja=$res->boja'><img src='assets/img/products/$res->src'
alt='$res->alt'></a></div>";
                       $output .= "<h3>$res->naziv</h3>";
                       $output .= "<span>$res-
>opis";
                       $output .= "<br/> $res->boja";
                       $output .= "</span>$res->cena e";
                       $output .= "<h5>$res-
>Kategorija</h5></div></div>";
                   if($pageCount>1){
                       $output.="<br><div class='row col-12'>
                       <div class='col-lg-12 text-center'>
                           <div class='pagination-wrap'>";
                           for ($i = 1; $i <= $pageCount; $i++) {
                               $class = $page == $i ? 'active' : "";
                               $output .= "<a</pre>
                            "'>" . $i . "</a>";
href='shop.php?&page=" . $i .
                           $output.="</div></div></div>";
                   $output .= "</div></div>";
                   echo $output;
    /div>
    <?php
    require_once "inc/footer.php";
    require_once "inc/scripts.php";
```

```
</body>
</html>
Single-product.php
<!DOCTYPE html>
<html lang="en">
<head>
<?php
    require_once "inc/head.php";
</head>
<body>
        require once "inc/preload.php";
        require once "inc/nav.php";
    <div class="search-area">
        <div class="container">
            <div class="row">
                <div class="col-lg-12">
                    <span class="close-btn"><i class="fas fa-window-</pre>
close"></i></span>
                    <div class="search-bar">
                        <div class="search-bar-tablecell">
                             <h3>Search For:</h3>
                             <input type="text" placeholder="Keywords">
                             <button type="submit">Search <i class="fas fa-</pre>
search"></i></button>
                         /div>
            </div
    <div class="breadcrumb-section breadcrumb-bg">
        <div class="container">
            <div class="row">
                <div class="col-lg-8 offset-lg-2 text-center">
                    <div class="breadcrumb-text">
                        See more Details
```

```
h1>Single Product</h1>
            </div
        </div
    /div>
    <?php
       require_once("data/connection.php");
       $id = $_GET["id"];
       $color = $_GET["boja"];
       $temp = $connection->query("SELECT p.product_id, p.naziv AS naziv,
s.boja AS boja, cena, opis, alt, k.naziv AS kategorija, src
       FROM products p INNER JOIN kategorija k ON
p.kategorija id=k.kategorija id INNER JOIN slike s ON
p.product id=s.product id
       WHERE p.product id=$id
       AND boja='$color'");
       $product = $temp->fetch();
    <div class="single-product mt-150 mb-150">
       <div class="container">
           <div class="row">
               <div class="col-md-5">
                   <div class="single-product-img">
                       <img src="assets/img/products/<?=$product->src?>
alt="<?=$product->alt?>">
                   </div>
               </div>
               <div class="col-md-7">
                   <div class="single-product-content">
                       <h3><?=$product->naziv?></h3>
                       <strong>Category: </strong><?=$product-</pre>
>kategorija?>
                       <span><?=$product-</pre>
>kategorija?></span> <?=$product->cena?> e
                       <?=$product->opis?><br/>Color: <?=$product-
>boja?>
                        cdiv class="single-product-form">
                        /div>
    (/div
    <?php
    require_once "inc/footer.php";
    require once "inc/scripts.php";
```

```
</body>
</html>
Register.php
<!DOCTYPE html>
<html lang="en">
<head>
    require_once "inc/head.php";
</head>
<body>
    require_once "inc/preload.php";
    ?php
     require_once "inc/nav.php";
    <div class="homepage-slider">
        <div class="single-homepage-slider homepage-bg-1">
            <div class="container">
                <div class="row">
                     <div class="col-md-12 col-lg-12 offset-lg-1 offset-xl-0</pre>
regMid">
                         <h3 class="registerNaslov">Registration</h3>
                         <form action="#" class="contact-form" method="POST">
                             <label for="firstName" class="labelLogin">First
Name: </label>
                             <div class="form-group">
                                 <input type="text" id="firstname"</pre>
name="firstName">
                                 <div id="firstNameError"></div>
                             <label for="lastName" class="labelLogin">Last
Name: </label>
                             <div class="form-group">
                                 <input type="text" id="lastname"</pre>
name="lastName">
```

```
<div id="lastNameError"></div>
                              </div>
                              <label for="email" class="labelLogin">Email:
</label>
                              <div class="form-group">
                                  <input type="email" id="mail" name="email">
                                  <div id="emailError"></div>
                              </div>
                              <label for="usernameRegister"</pre>
class="labelLogin">Username: </label>
                              <div class="form-group">
                                  <input type="text" id="userRegister"</pre>
name="usernameRegister">
                              <div id="userError"></div>
                              </div>
                              <label for="passwordRegister"</pre>
class="labelLogin">Password: </label>
                              <div class="form-group">
                                  <input type="password" id="passRegister"</pre>
name="passwordRegister">
                                  <div id="passError"></div>
                              </div>
                              <label for="passwordConfirm"</pre>
class="labelLogin">Confirm Password: </label>
                              <div class="form-group">
                                  <input type="password" id="passConfirm"</pre>
name="passwordConfirm">
                                  <div id="passConfError"></div>
                              </div>
                              <div class="form-group">
                                  <input type="button" id="registerButton"</pre>
value="Register">
                                  <input type="reset" id="resetButton"</pre>
name="resetButton" value="Reset">
                              </div>
                              <h5 class="text-white">Already have an account?
Log in <a href="logovanje.php">here</a></h5>
                          </form>
                          div id="odgovor"></div>
    require_once "inc/footer.php";
     require_once "inc/scripts.php";
```

```
</body>
</html>
Logovanje.php
<!DOCTYPE html>
<html lang="en">
<head>
    <?php
    require once "inc/head.php";
</head>
<body>
    require once "inc/preload.php";
     require once "inc/nav.php";
    <div class="search-area">
        <div class="container">
            <div class="row">
                <div class="col-lg-12">
                     <span class="close-btn"><i class="fas fa-window-</pre>
close"></i></span>
                    <div class="search-bar">
                         <div class="search-bar-tablecell">
                             <h3>Search For:</h3>
                             <input type="text" placeholder="Keywords">
                             <button type="submit">Search <i class="fas fa-</pre>
search"></i></button>
                         </div>
        </div>
    </div>
    <div class="homepage-slider">
        <div class="single-homepage-slider homepage-bg-1">
            <div class="container">
                <div class="row">
                     <div class="col-md-12 col-lg-7 offset-lg-1 offset-xl-0">
                         <div class="hero-text">
                             <div class="hero-text-tablecell">
                                 <h3>Log in</h3>
                                 <form action="">
                                     <div class="form-group">
```

```
<label for="">Username</label>
                                          <input type="text" id="tbLogUsername"</pre>
class="form-control" />
                                      </div>
                                      <div class="form-group">
                                          <label for="">Lozinka</label>
                                          <input type="password"</pre>
id="tbLogPassword" class="form-control" /:
                                      </div>
                                      <input type="button" value="Login"</pre>
id="btnLogin" class="btn btn-primary" />
                                      <span id="login-error"</pre>
style="color:red;"></span>
                                  </form>
                         </div
     /div>
    <?php
    require_once "inc/footer.php";
    require once "inc/scripts.php";
</body>
Adminpanel.php
<!DOCTYPE html>
<html lang="en">
<head>
     require once "inc/head.php";
</head>
<body>
    <?php
     require once "inc/preload.php";
     ?php
    require once "inc/nav.php";
```

```
<div class="homepage-slider">
        <div class="single-homepage-slider homepage-bg-1">
            <div class="container">
                <div class="row">
                    <div class="col-md-12 col-lg-7 offset-lg-1 offset-xl-0">
                        <div class="hero-text">
                            <div class="hero-text-tablecell">
                                <button id='answers' class='font-weight-bold</pre>
btn bg-light text-dark'>answers</button>
                                <button id='products' class='font-weight-bold</pre>
btn bg-light text-dark'>products</button>
                                <button id='contact' class='font-weight-bold</pre>
btn bg-light text-dark'>contact</button>
                                 <button id='kategorija' class='font-weight-</pre>
bold btn bg-light text-dark'>category</button>
                                 <button id='slike' class='font-weight-bold btn</pre>
bg-light text-dark'>images</button>
                                 <button id='menu' class='font-weight-bold btn</pre>
bg-light text-dark'>menu</button>
                                 <button id='roles' class='font-weight-bold btn</pre>
bg-light text-dark'>roles</button>
                                 <button id='survey' class='font-weight-bold</pre>
btn bg-light text-dark'>survey</button>
                                <button id='users' class='font-weight-bold btn</pre>
bg-light text-dark'>users</putton>
                            </div>
                            <div class="col-lg-11">
                                 <h5 class='text-success text-center p-3 font-</pre>
weight-bold' id='success'></h5>
                                <h5 class='text-danger text-center p-3 font-</pre>
weight-bold' id='error'></h5>
                            </div>
                        </div>
            </div
        </div
    /div>
    require_once "inc/footer.php";
    require_once "inc/scripts.php";
</body>
```

```
</html>
```

```
Inc/head.php
<meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="description" content="Responsive Bootstrap4 Shop Template,</pre>
Created by Imran Hossain from <a href="https://imransdesign.com/">https://imransdesign.com/"</a>
    <title>GameLand
    </title>
    <link rel="shortcut icon" type="image/png" href="assets/img/favicon.png";</pre>
    <link href="https://fonts.googleapis.com/css?family=Open+Sans:300,400,700"</pre>
rel="stvlesheet">
    link
href="https://fonts.googleapis.com/css?family=Poppins:400,700&display=swap"
rel="stylesheet">
    <link rel="stylesheet" href="assets/css/all.min.css">
    <link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" href="assets/css/owl.carousel.css">
    <link rel="stylesheet" href="assets/css/magnific-popup.css">
    <link rel="stylesheet" href="assets/css/animate.css">
    <link rel="stylesheet" href="assets/css/meanmenu.min.css">
    <link rel="stylesheet" href="assets/css/main.css">
    <link rel="stylesheet" href="assets/css/responsive.css"</pre>
Inc/footer.php
<div class="footer-area">
        <div class="container">
            <div class="row">
                <div class="col-lg-3 col-md-6">
                     <div class="footer-box about-widget">
                         <h2 class="widget-title">About us</h2>
                         We rent out gaming experience.
                    </div>
                 </div>
                <div class="col-lg-3 col-md-6">
                    <div class="footer-box get-in-touch">
                         <h2 class="widget-title">Contact us</h2>
                         <l
                             New Zealand / Hobbiton
                             <a href="contact.php">Contact</a>
                     </div>
                 </div>
                <div class="col-lg-3 col-md-6">
                    <div class="footer-box pages">
```

```
<h2 class="widget-title">Pages</h2>
                      <l
                          <a href="index.php">Home</a>
                          <a href="about.php">About</a>
                          <a href="shop.php">Shop</a>
                          <a href="author.php">Author</a>
                          <a href="contact.php">Contact</a>
                          li><a href="#">Documentation</a>
               <div class="col-lg-3 col-md-6">
       </div
    </div>
   <div class="copyright">
       <div class="container">
           <div class="row">
              <div class="col-lg-6 col-md-12">
                  Copyrights © 2022 - <a
href="https://www.instagram.com/jovan_cajic/">Jovan Cajic</a>, All Rights
Reserved.
               </div>
               <div class="col-lg-6 text-right col-md-12">
                  <div class="social-icons">
                      <l
                          <a href="https://www.facebook.com"</a>
target="_blank"><i class="fab fa-facebook-f"></i></a>
                          <a href="https://www.twitter.com"
        blank"><i class="fab fa-twitter"></i></a>
                         <a href="https://www.instagram.com"</a>
        blank"><i class="fab fa-instagram"></i></a>
                      </div
Inc/nav.php
<?php
   session start();
<div class="top-header-area" id="sticker">
       <div class="container">
```

```
<div class="row">
               <div class="col-lg-12 col-sm-12 text-center">
                   <div class="main-menu-wrap">
                       <div class="site-logo">
                          <a href="index.php">
                               <span class="logoIcon">GameLand</span>
                       </div>
                       <nav class="main-menu">
                          <l
                              <a href="shop.php">Shop</a>
                              <a href="about.php">About</a>
                               <a href="author.php">Author</a>
                               <a href="contact.php">Contact</a>
                               <a href="register.php">Register</a>
                               <?php
                               if (!isset($_SESSION["korisnik"])) {
                               <a href="logovanje.php">Login</a>
                               <?php
                              }else {
                                  <a href="adminpanel.php">Admin</a>
Panel</a>
                                  <1i>>
                                      <form action="backend/log_out.php"</pre>
method="POST"><input type="submit" value="Log out"></form>
                                  <?php
                           (/nav>
                       <a class="mobile-show search-bar-icon" href="#"><i</pre>
class="fas fa-search"></i></a>
                       <div class="mobile-menu"></div>
               </div>
            </div>
Inc/preload.php
<div class="loader">
```

Inc/scripts.php

```
<script src="assets/js/jquery-1.11.3.min.js"></script>
<script src="assets/bootstrap/js/bootstrap.min.js"></script>
<script src="assets/js/jquery.countdown.js"></script>
<script src="assets/js/jquery.isotope-3.0.6.min.js"></script>
<script src="assets/js/waypoints.js"></script>
<script src="assets/js/jquery.magnific-popup.min.js"></script>
<script src="assets/js/jquery.meanmenu.min.js"></script>
<script src="assets/js/jquery.meanmenu.min.js"></script>
<script src="assets/js/sticker.js"></script>
<script src="assets/js/main.js"></script>
<script src="assets/js/main.js"></script>
<script src="assets/js/mine.js"></script>
<script src="assets/js/mine.js"></script>
<script src="assets/js/app.js" type="text/javascript"></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></sc
```

Data/connection.php

```
    include_once("cred.php");
    try{
        $connection = new

PDO("mysql:host=$serverName;dbname=$databaseName",$databaseUsername,$databaseP
assword);
        $connection ->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
        $connection ->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE,

PDO::FETCH_OBJ);
    }
    catch(PDOException $e){
        echo $e->getMessage();
}
?>
```

Data/cred.php

```
<?php

$serverName = "localhost";

$databaseName = "sajt";

$databaseUsername = "root";</pre>
```

```
$databasePassword= "";
?>
Backend/functions.php
<?php
    include once "../data/connection.php";
    function vratiSve($producti){
        try{
        global $connection;
        $upit = "SELECT * FROM $producti";
        $podaci = $connection->query($upit)->fetchAll();
        return $podaci;
        catch(PDOException $ex){
        return $ex;
   function unosKorisnika($ime, $prezime, $email, $username,
$sifrovanaLozinka){
        global $connection;
        $query = "INSERT INTO users VALUES (null,:username, :ime, :prezime,
CURRENT TIMESTAMP, :email, :lozinka, 1)";
        $priprema = $connection->prepare($query);
        $priprema->bindParam(':username', $username);
        $priprema->bindParam(':lozinka', $sifrovanaLozinka);
        $priprema->bindParam(':email', $email);
        $priprema->bindParam(':ime', $ime);
        $priprema->bindParam(':prezime', $prezime);
        $rezultat = $priprema->execute();
        return $rezultat;
    function insertContact($name,$mail,$subject,$message){
```

\$query = "INSERT INTO contact VALUES(null, :fName,:email,

\$prepared = \$connection ->prepare(\$query);

global \$connection;

:subject,:message)";

```
$prepared ->bindParam(":name", $name);
        $prepared ->bindParam(":email", $mail);
        $prepared ->bindParam(":subject", $subject);
        $prepared ->bindParam(":message", $message);
        $result = $prepared ->execute();
        return $result;
   }
    $errors = array();
    function check($regex, $input, $error){
        if(!isset($input) or empty($input) or !preg_match($regex,$input)){
            array_push($errors, $error);
       }
    function search($search){
        try{
        global $connection;
        $upit = "SELECT * FROM product";
        $select = $connection->prepare($upit);
        $select->execute([$search]);
        $podaci = $select->fetchAll();
        return $podaci;
        catch(PDOException $ex){
        return $ex;
   }
Backend/log out.php
<?php
    session_start();
    if(isset($_SESSION['korisnik'])){
        unset($_SESSION['korisnik']);
        header('Location: ../logovanje.php');
   }
Backend/login.php
```

?>

?>

<?php

```
header("Content-type: application/json");
session start();
   try{
       $username = $ POST["username"];
       if(isset($_POST["password"]) AND !empty($_POST["password"])){
           $password = md5($_POST["password"]);
       require_once("../data/connection.php");
       $upit = "SELECT * FROM users WHERE username = :username AND password =
:password";
       $priprema = $connection->prepare($upit);
       $priprema->bindParam(":username", $username);
       $priprema->bindParam(":password", $password);
       $priprema->execute();
       $result = $priprema->fetch();
       if($result){
           $ SESSION["korisnik"] = $result;
       echo json_encode($result);
   catch(PDOException $e){
       echo json_encode($e->getMessage());
?>
```

```
Backend/regex.php
```

```
<?php
    //REGEX
    define("REGEX_USERNAME" , "/^[A-z][A-z0-9@#$%^&*]{2,20}$/");
    define("REGEX_PASSWORD" , "/^(?=.*[A-Z])(?=.*[0-9])[A-z0-9$%^&*]{6,}$/");
    define("REGEX NAMES" , "/^[A-Z][a-z]{2,20}$/");
    //ERRORS
    define("ERROR_FIRSTNAME" , "First name needs to start with a capital
letter and length of minimum 2");
   define("ERROR_LASTNAME","Last name needs to start with a capital letter
and length of minimum 2");
   define("ERROR EMAIL" ,"Email is not in valid format. Example:
gameland@gmail.com");
   define("ERROR USERNAME", "Username needs to start with a letter and length
of minimum 3");
   define("ERROR_PASSWORD", "Password needs to have at least one big letter,
one number and length of minimum 6");
```

```
define("ERROR_MESSAGE", "Message needs to contains at least 15
characters");
Backend/registracija.php
<?php
    header("Content-type: application/json");
    if($ SERVER['REQUEST METHOD'] == 'POST'){
        try{
            include_once "../data/connection.php";
            include_once "functions.php";
            include once "regex.php";
            $ime = $ POST['imePHP'];
            $prezime = $ POST['prezimePHP'];
            $email = $_POST['emailPHP'];
            $username = $ POST['usernamePHP'];
            $lozinka = $_POST['lozinkaPHP'];
            $sifrovanaLozinka = md5($lozinka);
            check(REGEX_NAMES, $ime, ERROR_FIRSTNAME);
            check(REGEX_NAMES, $prezime, ERROR_LASTNAME);
            check(REGEX_USERNAME, $username, ERROR_USERNAME);
            check(REGEX_PASSWORD, $lozinka, ERROR_PASSWORD);
            if (!filter var($email, FILTER VALIDATE EMAIL)) {
                array push($errors,ERROR EMAIL);}
```

```
check(REGEX_NAMES, $preZIME, ERROR_LASTNAME);
check(REGEX_USERNAME, $username, ERROR_USERNAME);
check(REGEX_PASSWORD, $lozinka, ERROR_PASSWORD);
if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
    array_push($errors, ERROR_EMAIL);}

if(count($errors) == 0) {
    $unosKorisnika = unosKorisnika($ime, $prezime, $email, $username, $sifrovanaLozinka);
    if($unosKorisnika) {
        $odgovor = ["poruka" => "Succesfully Registered"];
        echo json_encode($odgovor);
        http_response_code(201);
}
else echo json_encode(0);
}
}
catch(PDOException $exception){
```

http response code(500);

}

}

```
else{
    http_response_code(404);
}
```

Backend/search.php

```
<?php
header("Content-type: application/json");
if($_SERVER['REQUEST_METHOD'] == 'POST'){
include "../data/connection.php";
include "/backend/functions.php";
include "functions.php";
try{
$search = isset($_POST["search"]) ?
trim($_POST["search"]) : false;
$search = strtolower($search);
$pretraga = search('%'.$search.'%');
$uloge = vratiSve('product');
echo json_encode([$pretraga,$uloge]);
http response code(201);
catch(PD0Exception $exception){
http_response_code(500);
//var dump($exception);
else{
http_response_code(404);
```

```
class="count">%D</span>Days</div></div> ' + '<div class="counter-column"><div
class="inner"><span class="count">%H</span>Hours</div></div> ' + '<div
class="counter-column"><div class="inner"><span
class="count">%M</span>Mins</div></div> ' + '<div class="counter-column"><div
class="inner"><span class="count">%S</span>Secs</div></div>'));
           });
        });
         projects filters isotop
        $(".product-filters li").on('click', function () {
            $(".product-filters li").removeClass("active");
            $(this).addClass("active");
            var selector = $(this).attr('data-filter');
           $(".product-lists").isotope({
                filter: selector,
           });
        });
        // isotop inner
        $(".product-lists").isotope();
        // magnific popup
        $('.popup-youtube').magnificPopup({
           disableOn: 700,
            type: 'iframe',
            mainClass: 'mfp-fade',
            removalDelay: 160,
            preloader: false,
           fixedContentPos: false
         / light box
        $('.image-popup-vertical-fit').magnificPopup({
            type: 'image',
            closeOnContentClick: true,
            mainClass: 'mfp-img-mobile',
           image: {
                verticalFit: true
           }
       });
          // stikcy js
       $("#sticker").sticky({
           topSpacing: 0
        });
        //mean menu
        $('.main-menu').meanmenu({
           meanMenuContainer: '.mobile-menu',
           meanScreenWidth: "992"
         // search form
```

```
$(".search-bar-icon").on("click", function(){
            $(".search-area").addClass("search-active");
        $(".close-btn").on("click", function() {
            $(".search-area").removeClass("search-active");
        })
    });
    jQuery(window).on("load",function(){
        jQuery(".loader").fadeOut(1000);
   });
}(jQuery));
Mine.is
$(document).ready(function () {
    const REGEX_NAME = /^[A-Z][a-z]{2,20}$/;
    const REGEX_USERNAME = /^[A-z][A-z0-9@#$%^&*]{3,20}$/;
    const REGEX PASSWORD = /^(?=.*[A-Z])(?=.*[0-9])[A-z0-9$%^&*]{8,}$/;
    const REGEX_EMAIL = /^(?:[a-z0-9!\#$\%\&'*+/=?^_`{|}~-]+(?:\.[a-z0-y])
9!#$%&'*+/=?^ `{|}~-]+)*|"(?:[\x01-\x08\x0b\x0c\x0e-\x1f\x21\x23-\x5b\x5d-
\x7f]|\\[\x01-\x09\x0b\x0c\x0e-\x7f])*")@(?:(?:[a-z0-9](?:[a-z0-9-]*[a-z0-
9])?\.)+[a-z0-9](?:[a-z0-9-]*[a-z0-9])?|\[(?:(?:(2(5[0-5]|[0-4][0-9])|1[0-
9][0-9]|[1-9]?[0-9]))\.){3}(?:(2(5[0-5]|[0-4][0-9])|1[0-9][0-9]|[1-9]?[0-
9])|[a-z0-9-]*[a-z0-9]:(?:[\x01-\x08\x0b\x0c\x0e-\x1f\x21-\x5a\x53-
x7f][\[ x01-x09\x0b\x0c\x0e-x7f])+)\])$/;
   const FIRSTNAME ERROR = "First name needs to start with first capital
letter and length of minimum 3";
   const LASTNAME ERROR = "Last name needs to start with first capital letter
and length of minimum 3";
   const USERNAME ERROR = "Username needs to start with a letter and length
of minimum 3";
   const PASSWORD ERROR = "Password needs to have at least one big letter,
one number and length of minimum 8";
   const EMAIL ERROR = "Email is not in valid format. Example:
something@gmail.com";
    const ERROR SURVEY = "Please vote to see results";
    var errors = [];
    function check(input, regex, error, div) {
      if (!regex.test(input)) {
        errors.push(error);
       div.text(error);
    // ajax callback function
    function ajaxCallBack(url, method, data, result){
        $.ajax({
            url: url,
            method: method,
```

```
data: data,
            dataType: "json",
            success: result,
            error: function(xhr){
                 * console.log(xhr); */
                //if 500..
                //if 404.
            }
       })
   }
       //registracija korisnika
       $(document).on('click', '#registerButton', function(){
        let firstName, lastName, email, password, username;
        firstName = $('#firstname').val();
        lastName = $('#lastname').val();
        email = $('#mail').val();
        password = $('#passRegister').val();
        username = $('#userRegister').val();
        passconf = $('#passConfirm').val();
        errors=[];
        var usernameError = $("#userError");
        var passwordError = $("#passError");
        var firstNameError = $("#firstNameError");
                                                                // Promeni
imena promenljivih na eng
        var lastNameError = $("#lastNameError");
        var emailError = $("#emailError");
        usernameError.text("");
        passwordError.text("");
        firstNameError.text("");
        lastNameError.text("");
        emailError.text("");
        check(username, REGEX_USERNAME, USERNAME_ERROR, usernameError);
        check(password,REGEX_PASSWORD,PASSWORD_ERROR,passwordError);
        check(firstName,REGEX_NAME,FIRSTNAME_ERROR,firstNameError);
        check(lastName, REGEX_NAME, LASTNAME_ERROR, lastNameError);
        check(email,REGEX_EMAIL,EMAIL_ERROR,emailError);
        if(password != passconf){
            $("#passConfError").html("Passwords do not match"); // Promeni
ime
       }
        var podaciZaSlanje;
        if(errors.length==0){
```

```
podaciZaSlanje = {
               imePHP: firstName,
               prezimePHP: lastName,
               emailPHP: email,
               lozinkaPHP: password,
               usernamePHP: username
           }
       }
       ajaxCallBack("backend/registracija.php", "POST", podaciZaSlanje,
function(result){
           $("#odgovor").html(`
${result.poruka} `)
   $(document).on('click', '#btnLogin', function(){
        // regularni izrazi
          provera
           $.ajax({
               type: "POST",
               url: "backend/login.php",
               data: {
                   username : $("#tbLogUsername").val(),
                   password : $("#tbLogPassword").val()
               dataType: "json",
               success: function (response) {
                   if(response == false){
                       $("#login-error").text("Incorrect username or
password");
                   window.location.replace("shop.php");
               }
           });
   })
   $( "#search" ).keyup(function() {
       v=$(this).val()
       //console.log(v);
       podaciZaSlanje={
```

```
search:v
}
ajax2("backend/search.php","POST",podaciZaSlanje,
function(data){
stampajProdukte(data[0],data[1]);
})
})
```

});