

Steam Games Analytics API

0.1.0

OAS 3.1

/openapi.json

Authorize 

health



GET /api/v1/health Health



Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

jwks



GET /.well-known/jwks.json Get Jwks



Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "additionalProp1": [
    {
      "additionalProp1": "string",
      "additionalProp2": "string",
      "additionalProp3": "string"
    }
  ],
  "additionalProp2": [
    {
      "additionalProp1": "string",
      "additionalProp2": "string",
      "additionalProp3": "string"
    }
  ],
  "additionalProp3": [
    {
      "additionalProp1": "string",
      "additionalProp2": "string",
      "additionalProp3": "string"
    }
  ]
}
```

auth



POST

/api/v1/auth/register

Register

Parameters

Try it out

No parameters

Request body

required

application/json

Example Value

Schema

```
{
  "email": "user@example.com",
  "password": "stringst",
  "display_name": "string"
}
```

Responses

Code	Description	Links
201	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": 0, "email": "user@example.com", "display_name": "string", "created_at": "2026-03-11T19:20:03.190Z" }</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }] }</pre>	No links

POST /api/v1/auth/login Login

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "email": "user@example.com",
  "password": "string"
}
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "access_token": "string", "token_type": "bearer"}</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }]}</pre>	No links

GET

/api/v1/auth/me

Get Me

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json	No links

Code	Description	Links
	Controls Accept header. Example Value Schema <pre>{ "id": 0, "email": "user@example.com", "display_name": "string", "created_at": "2026-03-11T19:20:03.201Z" }</pre>	

PUT

/api/v1/auth/me

Update Me

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "display_name": "string",
  "password": "stringst"
}
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": 0, "email": "user@example.com", "display_name": "string", "created_at": "2026-03-11T19:20:03.211Z" }</pre>	No links
422	Validation Error Media type application/json Example Value Schema	No links

Code	Description	Links
	<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }] }</pre>	

games

^

GET

/api/v1/games

List Games Route

^

Parameters

Try it out

Name	Description
page integer (query)	Default value : 1 1 minimum: 1
per_page integer (query)	Default value : 20 20 maximum: 100 minimum: 1
genre string (string null) (query)	genre
tag string (string null) (query)	tag
developer string (string null) (query)	developer
publisher string (string null) (query)	publisher

Name	Description
platform string (string null) (query)	platform pattern: ^(windows/mac/Linux)\$
is_free boolean (boolean null) (query)	--
min_price number (number string null) (query)	min_price minimum: 0
max_price number (number string null) (query)	max_price minimum: 0
min_score integer (integer null) (query)	min_score maximum: 100 minimum: 0
release_from string (string null) (\$date) (query)	release_from
release_to string (string null) (\$date) (query)	release_to
sort string (string null) (query)	Default value : name name
order string (query)	Default value : asc asc pattern: ^(asc desc)\$
Responses	

Code	Description	Links
200	Successful Response	No links
Media type		
application/json		
Controls Accept header.		
Example Value Schema		
<pre>{ "additionalProp1": {} }</pre>		
422	Validation Error	No links
Media type		
application/json		
Example Value Schema		
<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }] }</pre>		

GET /api/v1/games/{game_id} Get Game Detail

Parameters

Try it out

Name	Description
game_id * required integer (path)	game_id

Responses

Code	Description	Links
200	Successful Response	No links
Media type		
application/json		

Code	Description	Links
	Controls Accept header. Example Value Schema <pre>{ "id": 0, "steam_app_id": 0, "name": "string", "release_date": "2026-03-11", "price_usd": "string", "is_free": true, "metacritic_score": 0, "positive_reviews": 0, "negative_reviews": 0, "windows": true, "mac": true, "linux": true, "about_the_game": "string", "required_age": 0, "estimated_owners": "string", "peak_ccu": 0, "discount_percent": 0, "dlc_count": 0, "supported_languages": "string", "full_audio_languages": "string", "reviews": "string", "website": "string", "support_url": "string", "support_email": "string", "header_image": "string", "metacritic url": "string",</pre>	
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }] }</pre>	No links

GET

/api/v1/games/{game_id}/similar

Get Similar Games Route

Parameters

Try it out

Name	Description
game_id * required integer (path)	game_id

Name

limit

integer

(query)

Description

Default value : 10

10

maximum: 50

minimum: 1

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {}}</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }]}</pre>	No links

search



GET	/api/v1/search	Search Games	⌵
Parameters		Try it out	
Name	Description		

Name	Description
q string (string null) (query)	q
page integer (query)	Default value : 1 1 minimum: 1
per_page integer (query)	Default value : 20 20 maximum: 100 minimum: 1
genre string (string null) (query)	genre
tag string (string null) (query)	tag
is_free boolean (boolean null) (query)	--
min_score integer (integer null) (query)	min_score maximum: 100 minimum: 0

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema {	No links

Code	Description	Links
	<pre>"additionalProp1": {} }</pre>	
422	Validation Error	No links
Media type		
application/json		
Example Value Schema		
<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }] }</pre>		

genres

GET

/api/v1/genres

List Genres Route

^

Parameters

Try it out

Name	Description
page	Default value : 1
integer	
(query)	1 minimum: 1
per_page	Default value : 20
integer	
(query)	20 maximum: 100 minimum: 1

Responses

Code	Description	Links
200	Successful Response	No links
Media type		
application/json		
Controls Accept header.		

Code	Description	Links
422	Example Value Schema <pre>{ "additionalProp1": {}}</pre>	No links
	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }]}</pre>	

GET

/api/v1/genres/{slug}

Get Genre Detail

^

Parameters

Try it out

Name	Description
slug * required string (path)	slug

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {}}</pre>	No links

Code	Description	Links
422	Validation Error	No links
Media type		
application/json		
Example Value Schema		
{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }] }		

GET

/api/v1/genres/{slug}/games

List Genre Games

Parameters

Try it out

Name	Description
slug * required	
string (path)	slug
page	Default value : 1
integer (query)	1
	minimum: 1
per_page	Default value : 20
integer (query)	20
	maximum: 100 minimum: 1
tag	
string (string null) (query)	tag
developer	
string (string null) (query)	developer
publisher	
string (string null) (query)	publisher

Name	Description
platform	platform string (string null) (query) pattern: ^(windows/mac/linux)\$
is_free	-- boolean (boolean null) (query)
min_price	min_price number (number string null) (query) minimum: 0
max_price	max_price number (number string null) (query) minimum: 0
min_score	min_score integer (integer null) (query) maximum: 100 minimum: 0
release_from	release_from string (string null)(\$date) (query)
release_to	release_to string (string null)(\$date) (query)
sort	Default value : name name string (string null) (query)
order	Default value : asc asc string (query) pattern: ^(asc/desc)\$

Responses

Code	Description	Links
200	Successful Response	No links
	Media type	

Code	Description	Links
	application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {}}</pre>	
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }]}</pre>	No links

tags

GET

/api/v1/tags

List Tags Route

Parameters

Try it out

Name	Description
page integer (query)	Default value : 1 1 minimum: 1
per_page integer (query)	Default value : 20 20 maximum: 100 minimum: 1
q string (string null) (query)	q

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {}}</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }]}</pre>	No links

GET

/api/v1/tags/{slug}

Get Tag Detail

^

Parameters

Try it out

Name	Description
slug * required	
string (path)	slug

Responses

Code	Description	Links
200	Successful Response	No links
Media type		
application/json		
Controls Accept header.		
Example Value Schema		
<pre>{ "additionalProp1": {} }</pre>		
422	Validation Error	No links
Media type		
application/json		
Example Value Schema		
<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }] }</pre>		

GET

/api/v1/tags/{slug}/games

List Tag Games

^

Parameters

Try it out

Name	Description
slug * required string (path)	slug
page integer (query)	Default value : 1 1 minimum: 1
per_page integer (query)	Default value : 20 20 maximum: 100 minimum: 1
genre string (string null)	genre

Name	Description
<i>(query)</i>	
developer	developer
string (string null)	
<i>(query)</i>	
publisher	publisher
string (string null)	
<i>(query)</i>	
platform	platform
string (string null)	<i>pattern: ^(windows/mac/Linux)\$</i>
<i>(query)</i>	
is_free	--
boolean (boolean null)	
<i>(query)</i>	
min_price	min_price
number (number string null)	<i>minimum: 0</i>
<i>(query)</i>	
max_price	max_price
number (number string null)	<i>minimum: 0</i>
<i>(query)</i>	
min_score	min_score
integer (integer null)	<i>maximum: 100</i> <i>minimum: 0</i>
<i>(query)</i>	
release_from	release_from
string (string null)(\$date)	
<i>(query)</i>	
release_to	release_to
string (string null)(\$date)	
<i>(query)</i>	
sort	<i>Default value : name</i>
string (string null)	name
<i>(query)</i>	
order	<i>Default value : asc</i>
string	asc
<i>(query)</i>	<i>pattern: ^(asc/desc)\$</i>

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {}}</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }]}</pre>	No links

developers

GET

/api/v1/developers

List Developers Route

Parameters

Try it out

Name	Description
page integer (query)	Default value : 1 1 minimum: 1
per_page integer (query)	Default value : 20 20 maximum: 100

Name	Description
q	minimum: 1 q

string | (string | null) (query)

Responses		
Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {}}</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }]}</pre>	No links

GET

/api/v1/developers/{slug}

Get Developer Detail

Parameters

Try it out

Name	Description
slug * required	slug

Name	Description
(path)	

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {}}</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }]}</pre>	No links

GET

/api/v1/developers/{slug}/games

List Developer Games

^

Parameters

Try it out

Name	Description
slug * required	
string	slug
(path)	

Name	Description
page integer (query)	Default value : 1 1 minimum: 1
per_page integer (query)	Default value : 20 20 maximum: 100 minimum: 1
genre string (string null) (query)	genre
tag string (string null) (query)	tag
publisher string (string null) (query)	publisher
platform string (string null) (query)	platform pattern: ^(windows/mac/linux)\$
is_free boolean (boolean null) (query)	--
min_price number (number string null) (query)	min_price minimum: 0
max_price number (number string null) (query)	max_price minimum: 0
min_score integer (integer null) (query)	min_score maximum: 100 minimum: 0
release_from string (string null)(\$date) (query)	release_from
release_to string (string null) (query)	release_to

Name	Description
<code> null)(\$date)</code> <i>(query)</i>	
sort	<i>Default value : name</i>
string (string null) <i>(query)</i>	name
order	<i>Default value : asc</i>
string <i>(query)</i>	asc <i>pattern: ^(asc desc)\$</i>

Responses

Code	Description	Links
200	Successful Response	<i>No links</i>
	Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre>	
422	Validation Error	<i>No links</i>
	Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }] }</pre>	

Name

Description

page

integer

(query)

Default value : 1

1

minimum: 1

per_page

integer

(query)

Default value : 20

20

maximum: 100

minimum: 1

Responses

Code

Description

Links

200

Successful Response

No links

Media type

application/json



Controls Accept header.

Example Value | Schema

```
{
  "additionalProp1": {}
}
```

422

Validation Error

No links

Media type

application/json



Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

GET

/api/v1/publishers/{slug} Get Publisher Detail



Parameters

Try it out

Name	Description
slug * required string (path)	slug

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {}}</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }]}</pre>	No links

GET

/api/v1/publishers/{slug}/games

List Publisher Games

^

Parameters

Try it out

Name	Description
------	-------------

Name	Description
slug * required string (path)	slug
page integer (query)	Default value : 1 1 minimum: 1
per_page integer (query)	Default value : 20 20 maximum: 100 minimum: 1
genre string (string null) (query)	genre
tag string (string null) (query)	tag
developer string (string null) (query)	developer
platform string (string null) (query)	platform pattern: ^(windows/mac/Linux)\$
is_free boolean (boolean null) (query)	--
min_price number (number string null) (query)	min_price minimum: 0
max_price number (number string null) (query)	max_price minimum: 0
min_score integer (integer null) (query)	min_score maximum: 100 minimum: 0
release_from string (string null)(\$date)	release_from

Name	Description
<i>(query)</i>	
release_to	release_to
string (string null)(\$date)	
<i>(query)</i>	
sort	<i>Default value</i> : name
string (string null)	name
<i>(query)</i>	
order	<i>Default value</i> : asc
string	asc
<i>(query)</i>	<i>pattern</i> : ^(asc desc)\$

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema { "additionalProp1": {} }	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }] }	No links

POST

/api/v1/collections

Create Collection Route

^

Parameters

Try it out

No parameters

Request body required

application/json

^

Example Value | Schema

```
{
  "name": "string",
  "description": "string",
  "is_public": false
}
```

Responses

Code	Description	Links
201	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": 0, "user_id": 0, "name": "string", "description": "string", "is_public": true, "created_at": "2026-03-11T19:20:03.414Z", "updated_at": "2026-03-11T19:20:03.414Z" }</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", </pre>	No links

Code	Description	Links
	<pre> "type": "string" }] }</pre>	

GET

/api/v1/collections

List My Collections



Parameters

Try it out

Name	Description
page integer (query)	Default value : 1 1 minimum: 1
per_page integer (query)	Default value : 20 20 maximum: 100 minimum: 1

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0] }] }</pre>	No links

Code	Description	Links
	<pre>], "msg": "string", "type": "string" }]</pre>	

GET

/api/v1/collections/public

List Public Collections Route

^

Parameters

Try it out

Name	Description
page integer (query)	Default value : 1 1 minimum: 1
per_page integer (query)	Default value : 20 20 maximum: 100 minimum: 1
sort string (query)	Default value : created_at created_at pattern: ^(created_at game_count)\$

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema { "additionalProp1": {} }	No links
422	Validation Error Media type application/json Example Value Schema	No links

Code	Description	Links
	<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }] }</pre>	

GET

/api/v1/collections/{collection_id}

Get Collection Detail



Parameters

Try it out

Name	Description
collection_id * required integer (path)	collection_id

Responses

Code	Description	Links
200	Successful Response	No links
	Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": 0, "user_id": 0, "name": "string", "description": "string", "is_public": true, "created_at": "2026-03-11T19:20:03.430Z", "updated_at": "2026-03-11T19:20:03.430Z", "games": [] }</pre>	
422	Validation Error	No links
	Media type application/json Example Value Schema	

Code	Description	Links
	<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }] }</pre>	

PUT **/api/v1/collections/{collection_id}** Update Collection Route

 

Parameters

Try it out

Name	Description
collection_id * required integer (path)	collection_id

Request body **required**

application/json



Example Value | Schema

```
{
  "name": "string",
  "description": "string",
  "is_public": true
}
```

Responses

Code	Description	Links
200	Successful Response	No links
	Media type application/json  Controls Accept header. Example Value Schema <pre>{ "id": 0, "user_id": 0, "name": "string", "description": "string", "is_public": true, </pre>	

Code	Description	Links
	<pre>"created_at": "2026-03-11T19:20:03.443Z", "updated_at": "2026-03-11T19:20:03.443Z" }</pre>	
422	Validation Error	No links
Media type		
application/json		
Example Value Schema		
<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }] }</pre>		

DELETE

/api/v1/collections/{collection_id}

Delete Collection Route



Parameters

Try it out

Name	Description
collection_id * required integer (path)	collection_id

Responses

Code	Description	Links
204	Successful Response	No links
422	Validation Error	No links

Media type

application/json

▼

Example Value

Schema

```
{  "detail": [    {      "loc": [        "string",        0      ],      "msg": "string",      "type": "string"    }  ] }
```

Code	Description	Links
	<pre>], "msg": "string", "type": "string" }]</pre>	

POST

/api/v1/collections/{collection_id}/games/{game_id}

Add Game To Collection Route

 

Parameters

Try it out

Name	Description
collection_id * required integer (path)	collection_id
game_id * required integer (path)	game_id

Responses

Code	Description	Links
201	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {} }</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], </pre>	No links

Code	Description	Links
	<pre>"msg": "string", "type": "string" } 1 }</pre>	

DELETE

/api/v1/collections/{collection_id}/games/{game_id}

^

Remove Game From Collection Route

Parameters

Try it out

Name	Description
collection_id * required integer (path)	collection_id
game_id * required integer (path)	game_id

Responses

Code	Description	Links
204	Successful Response	No links
422	Validation Error	No links

Media type

application/json ^

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

GET

/api/v1/analytics/release-trends

Release Trends



Parameters

Try it out

Name

Description

release_from
string |
(string | null)
(\$date)
(query)

release_from

release_to
string |
(string | null)
(\$date)
(query)

release_to

Responses

Code

Description

Links

200

Successful Response

No links

Media type

application/json



Controls Accept header.

Example Value | Schema

```
{
  "additionalProp1": {}
}
```

422

Validation Error

No links

Media type

application/json



Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

GET

/api/v1/analytics/top-genres

Top Genres

⌵

Parameters

Try it out

Name	Description
limit integer (query)	Default value : 20 20 maximum: 100 minimum: 1

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {}}</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }]}</pre>	No links

GET

/api/v1/analytics/genre-growth

Genre Growth

⌵

Parameters

Try it out

Name	Description
genres	genres
string (string null) (query)	
from	from
integer (integer null) (query)	
to	to
integer (integer null) (query)	

Responses

Code	Description	Links
200	Successful Response	No links
	Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {}}</pre>	
422	Validation Error	No links
	Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }]}</pre>	

GET

/api/v1/analytics/price-distribution

Price Distribution

^

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json ▼ Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {}}</pre>	No links

GET

/api/v1/analytics/top-developers

Top Developers

^

Parameters

Try it out

Name	Description
sort	Default value : game_count
string	
(query)	game_count pattern: ^(game_count avg_metacritic_score)\$
limit	Default value : 20
integer	
(query)	20 maximum: 100 minimum: 1

Responses

Code	Description	Links
200	Successful Response	No links

Code	Description	Links
	Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {}}</pre>	
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }]}</pre>	No links

GET

/api/v1/analytics/score-by-genre

Score By Genre

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response	No links
Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {}}</pre>		

GET

/api/v1/analytics/free-vs-paid

Free Vs Paid

⌵

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {}}</pre>	No links

GET

/api/v1/analytics/platform-breakdown

Platform Breakdown

⌵

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response	No links
Media type		
application/json		
Controls Accept header.		
Example Value Schema		
{ "additionalProp1": {} }		

GET

/api/v1/analytics/review-sentiment

Review Sentiment

⌵

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "additionalProp1": {}}</pre>	No links

Schemas	^
CollectionCreateRequest ^ Collapse all object	
name*	string [1, 120] characters
description	^ Collapse all (string null)
Any of	^ Collapse all (string null)
#0	string ≤ 1000 characters

#1 null

is_public ^ Collapse all boolean

Default=false

CollectionDetail ^ Collapse all object

id* integer

user_id* integer

name* string

description ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

is_public* boolean

created_at* string date-time

updated_at* string date-time

games ^ Collapse all array<object>

Items ^ Collapse all object

id* integer

steam_app_id* integer

name* string

release_date ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string date

#1 null

price_usd ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

is_free* boolean

metacritic_score ^ Collapse all (integer | null)

Any of ^ Collapse all (integer | null)

#0 integer

#1 null

positive_reviews* integer

negative_reviews* integer

windows* boolean

mac* boolean

linux* boolean

Default empty array

CollectionRead ^ Collapse all object

id* integer

```
user_id* integer

name* string

description ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

is_public* boolean

created_at* string date-time

updated_at* string date-time
```

CollectionUpdateRequest ^ Collapse all object

```
name ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string [1, 120] characters
    #1 null

description ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string ≤ 1000 characters
    #1 null

is_public ^ Collapse all (boolean | null)
  Any of ^ Collapse all (boolean | null)
    #0 boolean
    #1 null
```

GameDetail ^ Collapse all object

```
id* integer

steam_app_id* integer

name* string

release_date ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string date
    #1 null

price_usd ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

is_free* boolean

metacritic_score ^ Collapse all (integer | null)
  Any of ^ Collapse all (integer | null)
    #0 integer
    #1 null

positive_reviews* integer
```

```
negative_reviews* integer

windows* boolean

mac* boolean

linux* boolean

about_the_game ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

required_age* integer

estimated_owners ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

peak_ccu ^ Collapse all (integer | null)
  Any of ^ Collapse all (integer | null)
    #0 integer
    #1 null

discount_percent ^ Collapse all (integer | null)
  Any of ^ Collapse all (integer | null)
    #0 integer
    #1 null

dlc_count ^ Collapse all (integer | null)
  Any of ^ Collapse all (integer | null)
    #0 integer
    #1 null

supported_languages ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

full_audio_languages ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

reviews ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

website ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

support_url ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
```

```
#0 string
#1 null

support_email ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

header_image ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

metacritic_url ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

user_score ^ Collapse all (integer | null)
  Any of ^ Collapse all (integer | null)
    #0 integer
    #1 null

score_rank ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

achievements ^ Collapse all (integer | null)
  Any of ^ Collapse all (integer | null)
    #0 integer
    #1 null

recommendations ^ Collapse all (integer | null)
  Any of ^ Collapse all (integer | null)
    #0 integer
    #1 null

notes ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

average_playtime_forever ^ Collapse all (integer | null)
  Any of ^ Collapse all (integer | null)
    #0 integer
    #1 null

average_playtime_two_weeks ^ Collapse all (integer | null)
  Any of ^ Collapse all (integer | null)
    #0 integer
    #1 null

median_playtime_forever ^ Collapse all (integer | null)
```

Any of ^ Collapse all (integer | null)

#0 integer

#1 null

median_playtime_two_weeks ^ Collapse all (integer | null)

Any of ^ Collapse all (integer | null)

#0 integer

#1 null

screenshots ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

movies ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

created_at* string date-time

genres ^ Collapse all array<object>

Items ^ Collapse all object

id* integer

name* string

slug* string

Default empty array

tags ^ Collapse all array<object>

Items ^ Collapse all object

id* integer

name* string

slug* string

Default empty array

categories > Expand all array<object>

developers ^ Collapse all array<object>

Items ^ Collapse all object

id* integer

name* string

slug* string

Default empty array

publishers ^ Collapse all array<object>

Items ^ Collapse all object

id* integer

name* string

slug* string

Default empty array

GameListItem ^ Collapse all object

```
id* integer

steam_app_id* integer

name* string

release_date ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string date
    #1 null

price_usd ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null

is_free* boolean

metacritic_score ^ Collapse all (integer | null)
  Any of ^ Collapse all (integer | null)
    #0 integer
    #1 null

positive_reviews* integer

negative_reviews* integer

windows* boolean

mac* boolean

linux* boolean
```

HTTPValidationError ^ Collapse all object

```
detail ^ Collapse all array<object>
  Items ^ Collapse all object
    loc* ^ Collapse all array<(string | integer)>
      Items ^ Collapse all (string | integer)
        Any of ^ Collapse all (string | integer)
          #0 string
          #1 integer

    msg* string

    type* string
```

LoginRequest ^ Collapse all object

```
email* string email

password* string [1, 128] characters
```

NamedSlug ^ Collapse all object

```
id* integer

name* string
```

slug* string

RegisterRequest ^ Collapse all object

email* string email

password* string [8, 128] characters

display_name ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string ≤ 120 characters

#1 null

TokenResponse ^ Collapse all object

access_token* string

token_type ^ Collapse all string

Default="bearer"

UpdateMeRequest ^ Collapse all object

display_name ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string ≤ 120 characters

#1 null

password ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string [8, 128] characters

#1 null

UserRead ^ Collapse all object

id* integer

email* string email

display_name ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

created_at* string date-time

ValidationError ^ Collapse all object

loc* ^ Collapse all array<(string | integer)>

Items ^ Collapse all (string | integer)

Any of ^ Collapse all (string | integer)

#0 string

#1 integer

msg* string

type* string