



RENDERHEADS



## **AVPro Movie Capture**

**Unity plugin for real-time capture to AVI/MP4 file**

*Version 2.96*


*Released 6 March 2017*

# Contents

1. Introduction
2. Features
3. System Requirements
4. Installation
  - 4.1 Trial Version Upgrade Notes
5. Codec Setup
  - 5.1 Lagarith Codec
  - 5.2 x264 Codec
  - 5.3 Xvid Codec
  - 5.4 MagicYuv Codec
6. Usage
  - 6.1 In-Editor Capture
  - 6.2 In-Game Capture
  - 6.3 Offline Rendering
7. Components
8. Custom Usage
9. Tips
10. Support
11. About RenderHeads Ltd
  - 11.1 Services
  - 11.2 Our Unity Plugins
12. Appendix A - FAQ
13. Appendix B - Version History
14. Appendix C - Road Map


## 1. Introduction

“AVPro Movie Capture” is a plugin for Unity that allows recording video directly to disk as an AVI file.



Whether we're just testing out an idea for a new effect, playing around with some parameters or producing demos for our clients, we often find it useful to be able to quickly and easily capture a video from within Unity. Previously we used screenshots and captured videos using tools like Fraps, however we wanted something completely integrated into Unity and so AVPro Movie Capture was born.

The asset package consists of the following elements:



- DemoScenes
  - **CameraCaptureDemo.unity** - A simple demo showing how to use the AVProMovieCaptureFromCamera component.
  - **MovieCaptureDemo.unity** - A simple demo scene showing how to use the AVProMovieCaptureFromScene component.
  - **SurroundCaptureDemo.unity** - A simple demo scene showing how to use the AVProMovieCaptureFromCapture360 component.
  - **TextureCaptureDemo.unity** - A simple demo scene showing how to use the AVProMovieCaptureFromTexture component.
  - **WebcamCaptureDemo.unity** - A simple demo scene showing how to use the AVProMovieCaptureFromTexture component.
- Plugins
  - **AVProMovieCapture.dll** - The main plugin DLL that talks to DirectShow.
  - **AVProMovieCapture64.dll** - The main 64-bit plugin DLL that talks to DirectShow.
- Scripts
  - **AVProMovieCapturePlugin.cs** - Wrapper interface to access capture functions in the DLL.
  - **AVProMovieCaptureBase.cs** - Base class
  - **AVProMovieCaptureGUI.cs** - Helper component that displays a GUI

- exposing the capture options of AVProMovieCaptureBase
- **AVProMovieCaptureFromCamera.cs** - Drag 'n drop component to allow easy capturing from a camera but not IMGUI.
  - **AVProMovieCaptureFromCamera360.cs** - Drag 'n drop component to allow easy capturing from a camera in 360 degree equirectangular format, without capturing any IMGUI.
  - **AVProMovieCaptureFromScene.cs** - Drag 'n drop component to allow easy capturing of the entire scene including IMGUI.
  - **AVProMovieCaptureFromTexture.cs** - Drag 'n drop component to allow easy capturing of a dynamic texture.
  - **AVProUnityAudioCapture.cs** - Drag 'n drop component for capturing Unity audio into a buffer for saving to the AVI file.
- **Shaders**
    - **AVProMovieCapture\_RedBlueSwap.shader** - Internal shader used to swap red and blue channels.
    - **AVProMovieCapture\_RGBA2YCbCr.shader** - Internal shader used to convert RGBA to YCbCr YUY2 format.

## 2. Features

- High performance.
- Easy to use.
- Use any video codec you want.
- Real-time capture and offline rendering.
- Works in the editor and also in stand-alone builds.
- Can capture alpha channel for creating transparent videos.
- Records audio directly from Unity or from a Windows recording device.
- Equirectangular capture for 360 degree VR
- Motion blur rendering (experimental)
- Linear and Gamma colour-spaces supported

Useful for:

- Games - recording gameplay.
- Development - easily record videos for clients or to share online.
- Testing - create videos of bugs to aid debugging.
- Interactive Installations - making videos of each user session.

## 3. System Requirements

- Unity Pro 4.0 and above
- Unity 5.0 and above
- Desktop Microsoft Windows platform (32-bit and 64-bit)
- Windows XP SP3 and higher
- Codecs for any video formats you want to record to

### 3.1 Platforms not Supported

- WebGL
- WebPlayer
- Mobile: Android, iOS, Windows Phone
- Mac
- Linux
- Windows Store Apps (Note: Windows Metro apps don't support DirectShow which this plugin is built upon. This plugin only supports Windows desktop apps)

## 4. Installation

1. Import the **unitypackage** file into your Unity project.
2. Move the DLL plugin files to the appropriate folder:
  - a. In Unity version 4.x move the **Assets/AVProMovieCapture/Plugins** folder to **Assets/Plugins**.
  - b. In Unity version 5.x the above can be done, or the **plugin inspector** can be used. Click on each DLL and assign the appropriate platform settings.

For the 32-bit plugin (in the /Plugins/x86 folder), assign the Editor and Standalone platforms. For the Editor platform assign x86 and Windows only. For the Standalone platform assign x86 only.

For the 64-bit plugin (in the /Plugins/x86\_64 folder), assign the Editor and Standalone platforms. For the Editor platform assign x86\_64 and Windows only. For the Standalone platform assign x86\_64 only.

Make sure you only have a single copy of the plugins in your project.

3. Ensure you have the relevant **codecs installed** for the formats you want to record to.

### 4.1 Trial Version Upgrade Notes

If you are upgrading from the trial version, make sure you delete the old /Assets/Plugins folder as this contains the trial plugin and could conflict.

If you are using Unity 4.x you will also then need to copy the new /Assets/AVProMovieCapture/Plugins folder contents to your /Assets/Plugins folder.

## 5. Codec Setup

There are many codecs out there, each with their own pros and cons. Some codecs are great for real-time encoding, some are lossless and some achieve tiny file sizes so it is important to consider which codec you use and configure them correctly for your needs.

Codecs we recommend:

Codec	Real-time	Loss-less	File Size	Alpha Channel
Lagarith	Yes	Yes	Large	Yes*
x264	Yes*	Yes*	Small - Medium	No
Xvid	Yes	No	Medium	No
MagicYUV	Yes	Yes	Large	Yes*

\*= after configuring the codec

### 5.1 Lagarith Codec


website: <http://lags.leetcode.net/codec.html>

Lagarith is a great general purpose codec. It's fast enough for real-time (due to great multi-threading) and lossless. Naturally the files it generates are very large and not suitable for sharing over the net. We use Lagarith as an intermediate codec for real-time capturing and then re-encode to something else like MP4 offline.

Always check your codec settings. You can do this directly in the plugin via the Configure button, or in 3rd party software like Virtualdub (video>compression menu). Recommended settings:

- Enable "Null Frames"
- Enable "Use Multithreading"
- Set Mode to RGB or RGBA if you need to capture alpha channel





*Recommended Lagarith Settings*

## 5.2 x264 Codec


website: <http://sourceforge.net/projects/x264vfw/>

x264 is a highly tunable codec and suits almost any need. By default it's set up for off-line processing which produces tiny files but generally uses way too much CPU for real-time capture. We tweak x264 for real-time capture and use it to directly generate video files suitable for sharing. x264 can also be used with an MP4 muxer to generate MP4 files instead of AVI files (see FAQ).

Always check your codec settings. You can do this directly in the plugin via the Configure button, or in 3rd party software like Virtualdub (video>compression menu). Recommended settings:

- Preset: Fast/Veryfast/Superfast
- Enable "Fast Decode"
- Set "Ratefactor" to your desired quality level
- Enable "VirtualDub Hack"
- Set Debug "Log level" to None
- Checking 'Zero Latency' can help with AV sync and also improve cross-platform playback (for some reason).

Note: You may have to run this configuration twice - once for the 32-bit x264 config, and again for the 64-bit x264 config. These settings are separate for 32bit and 64bit so if you're running 64-bit Unity it will use the 64-bit settings, but then if you build a 32-bit standalone app it will use the 32-bit settings - so it is often best to just build the same "bitness" so you're using in Unity editor to avoid such confusion.




*Recommended x264 settings for real-time capture*

### 5.3 Xvid Codec

website: <http://www.koepi.info/xvid.html>

If you want to use Xvid make sure to disable the option “Display encoding status” under “Other options”.



*Recommended Xvid settings for real-time capture*

### 5.4 MagicYUV Codec


website: [http://magic\\_YUV.com/](http://magic_YUV.com/)

Another fast codec for real-time capture


## 6. Usage

### 6.1 In-Editor Capture

The editor components allow you to quickly and easily capture videos directly from inside the editor without modifying your scene. Simply open the AVPro Movie Capture editor window:



You can now add this UI panel to your editor layout to allow one-click video captures, or open and close it as needed.



This panel allows you to configure your recording options and codecs. All settings are remembered between sessions so once it has been configured once you only need to press the “Start Capture” button.

Caveat:

Currently selecting “Unity” as the audio source requires you to manually add the AVProUnityAudioCapture component to the main camera of your scene (the one with the main Audio Listener) before hitting Play on your scene.

## 6.2 In-Game Capture

You can add one of the components (eg AVProMovieCaptureFromScene / AVProMovieCaptureFromCamera) to your scene and trigger them to record directly from

your game. This works in the editor and standalone.

### **6.3 Offline Rendering**

For visuals that don't require real-time input (cut-scenes, procedural animations, input playback systems) you have the option to record in offline/non-realtime mode. This mode allows you to capture every frame of animation even if the playback runs very slowly and allows you to capture to any target frame rate.

For example you may have a sequence that runs at 5fps at the highest quality. You can use offline recording to render this to a 60fps video.

You may also have an animation that renders at 500fps and you need to compress it to video as quickly as possible. With offline recording it will record as fast as the video compressor will run.

## **7. Components**


There are 2 main components that come with this plugin.

### **AVProMovieCaptureFromCamera & AVProMovieCaptureFromScene**

In Unity 3.5 and above AVProMovieCaptureFromScene is faster than AVProMovieCaptureFromCamera as it accesses the graphics API directly. For older versions of Unity, AVProMovieCaptureFromCamera has the best performance, however it cannot capture the GUI.

### **AVProMovieCaptureFromCamera Component**

This component is attached to a camera and captures the 3D output from that capture. It cannot capture GUI (for this use the AVProMovieCaptureFromScene component). Simply drag the "AVProMovieCaptureFromCamera " script to the camera you want to capture or select it from the "AVPro Movie Capture" components menu. Make sure "AVProMovieCaptureFromCamera" component is the last component on your camera.



The component can be set to start/stop recording when a specific key is pressed, or it can be set to start recording when the application starts.

The option “List video codecs on start” will print the list of available video codecs installed on the machine to the console. This is useful to be able to know which codecs you can use.


“Video codec priority” is an array of strings the user is free to edit. Each string is the name of a codec. When the component runs it will try to select the codec from the the list that it finds first on the system.

“Force video codec index” will override the “Video codec priority” list and allows the user to easily select a codec from the list of system codecs. This index is not an index into the above list of codec names but into the list returned in the console. This value is default to “-1”

which means ignore and use the priority codec list.

## AVProMovieCaptureFromScene Component

This is the preferred component for capturing as it grabs directly from the GPU buffers bypassing Unity (requires Unity 3.5) and is thus faster. Unlike AVProMovieCaptureFromCamera this component captures the entire scene including the GUI. It must be added to a camera object in the scene.



The options are the same as AVProMovieCaptureFromCamera .

## Components Comparison

Component	Native	Unity GUI
AVProMovieCaptureFromScene	Yes	Yes
AVProMovieCaptureFromCamera	Yes	No

**Native** - Support for native GPU capturing as opposed to using Unity's Texture2D.GetPixels32(). Native is the fastest method of capturing.

**Unity GUI** - Whether the capture will include the Unity GUI

## 8. Custom Usage

If you want to go beyond the component you can access the functionality of the AVProMovieCapture DLL directly or edit AVProMovieCaptureBase.cs to make your changes.



The DLL has the following functions which are wrapped in AVProMovieCapturePlugin.cs:

**bool Init();**

Global initialisation for the plugin. Returns false if unsuccessful.

**void Deinit();**

Global deinitialisation for the plugin.

**int GetNumAVIVideoCodecs();**

Returns the number of video codecs on the system.

**bool GetAVIVideoCodecName(int index, StringBuilder name);**

Returns true if successful. The name of the system codec at index is returned as a StringBuilder. StringBuilder should be created with size 512.

**int GetNumAVIAudioInputDevices();**

Returns the number of audio input devices on the system.

**bool GetAVIAudioInputDeviceName(int index, StringBuilder name);**

Returns true if successful. The name of the system audio input device at index is returned as a StringBuilder. StringBuilder should be created with size 512.

**int CreateRecorderAVI(string filename, uint width, uint height, int format, bool isTopDown, int videoCodecIndex, int audioInputDeviceIndex);**

Creates a recorder instance to generating AVI files. An integer is returned which is a unique value specific to this instance of the recorder.

**void Start(int handle);**

Starts recording. Handle is the handle of the recorder instance.

**void Pause(int handle);**

Pauses recording.

**bool IsNewFrameDue(int handle);**

Let's us know whether the encoder is ready for another frame.

**bool EncodeFrame(int handle, System.IntPtr data);**

Sends frame to be encoded. "data" points to an array of widthxheight and with a bitdepth of 32 for RGBA32 videos and 16 for YUY2 videos.

**void Stop(int handle);**

Stops recording. Handle is the handle of the recorder instance.

**void FreeRecorder(int handle);**

Releases the instance of the recorder.

## 9. Tips

For best results we recommend:

1. Install and use the [Lagarith](#) video codec. It is a free lossless codec with excellent performance. It does produce quite large files though so you may need to convert it to another format before sharing/uploading. You need to configure the Lagarith codec and enable multi-threading and null frames.
2. If you need to convert videos from one codec to another use [VirtualDub](#) or FFMPEG from the command-line.
3. Install and use the [X264 VFW](#) video codec. It is fairly fast and produces videos of a very small file size. If you're recording at a high resolution though you'll need a very fast CPU for this codec.
4. If a specified codec couldn't be found, a warning is generated and uncompressed video will be produced.
5. For best performance create a build and do your captures from the build running in full-screen mode.
6. Capture a resolution that has a width that is a multiple of 16. This should allow best cache usage and SIMD instructions to be used during memcopy.

## 10. Support

Please contact us if you are in need of support or have any comments/suggestions regarding this product.

Website: <http://www.renderheads.com/portfolio/UnityAVProMovieCapture/>

Support website: <http://www.renderheads.com/contact/>

Forum: <http://forum.unity3d.com/threads/120717-Released-AVPro-Movie-Capture>

Email: [unitysupport@renderheads.com](mailto:unitysupport@renderheads.com)

### 10.1 Bug Reporting

If you are reporting a bug, please include any relevant information and details so that we may remedy the problem as fast as possible. Useful information includes:

1. Unity version
2. Operating system
3. GPU model
4. Rendering API (DX9 / DX11 / OpenGL)
5. AVPro Movie Capture plugin version
6. Screenshot of the bug
7. Output log
8. Which codec you are using
9. Which plugin component you are using (eg AVProMovieCaptureFromScene)
10. A copy of the captured video file (if relevant)

## 11. About RenderHeads Ltd



RenderHeads Ltd is an award winning creative and technical company that has been designing and building cutting edge technology solutions since its formation in 2006. We specialise in creating unique interactive audio-visual software for installations at auto shows, museums, shows and expos.

### 11.1 Services


- Unity plugin development
- Unity game / interaction / augmented reality development
- Unity consulting

### 11.2 Our Unity Plugins

Many of the apps and projects we develop require features that Unity doesn't yet provide, so we have created several tools and plugins to extend Unity which are now available on the Unity Asset Store. They all include a **free trial or demo version** that you can download directly from the website here:

<http://renderheads.com/product-category/for-developers/>

#### 11.2.1 AVPro Video



Powerful cross-platform video playback solution for Unity, featuring support for Windows, OS X, iOS, Android and tvOS. This is our newest plugin.

#### 10.2.2 AVPro Movie Capture

Video capture to AVI files direct from the GPU and encoded to files using DirectShow codecs. Features include 4K captures, lat-long (equirectangular) 360 degree captures, off-line rendering and more. Windows only.

#### 11.2.3 AVPro Live Camera

Exposes high-end webcams, tv cards and video capture boards to Unity via DirectShow. Windows only.

#### 11.2.4 AVPro DeckLink



Integrates DeckLink capture card functionality into Unity, allowing users to send and receive high-definition uncompressed video data to and from these capture cards.

### **11.2.5 Screenshot Annotator Pro**

Highly productive tool allowing in-game and in-editor annotation of screenshots which can then be shared with your team via FTP, Email, Slack or Teamwork.com with the click of the mouse. Cross-platform.

## Appendix A - FAQ (Frequently Asked Questions)

### 1. How do I update to the latest version of this plugin?

If you have purchased this plugin from the Unity Asset Store then you simply login to the store and check if there is a new version to update to.

### 2. Does this plugin record the audio from Unity?

Yes, if you use the AVProUnityAudioCapture component you can record audio directly from Unity.

### 3. How do I fix the error: "DLLNotFoundException"?

You need to move/copy the "Plugins" folder from your "AVProMovieCapture" folder into the root of your folder structure. This means the "Plugins" folder should be moved to your "Assets" folder. Unfortunately this is a limitation in the way Unitys Asset Store handles plugins.

### 4. How do I fix the error: "DLLNot FoundException" where it's trying to load the 64-bit DLL in the editor?

Sometimes Unity gets confused and will try to load the 64-bit DLL in the editor (which is only 32-bit). To fix this:

- a. Open Build Settings
- b. Select Web Player platform and press Switch Platform
- c. Select PC and Mac Standalone (with Target platform set to Windows not Windows 64-bit) and press Switch Platform

### 5. Where are my movie captures stored?

By default the components auto-generate a filename each time you run a capture. These files are stored in the root of your project (the folder above "Assets"). You can always disable auto-generation of filenames in the component and specify your own file name and location for a capture.

### 6. How do I record in-game audio and microphone audio at the same time?

Currently this plugin only supports recording audio from a single Windows audio device. There is a "trick" you can use though. In Windows 7 (and perhaps Vista) you may be able to set your microphone to play through the speakers by going to:

Control Panel -> Sound -> Recording -> Select your microphone -> right click -> Properties -> Listen -> check "Listen to this device".

You should then hear your microphone recording through your speakers. It's recommended to use headphones during recording to prevent feedback from the speakers into the microphone.

**7. How do I get this plugin working with 64-bit Windows builds?**

Currently in Unity there is no way to automatically support both 32-bit and 64-bit plugins at build time so you need to rename the plugin file manually once you've made a build. In your build "plugins" folder simply delete "AVProMovieCapture.dll" and rename "AVProMovieCapture64.dll" to "AvProMovieCapture.dll".

**8. How do I prevent Unity from freezing after doing a recording using the Xvid MPEG4 codec?**

Open the configuration for the Xvid MPEG4 codec and go to the "other options" page and make sure "Display encoding status" is not selected.

**9. I'm using Autodesk ScaleForm and it's glitching, how do I get it to record properly?**

ScaleForm doesn't seem to like it when render settings (window size, vsync count) are changed while the app/game is running. This plugin removes vsync during recordings which breaks the ScaleForm rendering. Just run your app/game using a quality settings that doesn't have vsync.

**10. How can I encode to MP4 container file instead of AVI?**

You need to download the following codec: <http://www.gdcl.co.uk/mpeg4/>  
Install it from the command-line using "regsvr32 mp4mux.dll" command via an Administrator command-prompt. In the AVPro Movie Capture plugin specify your target file name ending with ".mp4". Here are some alternative installation instructions:

- a. Download the mpeg4.zip file from <http://www.gdcl.co.uk/mpeg4/>
- b. Extract the zip to somewhere on your system (eg C:\Tools\mpeg4)
- c. Create a file called register.bat and edit it in notepad and paste the following:

```
regsvr32.exe C:\Tools\mpeg4\x86\mp4mux.dll
regsvr32.exe C:\Tools\mpeg4\x64\mp4mux.dll
pause
```

- d. Save the file and close notepad
- e. Right click on the register.bat file and choose "Run as administrator"
- f. The script should run and register all 4 DLLs to your system

Note that the MP4 container only support certain video and audio codecs (unlike AVI). We recommend using x264vfw video codec and MPEG 3 / AC3 audio codec. You may need to disable audio recording if you aren't using the recommended audio codec.

#### **11. I have compiled the scripts into a DLL and am now experiencing some unexpected behaviour.**

Some of our scripts have Unity version-specific preprocessor defines which determine how they compile (eg UNITY\_4\_0). Usually when you build an external DLL these defines are missing and so the incorrect version of the code can be compiled. You need to add the appropriate compiler defines to your build.

#### **12. My videos aren't capturing correctly, or they appear upside-down**


This can happen when Unity is using OpenGL emulation in the editor (which can happen when your built target is set to other platforms such as Android, iOS etc). Check your Edit > Graphics Emulation settings to make sure no emulation is being used. Check your File > Build Settings and for best results set this to "PC, Mac & Linux Standalone" then press "Switch Platform" and restart Unity.

#### **13. The plugin crashes when it starts, what could be causing this?**

The first thing the plugin does is enumerates all of the video and audio codecs and audio recording devices installed on your system. It is possible that there's a problem with one of these. Try uninstalling all 3rd party codecs you have installed. Once you have it working you can be reinstalling the codecs again. We have found that the professional version of the Cinepak codec can caused this issue.

#### **14. How can I fix issues when also using the AVPro Live Camera plugin?**

We've had reports that if you adjust the script execution order then the two plugins will work together:





## 15. How can I create transparent videos with an alpha channel?

- a. Select a video codec that supports alpha channels:
  - i. Uncompressed
  - ii. Lagarith
  - iii. Cineform
- b. If you use Lagarith make sure it's configured to Mode=RGBA and enable "Use Multithreading".
- c. Use the AVProMovieCaptureFromCamera component and make sure "Support Alpha" is ticked. Or if you use the Editor Window select "Camera" as the source type and make sure "Support Alpha" is ticked on the Visual tab.
- d. Set the background colour of your capture camera and set the alpha value to zero.

## 16. How can I output to a named pipe?

This is an experimental feature that allows the captured video to be written to a named pipe. This allows other software to listen for the incoming video frames. Change the AVProMovieCapture component OutputMode to "Named Pipe". Using FFmpeg you can connect to the named pipe:

```
ffmpeg.exe -y -f rawvideo -codec rawvideo -s 640x480 -r 30 -pix_fmt rgb32 -i  
\\.\pipe\test_pipe -an -c:v libx264 -pix_fmt yuv420p output.mp4
```

Currently it only outputs in rgb32 format and you need to specify the resolution and frame rate. Audio isn't supported.

Another example showing how to stream a video:

```
ffmpeg -r 25 -vcodec rawvideo -f rawvideo -pix_fmt yuv420p -s 1280x720 -i  
\\.\pipe\test_pipe -an -f rtp rtp://127.0.0.1:9090
```

## Appendix B - Version History

- **Version 2.96 - 6 March 2017**

- Improvements
  - 360 surround capture can now render uGUI elements when canvas is set to camera or world modes.
  - 360 surround capture now supports camera rotation
  - Fixed 360 surround capture orientation, as it was flipped horizontally
  - Improved motion blur support in 360 camera capture
  - Added Media Foundation capture option to Editor window
- UI / Workflow
  - Editor window UI improvements, including context hiding and usage warnings
- Bug fixes
  - Fixed FromCamera capture bug where build captures would render black to the screen
  - Fixed bug where editor window would unnecessarily spawn AudioCapture component
  - Fixed bug where audio capture component would be accessed when it shouldn't
  - Fixed crash bug in webcam demo

- **Version 2.94 - 27 September 2016**

- Fixed issue where camera captures would freeze when vsync changed

- **Version 2.92 - 26 September 2016**

- Fixed support for capturing transparency
- Improved robustness for enumeration of buggy audio devices
- Update documentation

- **Version 2.90 - 16 September 2016**

- New Features
  - New 360 degree equi-rectangular capture for VR
  - Better support for VR capture
  - Real motion blur feature for added quality to offline captures (BETA)
  - Captures from Camera can now be higher resolution than displayed allowing capture resolutions over 3840x2160
  - Captures from Camera can now have custom anti-aliasing settings
  - Experimental Media Foundation H.264 (MP4) encoder
- Changes
  - Added 75, 90 and 120 FPS capture modes for VR
  - Added variables to disable vsync and frame rate changing
  - Stop function now has parameter to skip processing of any pending frames - useful for canceling a capture quickly. Also added new

CancelCapture() function which stops capturing fast and deletes the capture file.

- Better capture of physics simulations in off-line capture mode
- Now stops recording when disk space is too low instead of crashing
- Added setting to start capturing in a paused state
- Dropped support for older versions of Unity, project now built with Unity 4.6
- Tested up to Unity 5.4
- Project files rearranged
- UI / Workflow
  - Editor window layout improvements
  - Component editor layout improvements
- Optimisations
  - Capture from Camera and RenderTexture much faster
- Bug fixes
  - Fixed linear color-space capture issues
  - Fixed crash bug on 64-bit builds when creating lots of captures
  - Fixed audio recording latency issue when using pause/resume
  - Fixed audio capture from Unity non-threaded issue causing clicks in recordings
  - Fixed codecs not showing config options sometimes
- **Version 2.72 - Monday 15 June 2015**
  - Fixed Unity 5.1 support
- **Version 2.70 - Wednesday 27 May 2015**
  - Fixed 64-bit VFW video codec enumeration issue
  - Fixed issue where multiple codecs could not be used at once
  - Improved demo capture dialog so it shows recording stats
  - Improved webcam demo to allow recording of multiple webcams
  - Fixed crash bug in watermarking
- **Version 2.64 - Saturday 18th April 2015**
  - Unity 4.6 and 5.0 support added
  - DX11 GPU red-blue swap and downscaling
  - Dropped official Unity 3.x support, minimum version supported is now 4.0
  - Fixed audio recording freeze bug
  - Better plugin folder structure
  - Faster watermarking
  - Added experimental writing to 'named pipes'
- **Version 2.55 - Monday 28 July 2014**
  - Unity 4.5 support
  - Unity audio capture now supports speaker modes other than stereo
  - Improved error reporting
  - Improved vsync handling

- **Version 2.52 - Thursday 27 February 2014**
  - Fixed unnamed scene recording bug
  - Removed usage of deprecated Unity functions
  - Added display of output frame resolution to UI
  - Video file now deleted before recording to prevent AVI bloat
- **Version 2.5 - Monday 24 February 2014**
  - Added new trial version
  - Added script to automatically copy the DLL files during installation
  - Added better output path options
  - Added support for more YCbCr formats
  - Improved in-editor GUI to allow capturing from specific camera
  - Various minor fixes to the demos
  - Fixed some script issues on non Windows platforms
- **Version 2.48 - Wednesday 15 January 2014**
  - Fixed crash bug when system has no codecs or devices
  - Minor improvements to UI
- **Version 2.46 - Monday 8 January 2014**
  - Added recording stats (file size and time)
  - Improved recording stats GUI
  - Fixed editor launch crash bug when using non Windows built settings
  - Added OpenGL emulation notes to FAQ for captures appearing upside-down
- **Version 2.44 - Monday 6 January 2014**
  - Fixed editor error message when launching configure dialogs
- **Version 2.42 - Monday 30 December 2013**
  - Fixed y-flip bug
  - Fixed camera capture bug using wrong texture size
  - Fixed DX11 viewport capture bug
- **Version 2.4 - Friday 27 December 2013**
  - Added codec configuration dialog support detection
  - Reduced CPU usage of new EditorWindow widget
  - Improved codec lists in new EditorWindow widget
  - EditorWindow can now play the scene to start recording
  - Improved documentation
- **Version 2.3 - Wednesday 4 December 2013**
  - Added proper fast native DX11 support
  - Scene capture no longer requires a camera
  - Added new EditorWindow widget for easier capturing from Editor
  - Improved documentation for best codec settings

- **Version 2.2 - Thursday 22 August 2013**
  - Added support for writing to MP4 container
  - Added support for Unity 4.2
  - Added automatic DLL swap for 64-bit builds
  - Fixed some material leaks
  - Fixed DX11 colour swap and flip bug
- **Version 2.02 - Monday 18 March 2013**
  - Added Unity 4.1 support
  - Fixed some platform #if issues
- **Version 2.0 - Monday 12 March 2013**
  - Added audio recording directly from Unity
  - Fixed GL.IssuePluginEvent() conflict bug with other AVPro plugins
  - Fixed DX11 recording in Unity 4.0
  - Fixed bug in audio codec listing
  - Renamed and restructured code
- **Version 1.8 - Tuesday 18 December 2012**
  - Added audio codec enumeration
  - Added Unity 4.0 support
  - GUI improved
  - Added more demos
- **Version 1.6 - Thursday 6 September 2012**
  - Added ability to pause movie capture
  - Scene capture resolution can differ from Screen resolution
  - Inspector: displays capture rate and has buttons to control capture
  - Less CPU usage
  - Optimisation: removed software RB channel swap
  - Optimisation: removed per-frame memcpy
  - Optimisation: removed vertical flip
  - GUI layout improved
  - Lots of source cleaning up
- **Version 1.5 - Monday 6 June 2012**
  - Improved smoothness of captures significantly.
  - 64-bit Windows support added.
  - Added GUI to easily set up recordings (taken from previous demo scene).
  - Added code to detect dropped frames during encoding.
- **Version 1.4 - Thursday 15 March 2012**
  - Much faster capturing due to new Unity 3.5 native API features.
- **Version 1.3 - Friday 17 February 2012**
  - Added audio for testing audio recording.

- Autodetection of loopback audio devices.
- **Version 1.2 - Saturday 4 February 2012**
  - Added ability to capture GUI.
  - Added audio capture.
  - Added resizing to half, quarter, eighth resolution.
  - Improved capture performance and smoothness by only preparing the frame capture data when the encoder requires it.
  - Automatic disable of vsync helps performance.
  - Rounding to multiple of 4 resolution to help codec compatibility.
  - Added ability to set target frame rate (15, 24, 30, 60).
  - Added ability to set own file name.
  - Video codecs can now be configured.
  - Fixed various minor bugs.
- **Version 1.1 - Tuesday 24 January 2012**
  - Removed Vista/Win7 dependency (WMV).
- **Version 1.0 - Thursday 17 January 2012**
  - Initial release submitted to Asset Store.

## Appendix C - Road Map

- **Version 3.0**
  - Safer threaded GPU rendering path
  - Better Media Foundation exposure
- **Version 3.x - ?**
  - ← Your suggestion here
  - Add support for specifying regions?
  - Improve code documentation?
  - Support non-stall GPU grabs?
  - Recompile with newer version of VS?
  - Super-resolution for offline capture?
  - Fix H.264 initial freeze bug?
  - Support floating point audio to integer conversion?
  - Add audio delay support?
  - Bicubic downscaling?
  - Add timed capture for fixed duration
  - Add capture from camera with fixed resolution - upscale
  - Remove sleep logic from C#, make IssuePluginEvent handle the waiting using a timer
  - Investigate windowed mode and vsync-on capture bugs
  - embed mp4 container support
  - Use new MF high-level sink class
  - Update demo UI to handle upscaling for Camera captures

- Fix mp3 audio recording if possible
- Better webcam recording demo (using GPU)
- GPU context manager
- GPU context per recorder
- Commandbuffer support for ordering to exclude ImGui
- 360 stereo support
- Motion blur demo scene