







Contents

| CP040 | Portable | Radio | Models | \Rightarrow |
|--------------|-----------------|-------|--------|---------------|
|--------------|-----------------|-------|--------|---------------|

CP140 Portable Radio Models ⇒

CP160 Portable Radio Models ⇒

CP180 Portable Radio Models ⇒

CM140 Mobile Radio Models ⇒

CM160 Mobile Radio Models ⇒

CM340 Mobile Radio Models ⇒

CM360 Mobile Radio Models ⇒

COMMERCIAL SERIES Radio Accessories ⇒



Valid from: 16th September 2011 **Commercial Series Portable CP040 VHF & UHF Models**

CP040 - Two-Way Radio with 4 Channels

The new CP040 portable two-way radios deliver the quality features you want. It is available in both 4 W UHF and 5W VHF models. Simple to operate which allows users to keep in contact while still concentrating on the job in hand.

Hardware features:

- · 4 position rotary with stop
- · 2 side buttons

QA02084AA

Operator friendly controls and features include:

· Large Rotary Channel Selector · Rotary On/OFF and Volume Control

· Tricolour LED · Accessory Connector for convenient access

· Battery Latch Lock · Large Textured PTT

· Spring Action Belt Clip · Rugged, Die-Cast Chassis

· Two Programmable Option Buttons support your choice of up to four product features

All CP040 Portables include:

- Dust Cover - Portable Radio without keypad - Slim Lilon Battery - NNTN4970 - Antenna

- Belt Clip 7,5 cm - HLN8255

- Single unit Rapid Charger incl. Power Supply

The following frequencies are potentially self-quieting and should be avoided:

VHF: 151.9375, 151.2000, 151.20625, 167.99375, 168.0000, 168.00625 MHz

UHF B1: 419.993750, 420.000000, 420.006250 MHz

Del: SUC

UHF B2: 443.93125, 443.93750, 443.94375, 443.9500, 443.95625, 443.96250, 443.96875 MHz

UHF B3: 488.326250, 488.332500, 488.338750, 488.345000, 488.357500, 488.357500, 488.363750 MHz



-\$40.00

| MODEL NUMBER | DESCRIPTION | SUGGESTED LIST PRICE |
|--|--|-------------------------|
| CP040 Portable Models | <u></u> | |
| <u>VHF (136 - 162 MHz)</u> MDH50JDC9AA1AN | CP040 136 - 162 MHz, 1 - 5 W, 4CH, no keypad | \$290.00 |
| <u>VHF (146 - 174 MHz)</u> MDH50KDC9AA1AN | CP040 146 - 174 MHz, 1 - 5 W, 4CH, no keypad | \$290.00 |
| <u>UHF1 (403 - 440 MHz)</u> MDH50QDC9AA1AN | CP040 403 - 440 MHz, 1 - 4W, 4CH, no keypad | \$290.00 |
| <u>UHF2 (438 - 470 MHz)</u> MDH50RDC9AA1AN | CP040 438 - 470 MHz, 1 - 4W, 4CH, no keypad | \$290.00 |
| Mandatory Options: Or | ne option from each group must be chosen | |
| Group 1 | | |
| QA02086AA | Adds: Slim Lilon batt. NNTN4970, 1600MAH | \$0.00 |
| QA02087AA | Adds: NiMH batt. NNTN4851, 1400MAH | -\$40.00 |
| QA02089AA | Adds: NiCd batt. NNTN4496, 1100MAH | -\$50.00 |
| QA02267AA | Del: Battery | -\$85.00 |
| Group 2 | | |
| QA02082AA | Adds SUC WPLN4139, Euro plug | \$0.00 |
| QA02083AA | Adds SUC WPLN4140, UK plug | \$0.00 |
| I | | ▲ |



16th September 2011 Valid from:

Commercial Series Portable CP140 VHF & UHF Models MDC1200

CP140 - Two-Way Radio with 16 Channels

The new CP140 portable two-way radios deliver the quality features you want. It is available in both 4 W UHF and 5W VHF models. Simple to operate which allows users to keep in contact while still concentrating on the job in hand.

Hardware features:

- · 16 position rotary with stop
- · 2 side buttons

Operator friendly controls and features include:

- · Large Rotary Channel Selector · Rotary On/OFF and Volume Control
- · Tricolour LED
- · Accessory Connector for convenient access
- · Battery Latch Lock
- · Large Textured PTT
- · Spring Action Belt Clip
- · Rugged, Die-Cast Chassis
- · Two Programmable Option Buttons support your choice of up to four product features

All CP140 Portables include:

- Portable Radio without keypad

- Dust Cover

- NiMH - NNTN4851

- Antenna

- Belt Clip 7,5 cm HLN8255
- Single unit Rapid Charger incl. Power Supply

The following frequencies are potentially self-quieting and should be avoided:

VHF: 151.9375, 151.2000, 151.20625, 167.99375, 168.0000, 168.00625 MHz

UHF B1: 419.993750, 420.000000, 420.006250 MHz

UHF B2: 443.93125, 443.93750, 443.94375, 443.9500, 443.95625, 443.96250, 443.96875 MHz

UHF B3: 488.326250, 488.332500, 488.338750, 488.345000, 488.357500, 488.357500, 488.363750 MHz



| MODEL NUMBER | DESCRIPTION | SUGGESTED LIST PRICE |
|--|--|-------------------------|
| CP140 Portable Models | s: | |
| <u>VHF (136 - 162 MHz)</u> MDH65JDC9AA2AN | CP140 136 - 162 MHz, 1 - 5W, 16CH, no keypad | \$340.00 |
| <u>VHF (146 - 174 MHz)</u> MDH65KDC9AA2AN | CP140 146 - 174 MHz, 1 - 5W, 16CH, no keypad | \$340.00 |
| <u>UHF1 (403 - 440 MHz)</u> MDH65QDC9AA2AN | CP140 403 - 440 MHz, 1 - 4W, 16CH, no keypad | \$340.00 |
| <u>UHF2 (438 - 470 MHz)</u> MDH65RDC9AA2AN | CP140 438 - 470 MHz, 1 - 4W, 16CH, no keypad | \$340.00 |
| Mandatory Options: O | ne option from each group must be chosen | |

| Group 1 | | |
|-----------|--|----------|
| QA02158AA | Adds: NiMH batt. NNTN4851, 1400MAH | \$0.00 |
| QA02088AA | Adds: FM NiMH batt. NNTN4852, 1300MAH | \$50.00 |
| QA02156AA | Adds: Lilon batt. NNTN4497, 2250MAH | \$30.00 |
| QA02157AA | Adds: Slim Lilon batt. NNTN4970, 1600MAH | \$40.00 |
| QA02159AA | Adds: NiCd batt. NNTN4496, 1100MAH | -\$10.00 |
| QA02268AA | Del: Battery | -\$45.00 |
| Group 2 | | |
| QA02153AA | Adds SUC WPLN4139, Euro plug | \$0.00 |
| QA02154AA | Adds SUC WPLN4140, UK plug | \$0.00 |
| QA02155AA | Del: SUC | -\$40.00 |

IS Options: Will delete all above options

| Group 3 | | |
|---------|---|----------|
| QACPIB | Adds: NiCd batt. AM4852N-IB, 1650MAH plus SUC CH1-4496 plus certificate | \$86.00 |
| QACPIA | Adds: NiCd batt. AM4852N-IA, 1650MAH plus SUC CH1-4496 plus certificate | \$113.00 |



Valid from: 16th September 2011

Commercial Series Portable CP160 VHF & UHF Models MDC1200

CP160 - Two-Way Radio with 32 Channels

The new CP160 portable two-way radios deliver the quality features you want. It is available in both 4 W UHF and 5W VHF models. Simple to operate which allows users to keep in contact while still concentrating on the job in hand.

Hardware features:

· 16 position rotary with stop

· 4 button Menu Navigation keypad

· 2 side buttons

· 8-Character Alphanumeric Display

Operator friendly controls and features include:

Large Rotary Channel Selector
 Rotary On/OFF and Volume Control
 Tricolour LED
 Battery Latch Lock
 Large Textured PTT
 Spring Action Belt Clip

Accessory Connector for convenient access
 Rugged, Die-Cast Chassis

 \cdot Two Programmable Option Buttons support your choice of up to four product features

All CP160 Portables include:

- Portable Radio with Menu Navigation keypad - Dust Cover - NiMH - NNTN4851 - Antenna

- Belt Clip 7,5 cm - HLN8255

- Single unit Rapid Charger incl. Power Supply

The following frequencies are potentially self-quieting and should be avoided:

VHF: 151.9375, 151.2000, 151.20625, 167.99375, 168.0000, 168.00625 MHz

Adds SUC WPLN4139, Euro plug

Adds SUC WPLN4140, UK plug

UHF B1: 419.993750, 420.000000, 420.006250 MHz

UHF B2: 443.93125, 443.93750, 443.94375, 443.9500, 443.95625, 443.96250, 443.96875 MHz

UHF B3: 488.326250, 488.332500, 488.338750, 488.345000, 488.351250, 488.357500, 488.363750 MHz



\$0.00

\$0.00

-\$40.00

| MODEL NUMBER | DESCRIPTION | SUGGESTED LIST PRICE |
|--|---|-------------------------|
| CP160 Portable Model | s: | |
| <u>VHF (136 - 162 MHz)</u> MDH65JDF9AA3AN | CP160 136 - 162 MHz, 1 - 5W, 32CH, limited keypad | \$350.00 |
| <u>VHF (146 - 174 MHz)</u> MDH65KDF9AA3AN | CP160 146 - 174 MHz, 1 - 5W, 32CH, limited keypad | \$350.00 |
| <u>UHF1 (403 - 440 MHz)</u> MDH65QDF9AA3AN | CP160 403 - 440 MHz, 1 - 4W, 32CH, limited keypad | \$350.00 |
| <u>UHF2 (438 - 470 MHz)</u> MDH65RDF9AA3AN | CP160 438 - 470 MHz, 1 - 4W, 32CH, limited keypad | \$350.00 |
| Mandatory Options: O | ne option from each group must be chosen | |
| Group 1 | | |
| QA02158AA | Adds: NiMH batt. NNTN4851, 1400MAH | \$0.00 |
| QA02088AA | Adds: FM NiMH batt. NNTN4852, 1300MAH | \$50.00 |
| QA02156AA | Adds: Lilon batt. NNTN4497, 2250MAH | \$30.00 |
| QA02157AA | Adds: Slim Lilon batt. NNTN4970, 1600MAH | \$40.00 |
| QA02159AA | Adds: NiCd batt. NNTN4496, 1100MAH | -\$10.00 |
| QA02268AA | Del: Battery | -\$45.00 |
| Group 2 | | |

IS Options: Will delete all above options

Del: SUC

| Gı | 0 | u | р | 3 | |
|----|---|---|---|---|--|
| _ | - | _ | _ | | |

QA02153AA

QA02154AA

QA02155AA

| QACPIA | Adds: NiCd batt. AM4852N-IA, 1650MAH plus SUC CH1-4496 plus certificate | \$113.00 |
|--------|---|----------|
| QACPIB | Adds: NiCd batt. AM4852N-IB, 1650MAH plus SUC CH1-4496 plus certificate | \$86.00 |



CP Series - Page 4

Commercial Series Portable CP180 VHF & UHF Models MDC1200

Valid from: 16th September 2011

CP180 - Two-Way Radio with 64 Channels

The new CP180 portable two-way radios deliver the quality features you want and is the right solution for professionals who need to stay in contact. Simple to operate which allows users to keep in contact while still concentrating on the job in hand. It is available in both 4 W UHF and 5W VHF models.

Hardware features:

12 button DTMF keypad

4 button Menu Navigation keypad
 16 position continuous rotary knob

· 8-Character Alphanumeric Display

Operator friendly controls and features include:

Large Rotary Channel Selector
Rotary On/OFF and Volume Control

Tricolour LED
 Accessory Connector for convenient access

· Accessory Connector for convenient access

Battery Latch LockLarge Textured PTT

· 2 side buttons

· spring Action Belt Clip

· Rugged, Die-Cast Chassis

 \cdot Two Programmable Option Buttons support your choice of up to four product features

All CP180 Portables include:

- Portable Radio with keypad - Dust Cover - NiMH - NNTN4851 - Antenna

- Belt Clip 7,5 cm - HLN8255

- Single unit Rapid Charger incl. Power Supply

The following frequencies are potentially self-quieting and should be avoided:

VHF: 151.9375, 151.2000, 151.20625, 167.99375, 168.0000, 168.00625 MHz

UHF B1: 419.993750, 420.000000, 420.006250 MHz

UHF B2: 443.93125, 443.93750, 443.94375, 443.9500, 443.95625, 443.96250, 443.96875 MHz

UHF B3: 488.326250, 488.332500, 488.338750, 488.345000, 488.357500, 488.357500, 488.363750 MHz



| MODEL NUMBER | DESCRIPTION | SUGGESTED LIST PRICE |
|--|--|-------------------------|
| CP180 Portable Models | 5: | |
| <u>VHF (136 - 162 MHz)</u> MDH65JDH9AA4AN | CP180 136 - 162 MHz, 64CH, full keypad | \$360.00 |
| <u>VHF (146 - 174 MHz)</u> MDH65KDH9AA4AN | CP180 146 - 174 MHz, 64CH, full keypad | \$360.00 |
| <u>UHF1 (403 - 440 MHz)</u> MDH65QDH9AA4AN | CP180 403 - 440 MHz, 64CH, full keypad | \$360.00 |
| <u>UHF2 (438 - 470 MHz)</u> MDH65RDH9AA4AN | CP180 438 - 470 MHz, 64CH, full keypad | \$360.00 |
| M | | |

Mandatory Options: One option from each group must be chosen

| QA02155AA | Del: SUC | -\$40.00 |
|-----------|--|----------|
| QA02154AA | Adds SUC WPLN4140, UK plug | \$0.00 |
| QA02153AA | Adds SUC WPLN4139, Euro plug | \$0.00 |
| Group 2 | | |
| QA02268AA | Del: Battery | -\$45.00 |
| QA02159AA | Adds: NiCd batt. NNTN4496, 1100MAH | -\$10.00 |
| QA02157AA | Adds: Slim Lilon batt. NNTN4970, 1600MAH | \$40.00 |
| QA02156AA | Adds: Lilon batt. NNTN4497, 2250MAH | \$30.00 |
| QA02088AA | Adds: FM NiMH batt. NNTN4852, 1300MAH | \$50.00 |
| QA02158AA | Adds: NiMH batt. NNTN4851, 1400MAH | \$0.00 |
| Group 1 | | |

IS Options: Will delete all above options

| Group 3 | | |
|---------|---|----------|
| QACPIB | Adds: NiCd batt. AM4852N-IB, 1650MAH plus SUC CH1-4496 plus certificate | \$86.00 |
| OACPIA | Adds: NiCd batt AM4852N-IA 1650MAH plus SUC CH1-4496 plus certificate | \$113.00 |





| valid from: | 16th September 2011 | |
|----------------------|--|-------------------------|
| MODEL NUMBER | DESCRIPTION | SUGGESTED LIST PRICE |
| Batteries: | | |
| AM4852N-IA | Battery "ia" CP140/160/180 7.5V 1.65Ah Ni-MH ia certified | \$130.00 |
| AM4852N-IB | Battery "ib" CP140/160/180 7.5V 1.65Ah Ni-MH ib certified | \$103.00 |
| NNTN4496 | NiCd Battery, 1100 mAh | \$35.00 |
| NNTN4497 | High Cap Li-Ion Battery, 2250 mAh | \$75.00 |
| NNTN4851 | Ni-MH Battery, 1400 mAh | \$45.00 |
| NNTN4852 | Ni-MH FM Battery, 1300 mAh | \$95.00 |
| NNTN4970 | Slim Li-Ion Battery, 1600 mAh | \$85.00 |
| Chargers & Condition | ners: | |
| CH1-4496 | Charger CP040/140/160/180 | \$44.00 |
| WPLN4138 | Desktop Rapid Charger consists of EPNN7994 (US plug) & WPLN4137 (charger base) | \$40.00 |
| WPLN4139 | Desktop Rapid Charger consists of EPNN7991 (Euro plug) & WPLN4137 (charger base) | \$40.00 |
| WPLN4140 | Desktop Rapid Charger consists of EPNN7990 (UK plug) & WPLN4137 (charger base) | \$40.00 |
| WPLN4161 | Multi-Unit Charger with six stations, 120V US plug | \$598.00 |
| WPLN4162 | Multi-Unit Charger with six stations, 230V Euro plug | \$598.00 |
| WPLN4163 | Multi-Unit Charger with six stations, 230V UK plug | \$598.00 |
| Carrying Solutions: | | |
| HLN8255 | 7,5 cm Plastic, Spring Action Belt Clip | \$6.00 |
| HLN9701 | Nylon Carry Case with Belt Loop & D Rings XX | \$27.00 |
| NTN5243 | Shoulder Strap (for hard leather case) | \$30.00 |
| RLN5383 | CP040/140 - Leather Carry Case with Belt Loop & D Rings | \$33.00 |
| RLN5384 | CP040/140 - Leather Carry Case with 2.5" Swivel Belt Loop | \$33.00 |
| RLN5385 | CP040/140 - Leather Carry Case with 3" Swivel Belt Loop | \$33.00 |
| RLN5640 | CP160 - Leather Carry Case with Belt Loop & D Rings | \$33.00 |
| RLN5641 | CP160 - Leather Carry Case with 2.5" Swivel Belt Loop | \$33.00 |
| RLN5642 | CP160 - Leather Carry Case with 3" Swivel Belt Loop | \$33.00 |
| RLN5496 | CP180 - Leather Carry Case with Belt Loop & D Rings | \$33.00 |
| RLN5497 | CP180 - Leather Carry Case with 2.5" Swivel Belt Loop | \$33.00 |
| RLN5498 | CP180 - Leather Carry Case with 3" Swivel Belt Loop | \$33.00 |
| Antennas: | | |
| 8505816K26 | UHF Heliflex Stubby, 470-520 MHz | \$9.00 |
| HAD9338 | VHF Heliflex, 136-162 MHz | \$9.00 |
| HAD9742 | VHF Stubby, 9 cm, 146-162 MHz | \$9.00 |
| HAD9743 | VHF Stubby, 9 cm, 162-174 MHz | \$10.00 |
| NAD6502 | Wideband Antenna VHF 136 -174Mhz | \$11.00 |
| NAE6483 | Flexible Whip Antenna, 403-520 MHz | \$10.00 |
| NAE6522 | UHF Heliflex Stubby, 9 cm, 438-470 MHz | \$9.00 |
| | on the standing of the first | ψο.σο |





| MODEL NUMBER | DESCRIPTION | SUGGESTED LIST PRICE |
|---------------------|--|-------------------------|
| Audio Accessories: | | |
| Ear Microphone Sol | utions: | |
| BDN6646 | Voiceducer Ear Mic System with PTT Interface Module | \$485.00 |
| BDN6706 | Ear Microphone with Vox Interface (External Vox included) | \$586.00 |
| BDN6720 | Earpiece, 1-Wire ear hook, black | \$40.00 |
| HMN9036 | Earbud with clip Microphone and PTT | \$32.00 |
| HMN9727 | Earpiece without Volume Control-1 Wire (Beige) | \$49.00 |
| HMN9752 | Earpiece with Volume Control - 1 Wire (Beige) | \$75.00 |
| HMN9754 | 2 Piece Surveillance Microphone (plastic earloop) | \$112.00 |
| MDPMLN4442 | Earbud with in-line mic and PTT/VOX switch | \$15.00 |
| MDPMLN4443 | Ear Receiver with in-line mic and PTT/VOX switch | \$15.00 |
| MDPMLN4606 | 2 wire earpiece with clear acoustic tube (consisting of PMLN4605 & PMLN4294) | \$34.00 |
| PMLN4294 | Earbud w/Mic & PTT Combined | \$20.00 |
| PMLN4605 | Voicetube Kit for MDPMLN4418 | \$15.00 |
| PMLN5001 | D-Shell Earpiece with PTT/Mic | \$28.00 |
| RLN4894 | Earpiece without Volume Control-1 Wire (Black) | \$60.00 |
| RLN4895 | Earpiece with Microphone & PTT Combined – 2 Wire (Black) | \$88.00 |
| Headsets: | | |
| BDN6648 | Heavy Duty Headset with Noise Cancelling Boom Microphone | \$555.00 |
| HMN9013 | Headset with Boom Mic | \$63.00 |
| HMN9021 | Med Weight Over-The-Head Dual Muff Headset | \$269.00 |
| HMN9022 | Med Weight Behind-The-Head Dual Muff Headset | \$345.00 |
| MDPMLN4444 | Earphone Boom Mic with in-line mic and PTT/VOX switch | \$20.00 |
| MDPMLN4445 | Ultra lightweight headset with in-line PTT/VOX switch | \$25.00 |
| MDPMLN4658 | D-Shell Ultra Light Weight Headset with PTT and VOX | \$29.00 |
| PMLN5003 | Lightweight Temple Transducer | \$80.00 |
| PMLN5277 | Heavy Duty Headset | \$579.00 |
| RMN4051 | 2-Way Hard Hat Mount, Black | \$450.00 |
| Remote Speaker Mic | crophones: | |
| MDPMLN4620 | D-Shell Ear Receiver for RSM , 3.5mm plug | \$20.00 |
| MDPMMN4008 | MagOne RSM with omnidirectional mic | \$20.00 |
| MDPMMN4013 | Remote Speaker Microphone with Ear Jack | \$58.00 |
| MDPMMN4029 | Remote Speaker Microphone with IP57 Rating | \$55.00 |
| MDRLN4885 | Earbud, 3.5mm Plug for RSM | \$26.00 |
| MDRLN4941 | Receive only Earpiece with translucent Tube and 3.5mm Plug | \$55.00 |
| WADN4190 | Flexible Ear Receiver w/ Cable & 3.5mm plug | \$42.00 |
| Miscellaneous Acce | ssories: | |
| RLN5500 | Accessory Retainer Kit | \$4.00 |
| Vehicular Accessori | es: | |
| TDN9327 | Portable Radio Hanger (70mm/2.75inch) - Black | \$18.00 |
| TDN9373 | Portable Door Hanger (70-83mm/2.75-3.25inch) - Black | \$18.00 |
| Replacement Parts: | | |
| 0186180Z01 | Replacement Foam Earbuds | \$3.00 |
| 0.00100201 | ropacomont roun Eurouco | ψ0.00 |





| MODEL NUMBER | DESCRIPTION | SUGGESTED LIST PRICE |
|---------------------|--|-------------------------|
| Manuals & Docume | ntation: | |
| 6866549D01 | User Guide (printed book) CP040 Series | \$1.00 |
| 6866549D19 | Detailed Service Manual for CP040 (english only) | \$120.00 |
| GMLN1084 | CD ROM User Guide CP 040 Series | \$1.00 |
| GMLN1097 | CD ROM Product Manual CP040 (EN, DE, FR, ES, IT, PL) | \$40.00 |
| Service and Repair: | | |
| 3080369B72 | RIB to Computer Interface Cable, 9pin | \$71.00 |
| 5886564Z01 | RF Adapter | \$50.00 |
| 6686533Z01 | Removal Tool | \$4.00 |
| 8180384N65 | Houseing Eliminator | \$313.00 |
| EPN4042 | Radio Interface Box Power Supply (EPN4042 replaces EPN4040/4041) | \$54.00 |
| PMKN4003 | Cloning Cable | \$6.00 |
| PMKN4004 | Programming/Test Cable | \$48.00 |
| RLN4008 | Radio Interface Box (RIB) | \$286.00 |
| RLN4460 | Test Box | \$573.00 |
| RLN5583 | Flashing Adapter | \$188.00 |
| Software and Applic | cations: | |
| GMVN5036ARD | Customer Programming Software 100 & 300 Series CPS + Manual: Local | \$20.00 |
| GMVN5068 | Customer Programming Software CPS: CD ROM | \$170.00 |



Valid from: 16th September 2011

Commercial Series Mobile CM140 VHF & UHF Models MDC1200

CM140 - A mobile radio that fits your business, your budget and your vehicle.

Benefiting from a 75 year history in the business of communication, Motorola welcomes you to the future of two-way radio with the Commercial Series. Comprising four new mobile radios for powerful in-vehicle or fixed site communications, the family also includes portable radios for work teams that need to keep in touch wherever they are working.

Operator friendly controls and features include:

- · PL, MDC1200 and DTMF Signalling
- · Programmable Channel Spacing (12.5 / 20 / 25 kHz)
- · Adjustable Power Levels
- · X-Pandα Voice Compression/Low Level Expansion
- · DTMF Capability (with Keypad Mic option)

Hardware features:

- · 8 Channels
- · 2 Programmable Buttons (including Channel Buttons)
- · 3 Status LEDs
- · Internal Loudspeaker
- · Antenna connector: BNC
- · 1 25w and 25 45w models

User Guides are NOT shipped with these radios;

They are available, free of charge, in book and CD formats.

See the Manuals sections on the Accessories page.

- · Channel Scan
- · Busy Channel Lockout
- · PTT ID
- · Voice Operated Transmit (VOX)
- · Talkaround



The following frequencies are potentially self-quieting and should be avoided: UHF High Power: 444.860 MHz

| MODEL NUMBER | DESCRIPTION | SUGGESTED LIST PRICE |
|--|--|-------------------------|
| CM140 Mobile Models: VHF (136 - 162 MHz) MDM50JNC9AA2AN | CM140 Mobile, MDC, VHF (136-162MHz), 1 - 25W, 8 Channel | \$325.00 |
| <u>VHF (146 - 174 MHz)</u> MDM50KNC9AA2AN MDM50KQC9AA2AN | CM140 Mobile, MDC, VHF (146-174MHz), 1 - 25W, 8 Channel CM140 Mobile, MDC, VHF (146-174MHz), 25 - 45W, 8 Channel (NOT ETS COMPLIANT) | \$325.00 \$360.00 |
| <u>UHF1 (403 - 440 MHz)</u> MDM50QNC9AA2AN | CM140 Mobile, MDC, UHF1 (403-440 MHz), 1 - 25W, 8 Channel | \$325.00 |
| <u>UHF2 (438 - 470 MHz)</u> MDM50RNC9AA2AN MDM50RPC9AA2AN | CM140 Mobile, MDC, UHF2 (438-470 MHz), 1 - 25W, 8 Channel CM140 Mobile, MDC, UHF2 (438-470 MHz), 25 - 45W, 8 Channel (NOT ETS COMPLIANT) | \$325.00 \$360.00 |
| Accessory Options: One | · | |
| STDACC | Adds mobile accessories (included in model price) (Battery power cable HKN4137 (1-25w) or HKN4191 (25-45w), Mag One microphone RMN5018 (there is no hook function on this mic) and low profile trunnion kit GLN7324) | \$0.00 |
| G198A | Adds Compact Microphone with accessories 25W (Power cable HKN4137 (1 - 25w) HKN4191 (25 - 45w), Compact microphone HMN3413 and low profile trunnion kit GLN7324) | \$11.00 |
| G199A | Adds Keypad Microphone with accessories 25W (Power cable HKN4137 (1-25W) HKN4191 (25-45W), Keypad microphone MDRMN5029 and low profile trunnion kit GLN7324) | \$88.20 |
| G202A | Delivery without accessories 25W (delivered with power cable HKN4137 (1-25W) HKN4191 (25-45W) and earthing kit GMLN1095, but without trunnion kit and microphone) | -\$31.00 |



Valid from: 16th September 2011

Commercial Series Mobile CM160 VHF & UHF Models MDC1200

CM160 - A mobile radio that fits your business, your budget and your vehicle.

Benefiting from a 75 year history in the business of communication, Motorola welcomes you to the future of two-way radio with the Commercial Series. Comprising four new mobile radios for powerful in-vehicle or fixed site communications, the family also includes portable radios for work teams that need to keep in touch wherever they are working.

Operator friendly controls and features include:

- · PL, MDC1200, DTMF and Quick Call II Signalling
- · Programmable Channel Spacing (12.5 / 25 kHz)
- · Voice Operated Transmit (VOX)
- · Adjustable Power Levels
- · Option Board Expandability
- · Talkaround
- · Address Book
- \cdot X-Pand α Voice Compression/Low Level Expansion
- · DTMF Capability (with Keypad Mic option)
- · Channel Scan
- · Busy Channel Lockout
- · Emergency Signalling
- · PTT ID
- · Selective Calling
- · Escalert
- · Phone Mode

Hardware features:

- · 64 Channels
- · 1 Line 8-character Display
- · 4 Programmable Buttons
- · 3 Status LEDs
- · Internal Loudspeaker
- · Antenna connector : BNC
- · 1 25w and 25 45 w models



User Guides are NOT shipped with these radios;

They are available, free of charge, in book and CD formats.

See the Manuals sections on the Accessories page.

The following frequencies are potentially self-quieting and should be avoided:

UHF High Power: 444.860 MHz

| MODEL NUMBER | DESCRIPTION | SUGGESTED LIST PRICE |
|------------------------------|--|-------------------------|
| CM160 Mobile Models: | | |
| VHF (136 - 162 MHz) | | |
| MDM50JNF9AA2AN | CM160 Mobile, MDC, VHF (136-162MHz), 1 - 25W, 64 Channel | \$375.00 |
| MDM50JQF9AA2AN | CM160 Mobile, MDC, VHF (136-162MHz), 25 - 45W, 64 Channel (NOT ETS COMPLIANT) | \$415.00 |
| <u>VHF (146 - 174 MHz)</u> | | |
| MDM50KNF9AA2AN | CM160 Mobile, MDC, VHF (146-174MHz), 1 - 25W, 64 Channel | \$375.00 |
| MDM50KQF9AA2AN | CM160 Mobile, MDC, VHF (146-174MHz), 25 - 45W, 64 Channel (NOT ETS COMPLIANT) | \$415.00 |
| <u>UHF1 (403 - 440 MHz)</u> | | • |
| MDM50QNF9AA2AN | CM160 Mobile, MDC, UHF1 (403-440 MHz), 1 - 25W, 64 Channel | \$375.00 |
| MDM50QPF9AA2AN | CM160 Mobile, MDC, UHF1 (403-440 MHz), 25-40W, 64 Channel (NOT ETS COMPLIANT) | \$415.00 |
| <u>UHF2 (438 - 470 MHz)</u> | | |
| MDM50RNF9AA2AN | CM160 Mobile, MDC, UHF2 (438-470 MHz), 1 - 25W, 64 Channel | \$375.00 |
| MDM50RPF9AA2AN | CM160 Mobile, MDC, UHF2 (438-470 MHz), 25 - 45W, 64 Channel (NOT ETS COMPLIANT) | \$415.00 |
| Accessory Options: One | | |
| STDACC | Adds mobile accessories (included in model price) | \$0.00 |
| | (Battery power cable HKN4137 (1-25w) or HKN4191 (25-45w), Mag One microphone RMN5018 (there is no hook function on this mic) and low profile trunnion kit GLN7324) | |
| G198A | Adds Compact Microphone with accessories 25W | \$11.00 |
| | (Power cable HKN4137 (1 - 25w), Compact microphone HMN3413 and low profile trunnion kit GLN7324) | |
| G198B | Adds Compact Microphone with accessories 40/45W | \$11.00 |
| | (Power cable HKN4191 (25 - 45w) , Compact microphone HMN3413 and low profile trunnion kit GLN7324) | |
| G199A | Adds Keypad Microphone with accessories 25W | \$89.00 |
| | (Power cable HKN4137 (1-25W), Keypad microphone MDRMN5029 and low profile trunnion kit GLN7324) | |
| G199B | Adds Keypad Microphone with accessories 40/45W | \$89.00 |
| | (Power cable HKN4191 (25-45W), Keypad microphone MDRMN5029 and low profile trunnion kit GLN7324) | ***** |
| G202A | Delivery without accessories 25W | -\$31.00 |
| | (delivered with power cable HKN4137 (1-25W) HKN4191 (25-45W) and earthing kit GMLN1095, but without trunnion kit and microphone) | |
| G202B | Delivery without accessories 40/45W | -\$31.00 |
| | (delivered with power cable HKN4137 (1-25W) HKN4191 (25-45W) and earthing kit GMLN1095, but without trunnion kit and microphone) | · |
| | , | |



Valid from: 16th September 2011

Commercial Series Mobile CM340 MB, VHF & UHF Models Select 5

CM340 - A mobile radio that fits your business, your budget and your vehicle.

Benefiting from a 75 year history in the business of communication, Motorola welcomes you to the future of two-way radio with the Commercial Series. Comprising four new mobile radios for powerful in-vehicle or fixed site communications, the family also includes portable radios for work teams that need to keep in touch wherever they are working.

Operator friendly controls and features include:

- · Select 5 (5 Tone) Signalling
- · Programmable Channel Spacing (12.5 / 25 kHz)
- · Voice Operated Transmit (VOX)
- · Adjustable Power Levels
- · Talkaround
- · X-Pand α Voice Compression/Low Level Expansion
- · Channel Scan

- · Lone Worker
- · Emergency Signalling
- · Call Forward
- · Car Radio Mute
- · Public Address Mode
- · External Alarm



Hardware features:

- · 10 Channels
- · 2 Programmable Buttons
- · 3 Status LEDs
- Internal LoudspeakerAntenna connector : BNC
- · 1-25W models

User Guides are NOT shipped with these radios;

They are available, free of charge, in book and CD formats.

See the Manuals sections on the Accessories page.

The following frequencies are potentially self-quieting and should be avoided:

MB: 83.78 MHz

| MODEL NUMBER | DESCRIPTION | SUGGESTED LIST PRICE |
|---|---|-------------------------|
| CM340 Mobile Models: | | |
| MB (66-88 MHz) | | |
| MDM50FNC9AN2AN | CM340 Mobile, Select 5, MB (66-88 MHz), 1-25W, 10 Channel | \$350.00 |
| VUE / 146 174 MU=\ | | |
| <u>VHF (146 - 174 MHz)</u> MDM50KNC9AN2AN | CM340 Mobile, Select 5, VHF (146-174MHz), 1-25W, 10 Channel | \$350.00 |
| MDMSORNOSANZAN | Civio40 Mobile, Select 5, VIII (140-174MII12), 1-25W, 10 Chaille | φ330.00 |
| UHF1 (403 - 440 MHz) | | |
| MDM50QNC9AN2AN | CM340 Mobile, Select 5, UHF1 (403-440 MHz), 1-25W 10 Channel (available soon) | \$350.00 |
| | | |
| UHF2 (438 - 470 MHz) | | |
| MDM50RNC9AN2AN | CM340 Mobile, Select 5, UHF2 (438-470 MHz), 1-25W, 10 Channel | \$350.00 |
| Accessory Options: One | antian must be shoon | |
| STDACC | Adds mobile accessories (included in model price) | \$0.00 |
| 012/100 | (Battery power cable HKN4137 (1-25w) or HKN4191 (25-45w), Mag One microphone | ψ0.00 |
| | RMN5018 (there is no hook function on this mic) and low profile trunnion kit GLN7324) | |
| G197A | Adds Mag One Microphone with accessories | -\$9.00 |
| | (Power cable HKN4137, Mag One microphone RMN5018 and low profile trunnion kit | **** |
| | GLN7324) | |
| G199A | Adds Keypad Microphone with accessories 25W | \$89.00 |
| | (Power cable HKN4137, Keypad microphone MDRMN5029 and low profile trunnion kit | |
| | GLN7324) | |
| G202A | Delivery without accessories 25W | -\$31.00 |
| | (delivered with power cable HKN4137 (1-25W) and earthing kit GMLN1095, but without trunnion kit and microphone) | |
| | • • | |



Valid from: 16th September 2011

Commercial Series Mobile CM360 MB, VHF & UHF Models Select 5

CM360 - A mobile radio that fits your business, your budget and your vehicle.

Benefiting from a 75 year history in the business of communication, Motorola welcomes you to the future of two-way radio with the Commercial Series. Comprising four new mobile radios for powerful in-vehicle or fixed site communications, the family also includes portable radios for work teams that need to keep in touch wherever they are working.

Operator friendly controls and features include:

- · Select 5 (5 Tone) Signalling
- · Programmable Channel Spacing (12.5 / 25 kHz)
- · Voice Operated Transmit (VOX)
- · Adjustable Power Levels
- · Option Board Expandability
- · Talkaround
- · Memory Channel
- \cdot X-Pand α Voice Compression/Low Level Expansion
- DTMF Capability (with Telephone Handset option)
- · Channel Scan
- · Lone Worker
- · Emergency Signalling
- · Call Forward
- · Car Radio Mute
- · Public Address Mode
- · Status & Contact Lists
- · Missed Calls
- · External Alarm

Hardware features:

- · 100 Channels
- · 1 Line 8-character Display
- · Menu Navigation Keypad
- · 3 Programmable Buttons
- · 3 Status LEDs
- · Internal Loudspeaker
- · Antenna connector: BNC



User Guides are NOT shipped with these radios; They are available, free of charge, in book and CD formats.

See the Manuals sections on the Accessories page.

The following frequencies are potentially self-quieting and should be avoided: MB: 83.78 MHz

| MODEL NUMBER | DESCRIPTION | SUGGESTED LIST PRICE |
|--|--|-------------------------|
| CM360 Mobile Models: | | |
| <u>MB (66-88 MHz)</u> MDM50FNF9AN2AN | CM360 Mobile, Select 5, MB (66-88 MHz), 1-25W, 100 Channel | \$430.00 |
| <u>VHF (136 - 162 MHz)</u> MDM50JNF9AN2AN | CM360 Mobile, Select 5, VHF (136-162MHz), 1-25W, 100 Channel | \$430.00 |
| <u>VHF (146 - 174 MHz)</u> MDM50KNF9AN2AN | CM360 Mobile, Select 5, VHF (146-174MHz), 1-25W, 100 Channel | \$430.00 |
| UHF1 (403 - 440 MHz) MDM50QNF9AN2AN | CM360 Mobile, Select 5, UHF1 (403-440 MHz), 1-25W 100 Channel (available soon) | \$430.00 |
| <u>UHF2 (438 - 470 MHz)</u> MDM50RNF9AN2AN | CM360 Mobile, Select 5, UHF2 (438-470 MHz), 1-25W, 100 Channel | \$430.00 |
| Accessory Options: One | option must be chosen | |
| STDACC | Adds mobile accessories (included in model price) (Battery power cable HKN4137 (1-25w) or HKN4191 (25-45w), Mag One microphone RMN5018 (there is no hook function on this mic) and low profile trunnion kit GLN7324) | \$0.00 |
| G197A | Adds Mag One Microphone with accessories (Power cable HKN4137 (1 - 25w) HKN4191 (25 - 45w), Compact microphone HMN3413 and low profile trunnion kit GLN7324) | -\$9.00 |
| G199A | Adds Keypad Microphone with accessories 25W (Power cable HKN4137 (1-25W) HKN4191 (25-45W), Keypad microphone MDRMN5029 and low profile trunnion kit GLN7324) | \$89.00 |
| G202A | Delivery without accessories 25W (delivered with power cable HKN4137 (1-25W) HKN4191 (25-45W) and earthing kit GMLN1095, but without trunnion kit and microphone) | -\$31.00 |





| MODEL NUMBER | DESCRIPTION | SUGGESTED LIST PRICE |
|-----------------------|--|-------------------------|
| Mobile Antennas wit | h BNC Connector | LIOTTRIOL |
| | | \$20.00 |
| RAD4198 RAD4199 | VHF, 136-144 MHz, 1/4 Wave, Through-hole Mount, BNC | \$30.00 \$30.00 |
| RAD4199 RAD4200 | VHF, 146-150.8 MHz, 1/4 Wave, Through-hole Mount, BNC | \$30.00 |
| RAD4200 RAD4201 | VHF, 150.8-162 MHz, 1/4 Wave, Through-hole Mount, BNC VHF, 162-174 MHz, 1/4 Wave, Through-hole Mount, BNC | \$30.00 |
| RAE4151 | UHF, 403 - 430 MHz, 1/4 Wave , Through-hole Mount, BNC | \$30.00 |
| RAE4151 RAE4152 | UHF, 450-470 Mhz, 1/4 Wave, Through-hole Mount, BNC | \$32.00 |
| RAE4154 | UHF, 450-470 MHz, 5db, Through-hole Mount, BNC | \$172.00 |
| Mobile Antennas wit | • | \$172.00 |
| | | ¢25.00 |
| 5880367B28 HAD4006 | BNC Adapter | \$25.00 \$18.00 |
| | VHF 136-144 MHz, 1/4 Wave Roof Mount | \$18.00 \$18.00 |
| HAD4007 | VHF 146-150,8 MHz, 1/4 Wave Roof Mount | \$18.00 \$18.00 |
| HAD4008 | VHF 150,8-162 MHz, 1/4 Wave Roof Mount | \$18.00 |
| HAD4009 | VHF 162-174 MHz, 1/4 Wave Roof Mount | \$18.00 |
| HAD4022 | VHF 132-174 MHz, 3.5dB Gain, Roof Mount | \$60.00 |
| HAE4002 | UHF 403-430 MHz, 1/4 Wave Roof Mount | \$17.00 |
| HAE4003 | UHF 450-470 MHz, 1/4 Wave Roof Mount | \$21.00 |
| RAC4000ARA | MB, 66-88 MHz 1/4 Wave Roof Mount | \$69.00 |
| RAD4000AMB | VHF 140-174 MHz, 3db, Magnetic Base | \$141.00 |
| Microphones + PTTs | | |
| RMN5018 | Mag One Mic (there is no hook function on this mic) | \$21.00 |
| HMN3413 | Compact Palm Microphone with hang-up clip | \$32.00 |
| RMN5019 | Mag One Mic Keypad Mac (no hot mic function for emergency) | \$43.00 |
| MDRMN5029 | Keypad Mic DTMF (this mic has a 'hot mic' and is suitable for VOX operation) | \$105.00 |
| HMN1035 | Compact Mic | \$69.00 |
| HLN9073 | Microphone Hang-Up Clip (all microphones) | \$2.00 |
| GMUN1006 | Telephone Style Handset with hang-up cup | \$116.00 |
| GMMN4065 | Omni-Directional Visor Microphone | \$25.00 |
| RLN4856 | Footswitch PTT | \$33.00 |
| RLN4857 | Push Button PTT | \$30.00 |
| RLN4858 | Gooseneck PTT | \$52.00 |
| RLN4836 | Emergency Footswitch | \$33.00 |
| Base Station Access | sories | |
| RMN5068 | Desktop microphone (for Select 5 and MDC radios) | \$90.00 |
| RLN5390 | Desktop Tray with Speaker | \$80.00 |
| RLN5391 | Desktop Tray without Speaker | \$43.00 |
| GPN6145 | 25W Switched Mode Power Supply with Battery Revert/Trickle Charge (EMC Approved) | \$237.00 |
| GKN6266 | 12V connecting cable for use with GPN6145 | \$22.00 |
| HPN4007 | Power supply 14V 10 Amp 117/240 VAC (25-60 W - Non EU only) | \$269.00 |
| HPN4008 | 25W Power Supply (Not EMC Approved) | \$219.00 |
| GMLN1095 | Earthing Kit | \$5.00 |
| External Loudspeak | ers | |
| HSN8145 | 7.5 Watt External Speaker | \$40.00 |
| RSN4001 | External Speaker 13W | \$38.00 |
| Public Address | | |
| HKN9324 | 15ft Speaker Cable for PA | \$46.00 |
| HSN1006 | External Speaker for Car Kit | \$32.00 |
| Cables | | |
| GMKN4084 | Speaker Extension Cable | \$5.00 |
| HKN9327 | Ignition Switch Cable | \$10.00 |
| HKN4137 | 12V power cable battery (1-25W) | \$18.00 |
| HKN4191 | 12V power cable battery (Lo/Med Pwr) | \$13.00 |
| Installation Accesso | ries | |
| GLN7324 | Low Profile Mounting Trunnion (Standard) | \$13.00 |
| GLN7317 | Standard Mounting Trunnion | \$13.00 |
| FTN6083 | Din Mount (available Dec. '03) | \$42.00 |
| RLN4779 | Key Lock Mount | \$50.00 |





Reseller Price Book Portables - Page 13

| MODEL NUMBER | DESCRIPTION | SUGGESTED LIST PRICE |
|---------------------|---|-------------------------|
| Miscellaneous | | |
| HLN9328 | External Alarm Relay Cable | \$41.00 |
| GLN7282 | Buzzer Kit | \$39.00 |
| NTN7373 | 110V US Mains Cable | \$12.00 |
| NTN7374 | 230V Euro Mains Cable | \$12.00 |
| NTN7374 | 230V Euro Mains Cable | \$12.00 |
| HLN9457 | Hardware Kit for use with the Expanded Accessory Connector (includes | \$6.00 |
| Programming (see Ba | sic Service Manual for details) | |
| 3080369B71 | RIB to Computer Interface Cable, 25pin | \$112.00 |
| 3080369B72 | RIB to Computer Interface Cable, 9pin | \$71.00 |
| FKN8096 | Flash/Data Adapter (used with RKN4081 for FLASHing) | \$75.00 |
| FKN8113 | Adapter Cable for rear accessory connector (used with RKN4083) | \$75.00 |
| GMVN5036ARD | Customer Programming Software 100 & 300 Series CPS + Manual: Local | \$20.00 |
| GMVN5068 | Customer Programming Software CPS: CD ROM | \$170.00 |
| GTF374 | Programming Cable (use with standard Radio Interface Box) | \$57.00 |
| RKN4081 | Mobile Programming Cable (RIBless) | \$161.00 |
| RKN4083 | Mobile Programming/Test Cable (use with standard Radio Interface Box) | \$66.00 |
| Manuals | | |
| 6866545D01 | CM100 Series User instructions in multiple languages | \$1.00 |
| 6866545D02 | CM300 Series User instructions in multiple languages | \$1.00 |
| GMLN1070 | CM Commercial Series Basic User Guide CD | \$0.00 |
| GMLN1096 | CM Product Manual CD-ROM | \$40.00 |