Donor Account Management - Activity Diagrams

Project: Biomat USA Donor Management
Course: IS 6465 — Web Based Applications
Team: Caleb Syndergaard, Josh Stott, Cade Bray
Section author: Cade Bray (Donor Account Management)
Source: Donor Account Management - Use Cases.docx

Contents

UC-B1: Create a donor account (Create) Page 2
UC-B2: Viewing account information (Read) Page 3
UC-B3: Update Account (Update) Page 4
UC-B4: Delete Account (Hard Delete) Page 5


Notation

	Initial node: where the activity starts
	Action: a step performed by the Donor or the System
	Action on an alternative or error path (shaded)
	Decision: branches labeled with the condition (e.g. Yes / No)
	Merge: alternative paths rejoin the flow
	Activity final node: where the activity ends
	Control flow: the order of the steps
	Swimlanes: Donor (left) and System (right) show who performs each step

UC-B1: Create a donor account (Create)

UML activity diagram · Primary actor: Donor

Precondition: Donor is not logged in.




Validation checks: Checks if the user is already authenticated. Check if the details provided are valid. Check if the email is unique to our system.

UC-B2: View Account Information (Read)

UML activity diagram · Primary actor: Donor


Precondition: Donor is logged in.



UC-B3: Update Account (Update)

UML activity diagram · Primary actor: Donor

Precondition: Donor is logged in and viewing the ‘My Account’ page.



UC-B4: Delete Account (Hard Delete)

UML activity diagram · Primary actor: Donor

Precondition: Donor is logged in and is viewing the ‘My Account’ page.

