# Appointment Management Activity Diagrams

**Project:** Biomat USA Donor Management and Appointment Scheduling
**Course:** IS 6465 — Web Based Applications
**Team:** Caleb Syndergaard, Josh Stott, Cade Bray
**Section author:** Josh Stott (Appointment Management)
**Source:** Appointment_Management_Use_Cases.docx

## Contents

UC-A1: Request Appointment (Create)Page 2
UC-A2: View Appointment History (Read)Page 3
UC-A3: Update Appointment (Update)Page 4
UC-A4: Cancel Appointment (Soft Delete)Page 5


## Notation

| | |
|---|---|
|  | Initial node: where the activity starts |
|  | Action: a step performed by the Donor or the System |
|  | Action on an alternative or error path (shaded) |
|  | Decision: branches labeled with the condition (e.g. Yes / No) |
|  | Merge: alternative paths rejoin the flow |
|  | Activity final node: where the activity ends |
|  | Control flow: the order of the steps |
|  | Swimlanes: Donor (left) and System (right) show who performs each step |

# UC-A1: Request Appointment (Create)

UML activity diagram · Primary actor: Donor · Source: Appointment_Management_Use_Cases.docx

Precondition: Donor is logged in. At least one active donation center exists.





Validation checks: a center is selected, the center is active, and the date and time is valid and in the future. All errors are shown together and the Donor corrects them.

# UC-A2: View Appointment History (Read)

UML activity diagram · Primary actor: Donor · Source: Appointment_Management_Use_Cases.docx

Precondition: Donor is logged in.





From the Appointment history, Edit continues in UC-A3 Update Appointment and Cancel continues in UC-A4 Cancel Appointment.

# UC-A3: Update Appointment (Update)

UML activity diagram · Primary actor: Donor · Source: Appointment_Management_Use_Cases.docx

Precondition: Donor is logged in and is viewing the Appointment history (UC-A2).





The same validation checks as UC-A1 apply. Eligibility is checked when the form opens and again when changes are saved.

# UC-A4: Cancel Appointment (Soft Delete)

UML activity diagram · Primary actor: Donor · Source: Appointment_Management_Use_Cases.docx

Precondition: Donor is logged in and is viewing the Appointment history (UC-A2).




Cancelling is a soft delete: the status changes to Cancelled and the record stays in the Appointment history. Appointments are never permanently deleted in this use case.