

Means

[DataSet1] C:\Users\jrprichard\OneDrive - University of St. Thomas\Caleb Research\CALEB_N
CHA-III WEB F19 F20 NCHA III REFERENCE GROUP_Original.SAV

Case Processing Summary

	Cases					
	Included		Excluded		Total	
	N	Percent	N	Percent	N	Percent
ASSIST SSIS ALCOHOL SCORE * Survey Period	35760	68.7%	16292	31.3%	52052	100.0%
UCLA Loneliness Scale Score * Survey Period	51608	99.1%	444	0.9%	52052	100.0%
Kessler 6 (K6) Non-Specific Psychological Distress Score * Survey Period	51099	98.2%	953	1.8%	52052	100.0%
Last 7 days: Sleep-Wake up too early in the morning and couldn't get back to sleep? * Survey Period	51747	99.4%	305	0.6%	52052	100.0%
Last 2 weeks: average sleep per weeknight * Survey Period	51881	99.7%	171	0.3%	52052	100.0%
Time to fall asleep * Survey Period	51865	99.6%	187	0.4%	52052	100.0%
Last 7 days: Sleep-Get enough sleep so that you felt rested? * Survey Period	51750	99.4%	302	0.6%	52052	100.0%
Last 7 days: Sleep-Have an extremely hard time falling asleep? * Survey Period	51752	99.4%	300	0.6%	52052	100.0%

Report

Survey Period		ASSIST SSIS ALCOHOL SCORE	UCLA Loneliness Scale Score	Kessler 6 (K6) Non-Specific Psychological Distress Score	Last 7 days: Sleep-Wake up too early in the morning and couldn't get back to sleep?
Fall 2019	Mean	7.00	5.39	7.73	2.2535
	N	26707	38373	37893	38451
	Std. Deviation	5.964	1.880	5.296	1.73194
Fall 2020	Mean	6.54	5.44	8.39	2.4012
	N	9053	13235	13206	13296
	Std. Deviation	5.406	1.860	5.344	1.79909
Total	Mean	6.88	5.40	7.90	2.2914
	N	35760	51608	51099	51747
	Std. Deviation	5.831	1.875	5.316	1.75061

Report

Survey Period		Last 2 weeks: average sleep per weeknight	Time to fall asleep	Last 7 days: Sleep-Get enough sleep so that you felt rested?	Last 7 days: Sleep-Have an extremely hard time falling asleep?
Fall 2019	Mean	4.4985	2.7311	3.3808	2.9250
	N	38548	38539	38455	38457
	Std. Deviation	1.26444	1.13904	1.97991	2.15083
Fall 2020	Mean	4.6862	2.9503	3.5105	3.2666
	N	13333	13326	13295	13295
	Std. Deviation	1.30512	1.18366	2.10533	2.33254
Total	Mean	4.5467	2.7874	3.4141	3.0128
	N	51881	51865	51750	51752
	Std. Deviation	1.27764	1.15464	2.01365	2.20398

Crosstabs

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction * Survey Period	51503	98.9%	549	1.1%	52052	100.0%

Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction
*** Survey Period Crosstabulation**

			Survey Period		
			Fall 2019	Fall 2020	Total
Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	No	Count	37833	13093	50926
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	74.3%	25.7%	100.0%
		% within Survey Period	98.9%	98.8%	98.9%
	Yes	Count	423	154	577
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	73.3%	26.7%	100.0%
		% within Survey Period	1.1%	1.2%	1.1%
Total		Count	38256	13247	51503
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	74.3%	25.7%	100.0%
		% within Survey Period	100.0%	100.0%	100.0%

Crosstabs

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Last 12 months appointment for chronic condition-Alcohol or Other Drug-Related Abuse or Addiction * Survey Period	570	1.1%	51482	98.9%	52052	100.0%
Did a healthcare or mental health professional tell you that you do not need treatment, or that y....-Alcohol or Other Drug-Related Abuse or Addiction * Survey Period	23	0.0%	52029	100.0%	52052	100.0%

Last 12 months appointment for chronic condition-Alcohol or Other Drug-Related Abuse or Addiction * Survey Period Crosstabulation

		Survey Period		
		Fall 2019	Fall 2020	Total
Last 12 months appointment for chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	No	Count	213	92
		% within Last 12 months appointment for chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	69.8%	30.2%
		% within Survey Period	51.0%	60.5%
	Yes	Count	205	60
		% within Last 12 months appointment for chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	77.4%	22.6%
		% within Survey Period	49.0%	39.5%
Total		Count	418	152
		% within Last 12 months appointment for chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	73.3%	26.7%
		% within Survey Period	100.0%	100.0%

Did a healthcare or mental health professional tell you that you do not need treatment, or that y...-Alcohol or Other Drug-Related Abuse or Addiction * Survey Period Crosstabulation

		Survey Period			Total
		Fall 2019	Fall 2020		
Did a healthcare or mental health professional tell you that you do not need treatment, or that y...-Alcohol or Other Drug-Related Abuse or Addiction	No	Count	11	5	16
		% within Did a healthcare or mental health professional tell you that you do not need treatment, or that y...-Alcohol or Other Drug-Related Abuse or Addiction	68.8%	31.3%	100.0%
		% within Survey Period	64.7%	83.3%	69.6%
Total	Yes	Count	6	1	7
		% within Did a healthcare or mental health professional tell you that you do not need treatment, or that y...-Alcohol or Other Drug-Related Abuse or Addiction	85.7%	14.3%	100.0%
		% within Survey Period	35.3%	16.7%	30.4%
Total		Count	17	6	23
		% within Did a healthcare or mental health professional tell you that you do not need treatment, or that y...-Alcohol or Other Drug-Related Abuse or Addiction	73.9%	26.1%	100.0%
		% within Survey Period	100.0%	100.0%	100.0%

Crosstabs

Case Processing Summary

	Valid		Cases		Total	
	N	Percent	N	Percent	N	Percent
Last 2 weeks: 5 or more drinks of alcohol at a sitting *	26922	51.7%	25130	48.3%	52052	100.0%
Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction						
Last 12 months experienced when drinking-Blackout (forgot where I was or what I did for a large period of time and cannot remember, even when someone reminds me) * Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	38381	73.7%	13671	26.3%	52052	100.0%
Last time alcohol * Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	51427	98.8%	625	1.2%	52052	100.0%

**Last 2 weeks: 5 or more drinks of alcohol at a sitting * Ever diagnosed chronic condition-
Alcohol or Other Drug-Related Abuse or Addiction Crosstabulation**

			Ever diagnosed chronic condition-...
		No	
Last 2 weeks: 5 or more drinks of alcohol at a sitting	None	Count	13053
		% within Last 2 weeks: 5 or more drinks of alcohol at a sitting	99.4%
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	49.0%
	1 time	Count	6401
		% within Last 2 weeks: 5 or more drinks of alcohol at a sitting	99.2%
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	24.0%
	2 times	Count	3546
		% within Last 2 weeks: 5 or more drinks of alcohol at a sitting	98.8%
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	13.3%
	3 times	Count	1553
		% within Last 2 weeks: 5 or more drinks of alcohol at a sitting	98.0%
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	5.8%
	4 times	Count	1093
		% within Last 2 weeks: 5 or more drinks of alcohol at a sitting	98.6%
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	4.1%

Last 2 weeks: 5 or more drinks of alcohol at a sitting * Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction Crosstabulation

		Ever diagnosed chronic condition-Alcohol or Other ...	Yes	Total
Last 2 weeks: 5 or more drinks of alcohol at a sitting	None			
Last 2 weeks: 5 or more drinks of alcohol at a sitting	None	Count	80	13133
		% within Last 2 weeks: 5 or more drinks of alcohol at a sitting	0.6%	100.0%
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	30.3%	48.8%
	1 time	Count	49	6450
		% within Last 2 weeks: 5 or more drinks of alcohol at a sitting	0.8%	100.0%
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	18.6%	24.0%
	2 times	Count	43	3589
		% within Last 2 weeks: 5 or more drinks of alcohol at a sitting	1.2%	100.0%
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	16.3%	13.3%
	3 times	Count	32	1585
		% within Last 2 weeks: 5 or more drinks of alcohol at a sitting	2.0%	100.0%
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	12.1%	5.9%
	4 times	Count	15	1108
		% within Last 2 weeks: 5 or more drinks of alcohol at a sitting	1.4%	100.0%
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	5.7%	4.1%

**Last 2 weeks: 5 or more drinks of alcohol at a sitting * Ever diagnosed chronic condition-
Alcohol or Other Drug-Related Abuse or Addiction Crosstabulation**

		Ever diagnosed chronic condition-...	No
5 times	Count	473	
	% within Last 2 weeks: 5 or more drinks of alcohol at a sitting	97.3%	
	% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	1.8%	
6 times	Count	236	
	% within Last 2 weeks: 5 or more drinks of alcohol at a sitting	97.9%	
	% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	0.9%	
7 times	Count	106	
	% within Last 2 weeks: 5 or more drinks of alcohol at a sitting	92.2%	
	% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	0.4%	
8 times	Count	89	
	% within Last 2 weeks: 5 or more drinks of alcohol at a sitting	90.8%	
	% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	0.3%	
9 times	Count	19	
	% within Last 2 weeks: 5 or more drinks of alcohol at a sitting	90.5%	
	% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	0.1%	

Last 2 weeks: 5 or more drinks of alcohol at a sitting * Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction Crosstabulation

		Ever diagnosed chronic condition- Alcohol or Other ...	Yes	Total
			Yes	Total
5 times	Count	13	486	
	% within Last 2 weeks: 5 or more drinks of alcohol at a sitting	2.7%	100.0%	
	% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	4.9%	1.8%	
6 times	Count	5	241	
	% within Last 2 weeks: 5 or more drinks of alcohol at a sitting	2.1%	100.0%	
	% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	1.9%	0.9%	
7 times	Count	9	115	
	% within Last 2 weeks: 5 or more drinks of alcohol at a sitting	7.8%	100.0%	
	% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	3.4%	0.4%	
8 times	Count	9	98	
	% within Last 2 weeks: 5 or more drinks of alcohol at a sitting	9.2%	100.0%	
	% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	3.4%	0.4%	
9 times	Count	2	21	
	% within Last 2 weeks: 5 or more drinks of alcohol at a sitting	9.5%	100.0%	
	% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	0.8%	0.1%	

**Last 2 weeks: 5 or more drinks of alcohol at a sitting * Ever diagnosed chronic condition-
Alcohol or Other Drug-Related Abuse or Addiction Crosstabulation**

		Ever diagnosed chronic condition-...	
		No	
10 or more times	Count	89	
	% within Last 2 weeks: 5 or more drinks of alcohol at a sitting	92.7%	
	% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	0.3%	
Total	Count	26658	
	% within Last 2 weeks: 5 or more drinks of alcohol at a sitting	99.0%	
	% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	100.0%	

**Last 2 weeks: 5 or more drinks of alcohol at a sitting * Ever diagnosed chronic condition-
Alcohol or Other Drug-Related Abuse or Addiction Crosstabulation**

		Ever diagnosed chronic condition- Alcohol or Other ...	
		Yes	Total
10 or more times	Count	7	96
	% within Last 2 weeks: 5 or more drinks of alcohol at a sitting	7.3%	100.0%
	% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	2.7%	0.4%
Total	Count	264	26922
	% within Last 2 weeks: 5 or more drinks of alcohol at a sitting	1.0%	100.0%
	% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	100.0%	100.0%

Last 12 months experienced when drinking-Blackout (forgot where I was or what I did for a large period of time and cannot remember, even when someone reminds me) * Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction Crosstabulation

		Ever diagnosed chronic condition- Alcohol or Other Drug-Related Abuse or Addiction		
		No	Yes	
Last 12 months experienced when drinking-Blackout (forgot where I was or what I did for a large period of time and cannot remember, even when someone reminds me)	No	Count	33919	260
		% within Last 12 months experienced when drinking-Blackout (forgot where I was or what I did for a large period of time and cannot remember, even when someone reminds me)	99.2%	0.8%
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	89.3%	67.9%
Total	Yes	Count	4079	123
		% within Last 12 months experienced when drinking-Blackout (forgot where I was or what I did for a large period of time and cannot remember, even when someone reminds me)	97.1%	2.9%
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	10.7%	32.1%
Total	Count	37998	383	
	% within Last 12 months experienced when drinking-Blackout (forgot where I was or what I did for a large period of time and cannot remember, even when someone reminds me)	99.0%	1.0%	
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	100.0%	100.0%

Last 12 months experienced when drinking-Blackout (forgot where I was or what I did for a large period of time and cannot remember, even when someone reminds me) * Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction Crosstabulation

		Total
Last 12 months experienced when drinking-Blackout (forgot where I was or what I did for a large period of time and cannot remember, even when someone reminds me)	No	Count 34179 % within Last 12 months experienced when drinking-Blackout (forgot where I was or what I did for a large period of time and cannot remember, even when someone reminds me) 89.1%
	Yes	Count 4202 % within Last 12 months experienced when drinking-Blackout (forgot where I was or what I did for a large period of time and cannot remember, even when someone reminds me) 10.9%
		Count 38381 % within Last 12 months experienced when drinking-Blackout (forgot where I was or what I did for a large period of time and cannot remember, even when someone reminds me) 100.0%
		Count 38381 % within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction 100.0%
		Count 38381 % within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction 100.0%
		Count 38381 % within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction 100.0%

Last time alcohol * Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction Crosstabulation

		Ever diagnosed chronic condition-...	No
Last time alcohol	Never		
		Count	10730
		% within Last time alcohol	99.7%
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	21.1%
	Within the last 2 weeks	Count	26713
		% within Last time alcohol	99.0%
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	52.5%
	More than 2 weeks ago but within the last 30 days	Count	4496
		% within Last time alcohol	99.1%
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	8.8%
	More than 30 days ago but within the last 3 months	Count	3866
		% within Last time alcohol	99.0%
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	7.6%
	More than 3 months ago but within the last 12 months	Count	3031
		% within Last time alcohol	98.7%
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	6.0%

Last time alcohol * Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction Crosstabulation

		Ever diagnosed chronic condition- Alcohol or Other ...	Yes	Total
Last time alcohol	Never			
Last time alcohol	Never	Count	33	10763
		% within Last time alcohol	0.3%	100.0%
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	5.7%	20.9%
Within the last 2 weeks		Count	268	26981
		% within Last time alcohol	1.0%	100.0%
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	46.5%	52.5%
More than 2 weeks ago but within the last 30 days		Count	40	4536
		% within Last time alcohol	0.9%	100.0%
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	6.9%	8.8%
More than 30 days ago but within the last 3 months		Count	39	3905
		% within Last time alcohol	1.0%	100.0%
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	6.8%	7.6%
More than 3 months ago but within the last 12 months		Count	40	3071
		% within Last time alcohol	1.3%	100.0%
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	6.9%	6.0%

Last time alcohol * Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction Crosstabulation

		Ever diagnosed chronic condition-...	
		No	Yes
	More than 12 months ago	Count	2015
		% within Last time alcohol	92.8%
	Total	% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	4.0%
		Count	50851
	Total	% within Last time alcohol	98.9%
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	100.0%

Last time alcohol * Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction Crosstabulation

		Ever diagnosed chronic condition- Alcohol or Other ...	
		Yes	Total
	More than 12 months ago	Count	156
		% within Last time alcohol	7.2% 100.0%
	Total	% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	27.1% 4.2%
		Count	576 51427
	Total	% within Last time alcohol	1.1% 100.0%
		% within Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	100.0% 100.0%

Means

Case Processing Summary

	Included		Excluded		Total	
	N	Percent	N	Percent	N	Percent
ASSIST SSIS ALCOHOL SCORE * Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	35608	68.4%	16444	31.6%	52052	100.0%

Report

ASSIST SSIS ALCOHOL SCORE

Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	Mean	N	Std. Deviation
No	6.80	35127	5.694
Yes	13.28	481	10.361
Total	6.88	35608	5.830

Univariate Analysis of Variance

Between-Subjects Factors

		Value Label	N
Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	1.00	No	35127
	2.00	Yes	481
Survey Period	40	Fall 2019	26584
	42	Fall 2020	9024

Tests of Between-Subjects Effects

Dependent Variable: ASSIST alcohol risk

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	102.355 ^a	3	34.118	183.766	<.001
Intercept	2811.205	1	2811.205	15141.598	.000
N3Q65A3	70.156	1	70.156	377.873	<.001
STUDY	.527	1	.527	2.838	.092
N3Q65A3 * STUDY	.003	1	.003	.014	.904
Error	6610.276	35604	.186		
Total	57613.000	35608			
Corrected Total	6712.631	35607			

a. R Squared = .015 (Adjusted R Squared = .015)

Univariate Analysis of Variance

Between-Subjects Factors

	Value Label	N
Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	1.00	No
	2.00	Yes
Survey Period	40	Fall 2019
	42	Fall 2020

Descriptive Statistics

Dependent Variable: ASSIST alcohol risk

Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	Survey Period	Mean	Std. Deviation	N
No	Fall 2019	1.20	.434	26224
	Fall 2020	1.16	.396	8903
	Total	1.19	.425	35127
Yes	Fall 2019	1.64	.766	360
	Fall 2020	1.60	.701	121
	Total	1.63	.749	481
Total	Fall 2019	1.20	.443	26584
	Fall 2020	1.17	.405	9024
	Total	1.20	.434	35608

Tests of Between-Subjects Effects

Dependent Variable: ASSIST alcohol risk

Source	Type III Sum of Squares	df	Mean Square	F	Sig.	Partial Eta Squared
Corrected Model	102.355 ^a	3	34.118	183.766	<.001	.015
Intercept	2811.205	1	2811.205	15141.598	.000	.298
N3Q65A3	70.156	1	70.156	377.873	<.001	.011
STUDY	.527	1	.527	2.838	.092	.000
N3Q65A3 * STUDY	.003	1	.003	.014	.904	.000
Error	6610.276	35604	.186			
Total	57613.000	35608				
Corrected Total	6712.631	35607				

a. R Squared = .015 (Adjusted R Squared = .015)

Univariate Analysis of Variance

Between-Subjects Factors

		Value Label	N
Survey Period	40	Fall 2019	26584
	42	Fall 2020	9024
Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	1.00	No	35127
	2.00	Yes	481

Descriptive Statistics

Dependent Variable: ASSIST SSIS ALCOHOL SCORE

Survey Period	Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction			
		Mean	Std. Deviation	N
Fall 2019	No	6.91	5.823	26224
	Yes	13.54	10.551	360
	Total	7.00	5.962	26584
Fall 2020	No	6.46	5.281	8903
	Yes	12.51	9.778	121
	Total	6.54	5.410	9024
Total	No	6.80	5.694	35127
	Yes	13.28	10.361	481
	Total	6.88	5.830	35608

Tests of Between-Subjects Effects

Dependent Variable: ASSIST SSIS ALCOHOL SCORE

Source	Type III Sum of Squares	df	Mean Square	F	Sig.	Partial Eta Squared
Corrected Model	21388.748 ^a	3	7129.583	213.502	<.001	.018
Intercept	138827.950	1	138827.950	4157.335	.000	.105
STUDY	194.552	1	194.552	5.826	.016	.000
N3Q65A3	14360.405	1	14360.405	430.036	<.001	.012
STUDY * N3Q65A3	29.209	1	29.209	.875	.350	.000
Error	1188942.087	35604	33.393			
Total	2897892.000	35608				
Corrected Total	1210330.835	35607				

a. R Squared = .018 (Adjusted R Squared = .018)

Univariate Analysis of Variance

Between-Subjects Factors

	Value Label	N
Survey Period	40	Fall 2019
	42	Fall 2020
Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	1.00	No
	2.00	Yes

Descriptive Statistics

Dependent Variable: Recoded UCLA Loneliness Scale

Survey Period	Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction			N
		Mean	Std. Deviation	
Fall 2019	No	1.48	.500	37749
	Yes	1.63	.482	419
	Total	1.48	.500	38168
Fall 2020	No	1.49	.500	13020
	Yes	1.56	.498	153
	Total	1.49	.500	13173
Total	No	1.49	.500	50769
	Yes	1.62	.487	572
	Total	1.49	.500	51341

Tests of Between-Subjects Effects

Dependent Variable: Recoded UCLA Loneliness Scale

Source	Type III Sum of Squares	df	Mean Square	F	Sig.	Partial Eta Squared
Corrected Model	11.151 ^a	3	3.717	14.889	<.001	.001
Intercept	4222.173	1	4222.173	16913.369	.000	.248
STUDY	.432	1	.432	1.729	.189	.000
N3Q65A3	5.394	1	5.394	21.606	<.001	.000
STUDY * N3Q65A3	.765	1	.765	3.064	.080	.000
Error	12815.525	51337	.250			
Total	126362.000	51341				
Corrected Total	12826.675	51340				

a. R Squared = .001 (Adjusted R Squared = .001)

Univariate Analysis of Variance

Between-Subjects Factors

		Value Label	N
Survey Period	40	Fall 2019	38163
	42	Fall 2020	13210
Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	1.00	No	50801
	2.00	Yes	572

Descriptive Statistics

Dependent Variable: Last 7 days: Sleep-Have an extremely hard time falling asleep?

Survey Period	Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction			
		Mean	Std. Deviation	N
Fall 2019	No	2.9141	2.14531	37743
	Yes	3.7286	2.45973	420
	Total	2.9231	2.15067	38163
Fall 2020	No	3.2559	2.32785	13058
	Yes	3.9803	2.62558	152
	Total	3.2642	2.33266	13210
Total	No	3.0020	2.19874	50801
	Yes	3.7955	2.50501	572
	Total	3.0108	2.20393	51373

Tests of Between-Subjects Effects

Dependent Variable: Last 7 days: Sleep-Have an extremely hard time falling asleep?

Source	Type III Sum of Squares	df	Mean Square	F	Sig.	Partial Eta Squared
Corrected Model	1496.135 ^a	3	498.712	103.286	<.001	.006
Intercept	21253.694	1	21253.694	4401.759	.000	.079
STUDY	38.856	1	38.856	8.047	.005	.000
N3Q65A3	261.288	1	261.288	54.114	<.001	.001
STUDY * N3Q65A3	.894	1	.894	.185	.667	.000
Error	248032.869	51369	4.828			
Total	715222.000	51373				
Corrected Total	249529.004	51372				

a. R Squared = .006 (Adjusted R Squared = .006)

Univariate Analysis of Variance

Between-Subjects Factors

	Value Label	N
Survey Period	40	Fall 2019
	42	Fall 2020
Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	1.00	No
	2.00	Yes

Descriptive Statistics

Dependent Variable: Last 7 days: Sleep-Feel tired or sleepy during the day?

Survey Period	Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction			
		Mean	Std. Deviation	N
Fall 2019	No	5.2460	2.11881	37773
	Yes	5.4810	2.25512	420
	Total	5.2486	2.12047	38193
Fall 2020	No	5.2469	2.20334	13043
	Yes	5.6579	2.15955	152
	Total	5.2516	2.20320	13195
Total	No	5.2462	2.14080	50816
	Yes	5.5280	2.22962	572
	Total	5.2493	2.14199	51388

Tests of Between-Subjects Effects

Dependent Variable: Last 7 days: Sleep-Feel tired or sleepy during the day?

Source	Type III Sum of Squares	df	Mean Square	F	Sig.	Partial Eta Squared
Corrected Model	48.410 ^a	3	16.137	3.518	.014	.000
Intercept	51630.572	1	51630.572	11254.730	.000	.180
STUDY	3.490	1	3.490	.761	.383	.000
N3Q65A3	46.046	1	46.046	10.037	.002	.000
STUDY * N3Q65A3	3.419	1	3.419	.745	.388	.000
Error	235721.817	51384	4.587			
Total	1651795.000	51388				
Corrected Total	235770.228	51387				

a. R Squared = .000 (Adjusted R Squared = .000)

Univariate Analysis of Variance

Between-Subjects Factors

	Value Label	N
Survey Period	40	Fall 2019
	42	Fall 2020
Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction	1.00	No
	2.00	Yes

Descriptive Statistics

Dependent Variable: Last 2 weeks: average sleep per weeknight

Survey Period	Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction			N
		Mean	Std. Deviation	
Fall 2019	No	4.5016	1.25876	37811
	Yes	4.3531	1.59303	422
	Total	4.5000	1.26300	38233
Fall 2020	No	4.6886	1.30250	13088
	Yes	4.4740	1.50467	154
	Total	4.6862	1.30517	13242
Total	No	4.5497	1.27276	50899
	Yes	4.3854	1.56951	576
	Total	4.5479	1.27656	51475

Tests of Between-Subjects Effects

Dependent Variable: Last 2 weeks: average sleep per weeknight

Source	Type III Sum of Squares	df	Mean Square	F	Sig.	Partial Eta Squared
Corrected Model	357.086 ^a	3	119.029	73.349	<.001	.004
Intercept	36206.217	1	36206.217	22311.347	.000	.302
STUDY	10.578	1	10.578	6.518	.011	.000
N3Q65A3	14.710	1	14.710	9.065	.003	.000
STUDY * N3Q65A3	.487	1	.487	.300	.584	.000
Error	83525.670	51471	1.623			
Total	1148550.000	51475				
Corrected Total	83882.756	51474				

a. R Squared = .004 (Adjusted R Squared = .004)

Regression

Variables Entered/Removed^{a,b}

Model	Variables Entered	Variables Removed	Method
1	UCLA Loneliness Scale Score, Last 2 weeks: average sleep per weekend night, Time to fall asleep, Last 7 days: Sleep-Get enough sleep so that you felt rested?, Last 7 days: Sleep- Wake up too early in the morning and couldn't get back to sleep?, Last 2 weeks: average sleep per weeknight, Last 7 days: Sleep-Feel tired or sleepy during the day?, Last 7 days: Sleep- Have an extremely hard time falling asleep? ^c	.	Enter

a. Dependent Variable: ASSIST SSIS ALCOHOL SCORE

b. Models are based only on cases for which Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction = No

c. All requested variables entered.

Model Summary

Model	R Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction = No (Selected)	R Square	Adjusted R Square	Std. Error of the Estimate
1	.146 ^a	.021	.021	5.627

- a. Predictors: (Constant), UCLA Loneliness Scale Score, Last 2 weeks: average sleep per weekend night, Time to fall asleep, Last 7 days: Sleep-Get enough sleep so that you felt rested?, Last 7 days: Sleep-Wake up too early in the morning and couldn't get back to sleep?, Last 2 weeks: average sleep per weeknight, Last 7 days: Sleep-Feel tired or sleepy during the day?, Last 7 days: Sleep-Have an extremely hard time falling asleep?

ANOVA^{a,b}

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	24127.695	8	3015.962	95.236	<.001 ^c
	Residual	1102178.137	34804	31.668		
	Total	1126305.832	34812			

- a. Dependent Variable: ASSIST SSIS ALCOHOL SCORE
b. Selecting only cases for which Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction = No
c. Predictors: (Constant), UCLA Loneliness Scale Score, Last 2 weeks: average sleep per weekend night, Time to fall asleep, Last 7 days: Sleep-Get enough sleep so that you felt rested?, Last 7 days: Sleep-Wake up too early in the morning and couldn't get back to sleep?, Last 2 weeks: average sleep per weeknight, Last 7 days: Sleep-Feel tired or sleepy during the day?, Last 7 days: Sleep-Have an extremely hard time falling asleep?

Coefficients^{a,b}

Model		Unstandardized Coefficients		Standardized Coefficients Beta	t	Sig.
		B	Std. Error			
1	(Constant)	5.266	.224		23.540	<.001
	Time to fall asleep	.064	.036	.013	1.787	.074
	Last 2 weeks: average sleep per weeknight	.154	.029	.033	5.328	<.001
	Last 2 weeks: average sleep per weekend night	-.272	.023	-.070	-11.884	<.001
	Last 7 days: Sleep-Wake up too early in the morning and couldn't get back to sleep?	.027	.019	.008	1.381	.167
	Last 7 days: Sleep-Feel tired or sleepy during the day?	.144	.018	.053	8.161	<.001
	Last 7 days: Sleep-Have an extremely hard time falling asleep?	.109	.020	.042	5.323	<.001
	Last 7 days: Sleep-Get enough sleep so that you felt rested?	-.036	.018	-.013	-1.973	.049
	UCLA Loneliness Scale Score	.206	.017	.067	12.082	<.001

a. Dependent Variable: ASSIST SSIS ALCOHOL SCORE

b. Selecting only cases for which Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction = No

Regression

Variables Entered/Removed^{a,b}

Model	Variables Entered	Variables Removed	Method
1	UCLA Loneliness Scale Score, Last 2 weeks: average sleep per weekend night, Last 7 days: Sleep- Feel tired or sleepy during the day?, Time to fall asleep, Last 7 days: Sleep-Wake up too early in the morning and couldn't get back to sleep?, Last 7 days: Sleep-Get enough sleep so that you felt rested?, Last 2 weeks: average sleep per weeknight, Last 7 days: Sleep-Have an extremely hard time falling asleep? ^c	.	Enter

a. Dependent Variable: ASSIST SSIS ALCOHOL SCORE

b. Models are based only on cases for which Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction = Yes

c. All requested variables entered.

Model Summary

Model	R Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction = Yes (Selected)	R Square	Adjusted R Square	Std. Error of the Estimate
1	.267 ^a	.071	.055	10.071

- a. Predictors: (Constant), UCLA Loneliness Scale Score, Last 2 weeks: average sleep per weekend night, Last 7 days: Sleep-Feel tired or sleepy during the day?, Time to fall asleep, Last 7 days: Sleep-Wake up too early in the morning and couldn't get back to sleep?, Last 7 days: Sleep-Get enough sleep so that you felt rested?, Last 2 weeks: average sleep per weeknight, Last 7 days: Sleep-Have an extremely hard time falling asleep?

ANOVA^{a,b}

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	3576.536	8	447.067	4.408	<.001 ^c
	Residual	46553.522	459	101.424		
	Total	50130.058	467			

- a. Dependent Variable: ASSIST SSIS ALCOHOL SCORE
b. Selecting only cases for which Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction = Yes
c. Predictors: (Constant), UCLA Loneliness Scale Score, Last 2 weeks: average sleep per weekend night, Last 7 days: Sleep-Feel tired or sleepy during the day?, Time to fall asleep, Last 7 days: Sleep-Wake up too early in the morning and couldn't get back to sleep?, Last 7 days: Sleep-Get enough sleep so that you felt rested?, Last 2 weeks: average sleep per weeknight, Last 7 days: Sleep-Have an extremely hard time falling asleep?

Coefficients^{a,b}

Model		Unstandardized Coefficients		Standardized Coefficients Beta	t	Sig.
		B	Std. Error			
1	(Constant)	4.962	3.180		1.560	.119
	Time to fall asleep	-.821	.524	-.100	-1.567	.118
	Last 2 weeks: average sleep per weeknight	-.251	.382	-.038	-.655	.513
	Last 2 weeks: average sleep per weekend night	.206	.334	.034	.617	.537
	Last 7 days: Sleep-Wake up too early in the morning and couldn't get back to sleep?	.523	.247	.107	2.114	.035
	Last 7 days: Sleep-Feel tired or sleepy during the day?	.412	.269	.089	1.535	.126
	Last 7 days: Sleep-Have an extremely hard time falling asleep?	.667	.287	.160	2.320	.021
	Last 7 days: Sleep-Get enough sleep so that you felt rested?	.286	.272	.060	1.052	.294
	UCLA Loneliness Scale Score	.606	.245	.118	2.470	.014

a. Dependent Variable: ASSIST SSIS ALCOHOL SCORE

b. Selecting only cases for which Ever diagnosed chronic condition-Alcohol or Other Drug-Related Abuse or Addiction = Yes