
Building a Webex Bot Quickly

Hands-On Demo

Phil Bellanti - Developer Advocate Webex Cloud Platform @PBellanti

cisco live!





Agenda

- Intro to Webex Messaging Bots
- Getting Started
- Setting up a Local Web Sever
- Configure and Run the Bot App
- Interact with the Bot in Webex Teams and Inspect the Code
- Explore More




What are Messaging Bots?



- Messaging is big business
- Messaging bots are now becoming expected in the workplace to:
 - Automate tedious or complex tasks
 - Provide fast assistance in a human-relatable way
 - Connect all the services a user finds more important to streamline workflows

Webex Bots

- Exclusive to Webex Messaging
- Special "Bot" badge
- Functionality limited only by the imagination of the developer



Webex Messaging Bot Use Cases



Customer and User Services



Meetings & Scheduling



Content Management



Task Management




Polling



Notifications & Alerts

Webex Node.js Bot Framework





Webex Node.js Bot Framework







Installations

Node.js (version 8.0.0 or higher) npm, and git installed on your machine. A text editor is also recommended.

- Node.js: https://nodejs.org/
- npm: https://www.npmjs.com/get-npm
- git: https://git-scm.com/







Create Bot Account

developer.webex.com Cisco Webex Documentation Blog Support for Developers Build the Future of Boba Fett boba.fett@collaboration.builders Business My Webex Apps Collaboration Log out Start Building Apps Go to Docs

1. Log in to

2. Click avatar

3. Select "My Webex Apps"



Create Bot Account (continued)

3. Provide the bot info



1. Click "Create a New App"

Bot


th) Build intelligent chatbots that

Pls post content and respond to
r. commands.

Create a Bot


Learn More

2. Click "Create a Bot"





Create Bot Account (continued)



Copy bot access token and keep in safe place

Copy bot username and keep it with the access token





Setting up nGrok on Your Machine

- Download and setup nGrok here: https://ngrok.com/
- 2. After unzipping nGrok, from the **same** directory as the nGrok executable, execute this command line:

3. Once it's running, write down the web address that's tunneling to your localhost:7001 (ex: http://55d5fex.ngrok.io)





Configure and Run the Bot App

Download the project, swap in a few values, and start the bot up!

1. Download the node.js Webex Bot Starter template project with this command in your terminal:

```
git clone https://github.com/WebexSamples/webex-bot-starter && cd webex-bot-starter
```

2. Inside the project's root config-template.json file, use a code or text editor to swap out the following values:

```
{
  "webhookUrl": "http://XXXXXXX.ngrok.io",
  "token": "BOT_TOKEN_CREATED_FROM_EARLIER",
  "port": 7001
}
```



Configure and Run the Bot App

Download the project, swap in a few values, and start the bot up!

- 3. Note that when you turn off nGrok on your machine, the URL will change when you turn it back on, and you will need to update the config with the new address.
- 4. Save the changes and *rename* the file to **config.json**.

```
"webhookUrl": "http://XXXXXXX.ngrok.io",
"token": "BOT_TOKEN_CREATED_FROM_EARLIER",
"port": 7001
}
```

Configure and Run the Bot App

Download the project, swap in a few values, and start the bot up!

5. To start the bot application, run this command:


6. If you're using a Mac, you might receive a prompt asking about "node" accepting incoming network connections. If so, click Allow to load the server:







- Create a new group space in Webex Teams for testing your bot
- Follow the instructions it provides to explore some of the basic functionality of the bot





Going Further

- To extend the application, open the index.js file in a text editor
- Inspect the code to see how the application handles user input and responds

```
//Process incoming messages
53
54
     let responded = false;
55
     /* On mention with command
    ex User enters @botname help, the bot will write back in markdown
57
    */
    framework.hears(/help|what can i (do|say)|what (can|do) you do/i, functi
58
       console.log(`someone needs help! They asked ${trigger.text}`);
59
       responded = true;
60
61
       bot.say(`Hello ${trigger.person.displayName}.`)
62
         .then(() => sendHelp(bot))
63
         .catch((e) => console.error(`Problem in help hander: ${e.message}`))
64
    });
65
    /* On mention with command
66
    ex User enters @botname framework, the bot will write back in markdown
68
    */
    framework.hears('framework', function (bot) {
69
70
       console.log("framework command received");
       responded = true;
       bot.say("markdown", "The primary purpose for the [webex-node-bot-frame)
72
    });
74
```



Explore More


• DevNet Learning Labs: Getting Started with Webex APIs

• GitHub: Webex Node.js Bot Framework

• Blog: Dive Into the Webex Bot Framework for Node.js

Public# Webex-Bot-Node-Framework Support:

https://eurl.io/#BJ7gmlSeU











#CiscoLive | #DevNetDay