

ZP04 Combustible Gas Detection Module (Model:ZP04)

Manual V1.2 Valid from 12th,Feb 2015

Zhengzhou Winsen Electronics Technology Co., Ltd

Statement

This manual copyright belongs to Zhengzhou Winsen Electronics Technology Co., LTD. Without the written permission, any part of this manual shall not be copied, translated, stored in database or retrieval system, also can't spread through electronic, copying, record ways.

Thanks for purchasing our product. In order to let customers use it better and reduce the faults caused by misuse, please read the manual carefully and operate it correctly in accordance with the instructions. If users disobey the terms or remove, disassemble, change the components inside of the sensor, we shall not be responsible for the loss.

The specific such as color, appearance, sizes &etc, please in kind prevail.

We are devoting ourselves to products development and technical innovation, so we reserve the right to improve the products without notice. Please confirm it is the valid version before using this manual. At the same time, users' comments on optimized using way are welcome.

Please keep the manual properly, in order to get help if you have questions during the usage in the future.

Zhengzhou Winsen Electronics Technology CO., LT

ZP04 Combustible Gas Detection Module


Profile

ZP04 adopts plat surfaced semiconductor sensor, which has basic functions of household gas leak alarm, electric power light, warm-up light, fault lamp, output signal of alarm lamp; buzzer, relay, output signal of electromagnetic valve; input signal of testing button, canceling warm-up button input. This module can be used for complete device development of household gas leak alarm.



Parameters

Model	ZP04	
Detection Gas	Natural gas	
Detection Range	1~25%LEL	
Type of sensor	Flat surfaced semiconductor type	
Response time	< 30s	
Resume time	< 30s	
Working Voltage	9~12 V	
Working Current	< 80mA	
	To be external connection with 4	
Output	LED, 2 buttons,1 buzzer, 1 DC	
	relay and 1 electromagnetic valve	
Accuracy	relay and 1 electromagnetic valve $\pm 3\%$ LEL(under 25 $^{\circ}$ C)	
Accuracy Expected Lifespan	,	
,	±3%LEL(under 25℃)	
Expected Lifespan	±3%LEL(under 25°C) >2 years	
Expected Lifespan Standard Working Conditions	±3%LEL(under 25°C) >2 years Temperature: -10~55°C	
Expected Lifespan Standard Working	±3% LEL(under 25°C) >2 years Temperature: -10~55°C Humidity:0~95%RH	




Tel: 86-371-67169097/67169670 Fax: 86-371-60932988 Email: sales@winsensor.com



Pin Function Description

Fig2. ZP02 Pins




Pin No.	Function	Functional description	
Pin1	DC5V	+5V output	
Pin2	Alarm lamp LED drive	To output high level when alarming	
Pin3	Fault lamp LED drive	To output low level when it has fault	
Pin4	Warm-up lamp LED drive	To output low level during the warm-up course	
Pin5	GND	Direct current supply	
Pin6	NC	Hang in the air	
Pin7	Warm-up button keystroke	To cancel warm-up by knobbing down this button during the warm-up course	
Pin8	Electric magnetic buzzer drive	To control the conducting of electric magnetic buzzer	
Pin9	Buzzer drive 1	Piezoelectric buzzer (three-terminal)oscillator output	
Pin10	Buzzer drive 2	Piezoelectric buzzer (three-terminal)oscillator output	
Pin11	Electric Power lamp LED drive	To output low level during normal operating period	
Pin12	Test button keystroke	To detect basic function by knobbing down this button	
PIIIIZ		during normal operating period	
Pin13	Relay drive	When giving alarm ,to output low level and connect with relay directly	
Pin14	Electromagnetic valve drive	When giving alarm ,to output high level(specific refer to application circuit)	
Pin15	Electromagnetic valve drive	To charge electromagnetic valve in voltage regulation and capacity during normal operating period	
Pin16	Vin	Module power input	

Tel: 86-371-67169097/67169670 Fax: 86-371-60932988 Email: sales@winsensor.com



Application Principles

This module can be used for complete device development of household gas leak alarm.



ZP04 reference diagram of application principle

Diagram of application principle BOM

No	Material label	Material name	Model and specification of material	Quantity
1	U1	Module	ZP0 module	1
2	D5、D6	Kenotron tube	1N4007	2
3	LED1	Light emitting diode	Green	1
4	LED2、LED3	Light emitting diode	Yellow	2
5	LED4	Light emitting diode	Red	1
6	K1	Electromagnetic relay	DC9V	1
7	Q1	Audion	C2500	1
8	BUZZER1	Buzzer	9V piezoelectric buzzer	1
9	SW1、SW2	touch switch		2
10	C2	electrolytic capacitor	1000uF/16V	1
11	Q3	Audion	9013	1
12	BUZZER2	electric magnetic buzzer	9V electric magnetic buzzer	1

Tel: 86-371-67169097/67169670 Fax: 86-371-60932988 Email: sales@winsensor.com



Installation instruction

This module connects with external part by adopting PH2.0 configuration of single-row inserting pin. When using it, you just need insert the module into pre-set circuit. If the joint strength of the module need to be enhanced, you can weld the module on the circuit board directly.

Cautions

1 .Following conditions must be prohibited

1.1 Exposed to organic silicon steam

Module will lose sensitivity and never recover if it absorbs organic silicon steam. Module must avoid exposing to silicon bond, fixature, silicon latex, putty or plastic contain silicon environment.

1.2 High Corrosive gas

If the sensors are exposed to high concentration corrosive gas (such as H2S, SOX, Cl2, HCl etc.), it will not only result in corrosion of sensors structure, also it cause sincere sensitivity attenuation.

1.3 Touch water

Sensitivity of the sensors will be reduced when spattered or dipped in water.

1.4 Freezing

Do avoid icing on sensor's surface, otherwise sensing material will be broken and lost sensitivity.

2 .Following conditions must be avoided

2.1 Water Condensation

Indoor conditions, slight water condensation will influence sensors' performance lightly. However, if water condensation on sensing material surface and keep a certain period, sensors' sensitive will decrease.

2.2 Used in target gas with high concentration

No matter the sensor is electrified or not, if it is placed in high gas concentration for long time, sensors characteristic will be affected. If lighter gas sprays the sensor, it will cause extremely damage.

2.3 Long time storage

The sensors resistance will drift reversibly if the module is stored for long time without electrify, this drift is related with storage conditions. Modules should be

Tel: 86-371-67169097/67169670 Fax: 86-371-60932988 Email: sales@winsensor.com

炼盛科技Zhengzhou Winsen Electronics Technology Co., Ltd <u>www.winsen-sensor.com</u> stored in airproof bag without volatile silicon compound. For the modules with long time storage but no electrify, they need long galvanical aging time for stability before using. The suggested aging time as follow:

Stable3.

Storage Time	Suggested aging time
Less than one month	No less than 48 hours
1 ~ 6 months	No less than 72 hours
More than six months	No less than 168 hours

2.4 Long time exposed to adverse environment

Winson

No matter the modules electrified or not, if exposed to adverse environment for long time, such as high humidity, high temperature, or high pollution etc., it will influence the module's performance badly.

Zhengzhou Winsen Electronics Technology Co., Ltd

Add: No.299, Jinsuo Road, National Hi-Tech Zone, Zhengzhou

450001 China

Tel: +86-371-67169097/67169670

Fax: +86-371-60932988

E-mail: <u>sales@winsensor.com</u>

Website: <u>www.winsen-sensor.com</u>

Tel: 86-371-67169097/67169670 Fax: 86-371-60932988 Email: sales@winsensor.com